

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	C00-C96	618.7	24.3	6.4	9.1	17.0	32.2	48.0	115.4	181.3	336.9	482.6	612.6	754.5	874.2	1,058.9	1,210.7	1,462.0	1,707.8	1,825.7	-	
	口腔・咽頭	C00-C14	9.3	0.0	0.0	0.0	0.7	1.3	1.3	1.7	4.0	4.1	5.1	13.1	10.2	10.6	13.2	21.0	17.5	25.8	35.3	-	
	食道	C15	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.1	4.7	9.1	10.1	10.2	16.1	15.2	22.7	20.6	-	
	胃	C16	56.5	0.0	0.0	0.0	0.0	0.0	0.7	5.1	2.5	10.7	13.1	22.0	37.5	57.6	90.6	142.0	196.5	246.1	218.4	-	
	大腸（結腸・直腸）	C18-C20	95.2	0.0	0.0	0.0	0.0	1.3	4.6	6.3	15.2	16.0	36.4	56.5	112.5	137.4	166.0	214.1	263.2	346.1	337.5	-	
	結腸	C18	67.2	0.0	0.0	0.0	0.0	1.3	2.6	4.0	8.1	9.0	22.0	33.5	68.8	89.9	114.0	149.3	193.6	264.8	266.2	-	
	直腸	C19-C20	28.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	7.1	7.0	14.4	23.0	43.8	47.5	52.1	64.9	69.6	81.3	71.3	-	
	肝および肝内胆管	C22	16.7	0.9	0.0	0.0	0.0	0.0	0.0	0.6	1.0	0.8	4.2	4.2	8.0	10.6	16.6	45.4	60.2	78.1	92.6	-	
	胆のう・胆管	C23-C24	13.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	0.8	3.7	4.5	9.1	15.1	23.9	50.3	60.2	105.9	-	
	膵臓	C25	28.3	0.0	0.0	0.0	0.0	0.0	0.7	0.6	1.5	2.9	9.3	8.9	18.8	27.8	43.0	69.3	96.5	103.9	144.1	-	
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	1.0	1.8	1.6	1.5	-	
	C33-C34		57.3	0.0	0.0	0.0	0.0	1.3	2.0	0.6	1.5	8.2	11.9	24.6	55.7	67.2	127.9	142.4	167.3	217.2	196.3	-	
	皮膚	C43-C44	16.7	0.0	0.0	0.0	1.4	2.0	0.7	1.7	1.5	4.5	8.9	5.8	10.8	12.6	20.0	27.8	45.6	58.6	119.1	-	
	乳房	C50	149.2	0.0	0.0	0.0	0.0	0.7	8.6	35.4	73.2	160.7	239.0	246.6	242.6	281.3	274.3	225.9	222.2	195.3	166.2	-	
	子宮	C53-C55	44.5	0.0	0.0	0.0	0.0	0.0	0.0	4.6	28.6	29.3	52.5	63.1	92.1	97.7	75.3	64.9	57.1	62.6	50.0	35.3	-
	子宮頸部	C53	18.3	0.0	0.0	0.0	0.0	0.0	0.0	3.3	21.7	22.7	30.3	32.2	27.7	27.8	21.2	21.5	23.9	22.8	18.8	16.9	-
	子宮体部	C54	25.6	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.9	6.6	22.1	30.5	64.4	69.9	54.0	42.3	33.2	38.0	25.8	14.7	-
	卵巣	C56	23.4	0.0	0.0	1.5	2.8	6.7	8.6	11.4	12.6	25.8	33.5	40.8	40.9	35.9	40.4	28.3	35.1	24.2	29.4	-	-
	膀胱	C67	7.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	1.3	1.6	2.3	8.6	10.9	12.2	24.6	34.4	48.5	-
	腎・尿管（膀胱除く）	C64-C66 C68	13.7	1.7	0.0	0.0	0.0	0.7	0.7	0.0	1.1	1.5	3.7	5.1	9.4	12.5	18.7	23.8	29.3	42.1	44.5	52.9	-
	脳・中枢神経系	C70-C72	4.2	6.1	1.6	2.3	0.7	2.7	3.3	3.3	3.4	3.5	1.6	3.4	6.3	4.5	2.5	3.4	5.9	8.8	7.8	10.3	-
	甲状腺	C73	20.5	0.0	0.0	0.0	2.1	7.4	7.9	7.9	11.4	19.2	24.6	21.2	28.3	29.5	32.3	36.6	38.5	28.1	22.7	19.9	-
	悪性リンパ腫	C81-C85 C96	21.7	2.6	0.8	0.0	2.8	2.7	2.6	2.6	4.0	4.0	6.1	6.8	16.8	23.3	29.3	46.4	54.6	50.9	70.3	56.6	-
	多発性骨髄腫	C88-C90	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	1.6	2.8	4.5	9.8	8.3	17.0	21.9	21.3	-
	白血病	C91-C95	7.2	6.1	1.6	2.3	4.3	2.7	2.7	1.3	1.1	2.0	3.7	4.2	7.3	8.0	7.6	9.8	12.7	13.5	17.2	27.2	-

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2 全部位		C00-C96	757.2	23.7	10.1	9.3	16.8	24.7	45.7	83.9	129.2	222.1	331.2	502.5	742.0	1,096.9	1,536.1	2,011.7	2,392.3	2,606.2	2,476.9	-
口腔・咽頭		C00-C14	17.7	0.0	0.0	0.0	0.3	0.6	2.5	2.8	4.2	5.4	7.3	15.5	22.7	29.6	40.0	45.9	42.7	56.6	46.2	-
食道		C15	20.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.2	3.9	9.4	18.5	34.2	48.0	66.8	76.2	68.1	45.7	-
胃		C16	100.5	0.0	0.0	0.0	0.0	0.3	0.3	3.3	3.9	10.9	15.3	32.6	72.0	140.3	198.8	292.9	403.1	440.3	353.3	-
大腸（結腸・直腸）		C18-C20	120.2	0.0	0.0	0.0	0.0	1.6	5.4	6.4	15.2	20.1	43.3	75.6	128.3	192.3	257.7	330.1	375.9	431.4	378.9	-
結腸		C18	79.5	0.0	0.0	0.0	0.0	1.0	3.8	3.6	8.4	10.9	23.1	44.5	70.6	111.5	162.9	220.9	264.4	321.2	289.4	-
直腸		C19-C20	40.7	0.0	0.0	0.0	0.0	0.6	1.6	2.8	6.9	9.1	20.2	31.0	57.7	80.9	94.8	109.2	111.5	110.2	89.4	-
肝および肝内胆管		C22	29.1	1.3	0.4	0.0	0.0	0.0	0.0	0.3	1.2	1.6	5.9	10.9	24.9	36.2	50.5	83.4	108.0	133.2	128.6	-
胆のう・胆管		C23-C24	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	2.0	4.6	6.4	11.0	21.7	39.0	61.9	80.1	120.1	-
膵臓		C25	30.3	0.0	0.0	0.0	0.3	0.0	0.6	0.3	1.0	2.6	9.6	15.0	24.9	36.7	58.1	89.5	104.0	107.5	149.7	-
喉頭		C32	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.8	6.2	7.4	9.7	16.8	15.2	14.2	12.1	-
肺		C33-C34	93.4	0.0	0.0	0.0	0.3	1.0	1.6	1.1	3.9	8.0	18.4	34.6	66.7	122.7	219.4	282.4	326.9	365.9	345.2	-
皮膚		C43-C44	18.4	0.0	0.0	0.4	0.7	1.0	1.6	1.4	2.2	5.0	6.5	6.6	12.9	16.3	26.4	41.8	54.2	84.5	132.7	-
乳房		C50	75.6	0.0	0.4	0.0	0.0	0.3	4.1	17.2	35.6	78.3	115.3	119.8	120.7	143.1	142.5	118.9	119.5	111.9	114.6	-
子宮		C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部		C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮体部		C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
卵巣		C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
前立腺		C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱		C67	18.4	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.0	1.4	2.2	5.9	12.0	24.2	35.0	46.9	67.2	86.3	94.5	-
腎・尿管（膀胱除く）		C64-C66 C68	22.8	1.3	0.0	0.0	0.0	0.3	0.3	2.2	3.4	6.4	9.2	16.8	23.5	40.1	49.7	56.6	68.7	76.1	69.3	-
脳・中枢神経系		C70-C72	4.8	4.2	3.5	1.9	1.0	2.2	3.5	2.8	4.4	3.2	3.9	7.1	5.0	4.8	6.0	7.4	7.7	8.0	11.6	-
甲状腺		C73	13.6	0.0	0.0	0.0	1.0	3.8	4.8	7.2	11.5	13.9	12.7	19.1	20.2	22.2	27.4	27.0	18.3	19.9	15.1	-
悪性リンパ腫		C81-C85 C96	25.0	2.1	0.8	0.7	2.1	2.2	3.8	6.1	3.4	6.2	9.2	18.3	28.0	34.2	49.5	69.6	65.3	88.9	82.9	-
多発性骨髄腫		C88-C90	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.0	2.8	5.6	6.1	10.5	12.5	19.5	25.7	24.6	-
白血病		C91-C95	9.3	7.6	2.7	1.9	5.2	4.2	3.2	3.9	3.7	4.6	4.7	9.2	8.7	9.2	14.0	18.4	22.6	23.9	31.2	-

- 37 -

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

性別		部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男		全部位	000-C96 D00-D09	973.3	23.1	13.6	9.4	16.7	17.8	45.4	56.2	88.5	128.6	213.8	447.0	814.4	1,466.0	2,220.0	3,134.8	3,702.0	4,062.2	4,079.4	-
		食道	C15 D001	37.9	0.0	0.0	0.0	0.0	0.0	0.6	0.5	1.4	0.4	6.3	16.3	29.8	64.9	98.0	135.3	159.2	134.7	106.3	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	183.5	0.0	0.0	0.0	0.0	1.8	6.7	8.1	19.6	32.8	65.4	127.2	192.8	326.3	450.0	582.4	619.7	656.1	522.2	-
		結腸 *2	C18 D010	119.0	0.0	0.0	0.0	0.0	0.6	5.5	4.3	11.5	18.9	36.6	76.2	106.1	188.1	279.6	389.8	432.2	478.6	379.4	-
		直腸 *2	C19-C20 D011-D012	64.5	0.0	0.0	0.0	0.0	1.2	1.2	3.8	8.1	13.9	28.7	51.0	86.7	138.1	170.4	192.5	187.5	177.6	142.9	-
		肺	C33-C34 D021-D022	129.9	0.0	0.0	0.0	0.7	0.6	1.2	1.6	6.2	7.7	24.4	44.1	77.9	179.4	316.4	435.8	506.6	561.2	666.7	-
		皮膚	C43-C44 D030-D049	24.8	0.0	0.0	0.7	0.0	0.0	3.1	1.1	3.3	6.9	5.5	7.9	16.6	24.2	39.6	73.3	80.3	154.1	192.1	-
		乳房	C50 D05	1.1	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.0	2.2	2.1	3.2	1.6	3.9	3.1	3.2	-
		膀胱	C67 D090	49.9	0.0	0.0	0.0	0.0	0.6	0.6	1.1	1.9	3.9	7.1	15.3	40.3	78.4	104.0	148.7	193.4	251.0	279.4	-
		全部位	000-C96 D00-D09	702.3	24.3	6.4	9.1	17.0	43.0	92.1	217.1	295.5	459.4	593.2	697.9	842.0	974.7	1,160.8	1,360.5	1,610.5	1,811.7	1,895.6	-
		食道	C15 D001	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.1	5.2	10.8	11.1	10.6	18.5	21.1	25.0	20.6	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	114.6	0.0	0.0	0.0	0.0	2.0	4.6	8.6	16.2	26.2	46.2	74.3	136.4	164.6	205.7	277.6	330.4	386.7	354.4	-
		結腸 *2	C18 D010	81.0	0.0	0.0	0.0	0.0	1.3	2.6	5.1	9.1	16.8	27.5	43.5	83.5	110.6	139.2	196.6	245.6	298.4	277.2	-
女		直腸 *2	C19-C20 D011-D012	33.6	0.0	0.0	0.0	0.0	0.7	2.0	3.4	7.1	9.4	18.6	30.9	52.8	54.0	66.4	81.0	84.8	88.3	77.2	-
		肺	C33-C34 D021-D022	57.3	0.0	0.0	0.0	0.0	1.3	2.0	0.6	1.5	8.2	11.9	24.6	55.7	67.2	127.9	142.9	167.3	217.2	196.3	-
		皮膚	C43-C44 D030-D049	21.1	0.0	0.0	0.0	1.4	2.0	0.7	3.4	1.5	5.3	9.3	6.8	12.5	16.7	25.7	39.0	59.6	76.6	144.9	-
		乳房	C50 D05	169.5	0.0	0.0	0.0	0.0	0.7	9.2	40.0	88.9	195.9	284.3	280.1	276.7	318.7	303.0	256.1	245.6	209.4	175.0	-
		子宮	C53-C55 D06	73.7	0.0	0.0	0.0	0.0	10.1	47.4	120.6	124.7	125.4	115.3	119.4	115.3	92.4	74.7	66.3	72.5	51.6	36.0	-
		子宮頸部	C53 D06	47.4	0.0	0.0	0.0	0.0	10.1	46.1	113.7	118.2	103.3	84.3	55.0	45.5	38.4	31.3	33.2	32.7	20.3	17.6	-
		膀胱	C67 D090	11.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.5	2.5	2.1	3.7	3.4	14.1	17.0	26.3	38.8	47.7	56.1	-
		総数 *3 全部位	000-C96 D00-D09	837.0	23.7	10.1	9.3	16.8	29.8	67.9	134.4	189.2	289.1	396.7	569.0	828.0	1,217.9	1,675.0	2,206.9	2,595.0	2,787.6	2,586.9	-
		食道	C15 D001	22.4	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.7	1.4	4.3	10.9	20.4	37.8	53.0	74.2	86.1	72.6	47.7	-
		大腸（結腸・直腸）*2	C18-C20 D010-D012	148.9	0.0	0.0	0.0	0.0	1.9	5.7	8.3	17.9	29.6	56.3	101.5	165.0	244.6	324.3	423.0	466.6	503.5	407.5	-
		結腸 *2	C18 D010	99.9	0.0	0.0	0.0	0.0	1.0	4.1	4.7	10.3	17.9	32.2	60.3	95.0	149.0	207.4	288.8	333.4	376.5	309.5	-
		直腸 *2	C19-C20 D011-D012	49.0	0.0	0.0	0.0	0.0	1.0	1.6	3.6	7.6	11.7	24.1	41.2	70.0	95.7	116.9	134.2	133.1	127.0	98.0	-
		肺	C33-C34 D021-D022	93.4	0.0	0.0	0.0	0.3	1.0	1.6	1.1	3.9	8.0	18.4	34.6	66.9	122.7	219.4	282.7	326.9	366.4	345.2	-
I 38 I		皮膚	C43-C44 D030-D049	23.0	0.0	0.0	0.4	0.7	1.0	1.9	2.2	2.5	6.2	7.3	7.4	14.6	20.4	32.4	55.4	69.3	110.2	159.8	-
		乳房	C50 D05	85.8	0.0	0.4	0.0	0.0	0.3	4.4	19.4	43.2	95.4	137.1	136.1	137.5	162.0	157.5	134.7	131.9	119.9	120.6	-
		子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		膀胱	C67 D090	30.7	0.0	0.0	0.0	0.0	0.3	0.3	1.1	2.2	3.2	4.7	9.7	22.1	45.9	59.2	84.7	112.1	135.8	128.1	-
		全部位	000-C96 D00-D09	307.7	0.0	0.0	0.0	0.0	0.3	0.3	1.1	2.2	3.2	4.7	9.7	22.1	45.9	59.2	84.7	112.1	135.8	128.1	-

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯（％）： 部位別

A. 上皮内がんを除く

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	45,738	16.0	29.8	0.1	47.8	6.3
口腔・咽頭	C00-C14	1,078	2.2	25.5	0.0	65.6	6.7
食道	C15	1,235	13.9	31.5	0.1	50.3	4.2
胃	C16	6,098	20.2	33.2	0.1	42.4	4.1
大腸（結腸・直腸）	C18-C20	7,270	19.3	24.8	0.0	49.7	6.1
結腸	C18	4,805	19.1	27.7	0.0	47.8	5.4
直腸	C19-C20	2,465	19.7	19.2	0.0	53.5	7.6
肝および肝内胆管	C22	1,687	4.7	55.1	0.1	31.7	8.4
胆のう・胆管	C23-C24	929	4.6	33.4	0.1	58.3	3.6
膵臓	C25	1,763	5.2	31.3	0.1	59.8	3.5
喉頭	C32	281	1.1	19.2	0.0	75.1	4.6
肺	C33-C34	5,542	19.0	39.3	0.1	37.3	4.4
皮膚	C43-C44	1,144	0.2	13.1	0.1	84.1	2.5
乳房	C50	4,627	26.5	13.3	0.0	49.8	10.4
乳房（女性のみ）	C50	4,594	26.7	13.2	0.0	49.8	10.4
子宮	C53-C55	1,369	13.1	15.3	0.0	64.7	6.9
子宮頸部	C53	561	19.1	12.3	0.0	61.5	7.1
子宮体部	C54	794	8.9	17.4	0.0	67.6	6.0
卵巣	C56	713	7.0	23.4	0.0	59.6	10.0
前立腺	C61	4,437	25.6	38.4	0.1	27.5	8.3
膀胱	C67	1,113	3.8	24.0	0.0	66.0	6.2
腎・尿路（膀胱除く）	C64-C66 C68	1,390	12.4	43.4	0.1	37.8	6.3
脳・中枢神経系	C70-C72	292	2.4	13.7	0.0	75.7	8.2
甲状腺	C73	840	19.3	36.5	0.2	30.0	13.9
悪性リンパ腫	C81-C85 C96	1,524	6.0	25.8	0.3	64.0	3.8
多発性骨髄腫	C88-C90	325	5.2	43.4	0.0	45.2	6.2
白血病	C91-C95	568	9.2	31.5	0.2	53.0	6.2

*1 DC0を除く総数

表4. 発見経緯（％）： 部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	50,714	17.2	30.5	0.1	46.3	6.0
食道	C15 D001	1,366	14.3	34.7	0.1	46.9	4.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	9,060	22.1	28.5	0.0	43.8	5.6
結腸 *2	C18 D010	6,077	22.0	31.4	0.0	41.7	4.9
直腸 *2	C19-C20 D011-D012	2,983	22.4	22.7	0.0	48.0	6.8
肺	C33-C34 D021-D022	5,545	19.0	39.3	0.1	37.3	4.4
皮膚	C43-C44 D030-D049	1,429	0.1	13.0	0.1	84.5	2.2
乳房	C50 D05	5,267	28.9	14.3	0.0	47.0	9.8
乳房（女性のみ）	C50 D05	5,233	29.1	14.1	0.0	47.0	9.7
子宮	C53-C55 D06	2,282	24.5	23.5	0.0	46.3	5.7
子宮頸部	C53 D06	1,474	33.0	26.9	0.0	35.0	5.2
膀胱	C67 D090	1,876	4.5	25.7	0.0	64.7	5.0

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

A. 上皮内がんを除く

千葉県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	44,822	47.1	9.5	13.2	18.2	12.0	22.7
口腔・咽頭	C00-C14	1,078	37.4	15.2	32.9	3.9	10.6	48.1
食道	C15	1,235	42.6	8.3	25.7	14.6	8.7	34.1
胃	C16	6,098	58.7	9.8	7.0	17.2	7.3	16.8
大腸（結腸・直腸）	C18-C20	7,270	47.2	17.0	9.0	17.4	9.4	26.0
結腸	C18	4,805	46.8	16.5	9.3	18.2	9.1	25.8
直腸	C19-C20	2,465	47.8	17.9	8.4	15.8	10.0	26.4
肝および肝内胆管	C22	1,687	53.9	2.5	10.6	12.7	20.3	13.1
胆のう・胆管	C23-C24	929	16.4	4.1	37.6	25.7	16.3	41.7
膵臓	C25	1,763	8.7	2.7	31.3	47.8	9.6	33.9
喉頭	C32	281	61.2	12.8	16.0	2.5	7.5	28.8
肺	C33-C34	5,542	32.1	10.9	8.8	37.6	10.5	19.7
皮膚	C43-C44	1,144	85.2	1.0	5.3	1.2	7.3	6.3
乳房	C50	4,627	56.6	20.8	3.9	5.1	13.7	24.7
乳房（女性のみ）	C50	4,594	56.7	20.8	3.8	5.2	13.6	24.6
子宮	C53-C55	1,369	54.0	3.1	22.2	11.0	9.7	25.3
子宮頸部	C53	561	37.3	3.6	34.6	14.3	10.3	38.1
子宮体部	C54	794	66.6	2.9	13.6	8.7	8.2	16.5
卵巣	C56	713	32.5	1.1	39.3	13.2	13.9	40.4
前立腺	C61	4,437	61.2	1.1	16.5	11.8	9.4	17.6
膀胱	C67	1,113	61.1	2.0	11.1	3.0	22.9	13.0
腎・尿路（膀胱除く）	C64-C66 C68	1,390	53.5	1.4	20.0	13.6	11.4	21.4
脳・中枢神経系	C70-C72	292	68.8	0.3	7.2	2.7	20.9	7.5
甲状腺	C73	840	32.9	28.1	7.6	4.6	26.8	35.7
悪性リンパ腫	C81-C85 C96	1,499	26.7	0.8	15.9	43.0	13.6	16.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 D00、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）：部位別

B. 上皮内がんを含む

千葉県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	49,798	9.3	42.7	8.6	11.9	16.4	11.1	20.5
食道	C15 D001	1,366	9.3	38.6	7.5	23.3	13.2	8.1	30.8
大腸（結腸・直腸）*3	C18-C20 D010-D012	9,060	19.6	37.8	13.7	7.2	14.0	7.8	20.9
結腸 *3	C18 D010	6,077	20.7	37.0	13.1	7.3	14.4	7.4	20.4
直腸 *3	C19-C20 D011-D012	2,983	17.2	39.5	14.8	7.0	13.0	8.4	21.8
肺	C33-C34 D021-D022	5,545	0.0	32.1	10.9	8.8	37.6	10.6	19.7
皮膚	C43-C44 D030-D049	1,429	19.5	68.2	0.8	4.3	1.0	6.3	5.0
乳房	C50 D05	5,267	11.0	49.7	18.3	3.4	4.5	13.1	21.7
乳房（女性のみ）	C50 D05	5,233	11.0	49.8	18.3	3.3	4.5	13.1	21.6
子宮	C53-C55 D06	2,282	39.6	32.4	1.9	13.3	6.6	6.3	15.2
子宮頸部	C53 D06	1,474	61.3	14.2	1.4	13.2	5.4	4.6	14.5
膀胱	C67 D090	1,876	38.1	36.5	1.2	6.6	1.8	15.9	7.7

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む