

統計表 I

(千葉県の場合)

注) 下記に該当する欄は、灰色で表示し、数値を非表示とします。

- ① 集計値が 10 未満の場合
- ② ①の値が計算によって特定できる場合

附表1 県及び保健所別、性・年齢階級別受診率(市町村国保+協会けんぽ)

		総数							
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
千葉県	対象者	181,567	211,283	236,874	198,135	188,923	246,207	354,360	1,617,349
	受診者	76,518	92,175	103,520	84,861	81,821	109,660	160,076	708,631
	受診率	42.1	43.6	43.7	42.8	43.3	44.5	45.2	43.8
保健所別 千葉市	対象者	25,820	31,301	36,027	29,689	26,932	33,112	49,154	232,035
	受診者	10,524	13,114	15,359	12,329	11,074	13,554	20,317	96,271
	受診率	40.8	41.9	42.6	41.5	41.1	40.9	41.3	41.5
船橋市	対象者	17,880	20,829	23,052	18,862	16,575	20,097	29,442	146,737
	受診者	7,753	9,458	10,594	8,251	7,356	9,256	14,784	67,452
	受診率	43.4	45.4	46.0	43.7	44.4	46.1	50.2	46.0
市川	対象者	18,936	21,264	23,684	19,754	17,662	20,115	27,286	148,701
	受診者	8,358	9,789	10,992	8,929	8,037	9,509	13,310	68,924
	受診率	44.1	46.0	46.4	45.2	45.5	47.3	48.8	46.4
松戸	対象者	24,051	26,846	30,557	25,355	22,681	28,010	41,488	198,988
	受診者	10,422	12,182	13,614	11,089	9,965	13,003	19,648	89,923
	受診率	43.3	45.4	44.6	43.7	43.9	46.4	47.4	45.2
野田	対象者	5,200	6,197	6,641	5,260	4,971	6,873	10,692	45,834
	受診者	2,086	2,573	2,801	2,150	2,004	2,630	4,295	18,539
	受診率	40.1	41.5	42.2	40.9	40.3	38.3	40.2	40.4
印旛	対象者	22,259	25,503	27,286	22,527	22,715	32,595	47,041	199,926
	受診者	9,432	11,182	11,911	9,578	9,667	13,888	19,219	84,877
	受診率	42.4	43.8	43.7	42.5	42.6	42.6	40.9	42.5
長生	対象者	4,323	5,260	5,804	5,208	5,529	8,074	11,068	45,266
	受診者	1,757	2,168	2,388	2,214	2,451	3,818	5,140	19,936
	受診率	40.6	41.2	41.1	42.5	44.3	47.3	46.4	44.0
夷隅	対象者	1,886	2,263	2,584	2,530	2,929	4,413	6,018	22,623
	受診者	692	903	1,076	1,026	1,195	1,786	2,470	9,148
	受診率	36.7	39.9	41.6	40.6	40.8	40.5	41.0	40.4
市原	対象者	8,162	9,415	10,767	9,034	8,950	12,572	17,454	76,354
	受診者	2,903	3,574	4,068	3,390	3,477	5,327	7,803	30,542
	受診率	35.6	38.0	37.8	37.5	38.8	42.4	44.7	40.0
君津	対象者	9,461	11,432	13,188	10,701	10,792	14,828	21,721	92,123
	受診者	3,883	4,851	5,650	4,526	4,858	7,294	11,295	42,357
	受診率	41.0	42.4	42.8	42.3	45.0	49.2	52.0	46.0
柏市	対象者	12,938	14,810	15,265	12,363	11,353	15,042	22,901	104,672
	受診者	5,826	6,756	6,939	5,551	5,316	7,550	11,920	49,858
	受診率	45.0	45.6	45.5	44.9	46.8	50.2	52.1	47.6
習志野	対象者	13,041	15,429	18,064	14,612	13,201	15,959	23,504	113,810
	受診者	5,651	6,882	7,960	6,416	5,685	6,577	9,674	48,845
	受診率	43.3	44.6	44.1	43.9	43.1	41.2	41.2	42.9
香取	対象者	3,205	3,797	4,413	3,951	4,526	6,448	8,822	35,162
	受診者	1,428	1,703	2,066	1,784	2,171	3,369	4,560	17,081
	受診率	44.6	44.9	46.8	45.2	48.0	52.2	51.7	48.6
海匠	対象者	4,994	5,793	6,628	6,579	7,186	9,440	12,000	52,620
	受診者	2,116	2,485	2,862	2,843	3,113	4,194	5,376	22,989
	受診率	42.4	42.9	43.2	43.2	43.3	44.4	44.8	43.7
山武	対象者	6,417	7,241	8,373	7,636	8,345	11,862	15,569	65,443
	受診者	2,552	3,050	3,428	3,197	3,689	5,327	6,633	27,876
	受診率	39.8	42.1	40.9	41.9	44.2	44.9	42.6	42.6
安房	対象者	2,994	3,903	4,541	4,074	4,576	6,767	10,200	37,055
	受診者	1,135	1,505	1,812	1,588	1,763	2,578	3,632	14,013
	受診率	37.9	38.6	39.9	39.0	38.5	38.1	35.6	37.8

附表1 県及び保健所別、性・年齢階級別受診率(市町村国保+協会けんぽ)

		男							
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
千葉県	対象者	96,463	112,379	125,357	101,858	91,949	115,931	163,732	807,669
	受診者	42,968	51,371	56,956	44,815	40,612	51,280	71,787	359,789
	受診率	44.5	45.7	45.4	44.0	44.2	44.2	43.8	44.5
保健所別 千葉県	対象者	13,596	16,462	18,778	15,166	13,049	15,230	22,280	114,561
	受診者	5,968	7,378	8,429	6,501	5,645	6,276	9,020	49,217
	受診率	43.9	44.8	44.9	42.9	43.3	41.2	40.5	43.0
船橋市	対象者	9,286	10,881	12,088	9,660	8,176	9,389	13,107	72,587
	受診者	4,327	5,255	5,821	4,379	3,774	4,369	6,276	34,201
	受診率	46.6	48.3	48.2	45.3	46.2	46.5	47.9	47.1
市川	対象者	10,101	11,157	12,300	10,073	8,712	9,491	12,329	74,163
	受診者	4,673	5,251	5,865	4,590	3,995	4,401	5,705	34,480
	受診率	46.3	47.1	47.7	45.6	45.9	46.4	46.3	46.5
松戸	対象者	12,614	14,205	16,217	13,102	10,989	12,936	18,311	98,374
	受診者	5,821	6,797	7,516	5,866	4,908	6,023	8,318	45,249
	受診率	46.1	47.8	46.3	44.8	44.7	46.6	45.4	46.0
野田	対象者	2,896	3,425	3,666	2,862	2,441	3,182	4,901	23,373
	受診者	1,216	1,516	1,600	1,223	1,000	1,164	1,818	9,537
	受診率	42.0	44.3	43.6	42.7	41.0	36.6	37.1	40.8
印旛	対象者	11,852	13,660	14,281	11,438	10,827	15,218	22,020	99,296
	受診者	5,276	6,271	6,527	5,039	4,735	6,606	9,083	43,537
	受診率	44.5	45.9	45.7	44.1	43.7	43.4	41.2	43.8
長生	対象者	2,308	2,816	3,070	2,576	2,633	3,855	5,331	22,589
	受診者	980	1,189	1,305	1,139	1,183	1,828	2,490	10,114
	受診率	42.5	42.2	42.5	44.2	44.9	47.4	46.7	44.8
夷隅	対象者	1,038	1,218	1,405	1,283	1,456	2,217	2,980	11,597
	受診者	396	485	581	539	573	862	1,192	4,628
	受診率	38.2	39.8	41.4	42.0	39.4	38.9	40.0	39.9
市原	対象者	4,478	5,238	5,902	4,737	4,416	6,078	8,544	39,393
	受診者	1,621	2,007	2,189	1,756	1,659	2,467	3,622	15,321
	受診率	36.2	38.3	37.1	37.1	37.6	40.6	42.4	38.9
君津	対象者	4,958	6,160	7,085	5,579	5,271	7,249	10,503	46,805
	受診者	2,107	2,728	3,130	2,445	2,400	3,526	5,400	21,736
	受診率	42.5	44.3	44.2	43.8	45.5	48.6	51.4	46.4
柏市	対象者	6,740	7,833	8,027	6,260	5,387	6,735	10,157	51,139
	受診者	3,164	3,707	3,741	2,862	2,539	3,315	5,081	24,409
	受診率	46.9	47.3	46.6	45.7	47.1	49.2	50.0	47.7
習志野	対象者	6,862	8,017	9,538	7,466	6,370	7,401	10,441	56,095
	受診者	3,180	3,858	4,487	3,422	2,867	3,096	4,211	25,121
	受診率	46.3	48.1	47.0	45.8	45.0	41.8	40.3	44.8
香取	対象者	1,799	2,019	2,413	2,060	2,301	3,213	4,391	18,196
	受診者	851	936	1,150	921	1,082	1,622	2,157	8,719
	受診率	47.3	46.4	47.7	44.7	47.0	50.5	49.1	47.9
海匠	対象者	2,742	3,192	3,583	3,435	3,543	4,630	5,812	26,937
	受診者	1,216	1,433	1,608	1,512	1,501	1,917	2,428	11,615
	受診率	44.3	44.9	44.9	44.0	42.4	41.4	41.8	43.1
山武	対象者	3,571	4,025	4,508	3,999	4,082	5,783	7,663	33,631
	受診者	1,489	1,712	1,974	1,739	1,852	2,579	3,262	14,607
	受診率	41.7	42.5	43.8	43.5	45.4	44.6	42.6	43.4
安房	対象者	1,622	2,071	2,496	2,162	2,296	3,324	4,962	18,933
	受診者	683	848	1,033	882	899	1,229	1,724	7,298
	受診率	42.1	40.9	41.4	40.8	39.2	37.0	34.7	38.5

附表1 県及び保健所別、性・年齢階級別受診率(市町村国保+協会けんぽ)

		女							
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
千葉県	対象者	85,104	98,904	111,517	96,277	96,974	130,276	190,628	809,680
	受診者	33,550	40,804	46,564	40,046	41,209	58,380	88,289	348,842
	受診率	39.4	41.3	41.8	41.6	42.5	44.8	46.3	43.1
保健所別 千葉市	対象者	12,224	14,839	17,249	14,523	13,883	17,882	26,874	117,474
	受診者	4,556	5,736	6,930	5,828	5,429	7,278	11,297	47,054
	受診率	37.3	38.7	40.2	40.1	39.1	40.7	42.0	40.1
船橋市	対象者	8,594	9,948	10,964	9,202	8,399	10,708	16,335	74,150
	受診者	3,426	4,203	4,773	3,872	3,582	4,887	8,508	33,251
	受診率	39.9	42.2	43.5	42.1	42.6	45.6	52.1	44.8
市川	対象者	8,835	10,107	11,384	9,681	8,950	10,624	14,957	74,538
	受診者	3,685	4,538	5,127	4,339	4,042	5,108	7,605	34,444
	受診率	41.7	44.9	45.0	44.8	45.2	48.1	50.8	46.2
松戸	対象者	11,437	12,641	14,340	12,253	11,692	15,074	23,177	100,614
	受診者	4,601	5,385	6,098	5,223	5,057	6,980	11,330	44,674
	受診率	40.2	42.6	42.5	42.6	43.3	46.3	48.9	44.4
野田	対象者	2,304	2,772	2,975	2,398	2,530	3,691	5,791	22,461
	受診者	870	1,057	1,201	927	1,004	1,466	2,477	9,002
	受診率	37.8	38.1	40.4	38.7	39.7	39.7	42.8	40.1
印旛	対象者	10,407	11,843	13,005	11,089	11,888	17,377	25,021	100,630
	受診者	4,156	4,911	5,384	4,539	4,932	7,282	10,136	41,340
	受診率	39.9	41.5	41.4	40.9	41.5	41.9	40.5	41.1
長生	対象者	2,015	2,444	2,734	2,632	2,896	4,219	5,737	22,677
	受診者	777	979	1,083	1,075	1,268	1,990	2,650	9,822
	受診率	38.6	40.1	39.6	40.8	43.8	47.2	46.2	43.3
夷隅	対象者	848	1,045	1,179	1,247	1,473	2,196	3,038	11,026
	受診者	296	418	495	487	622	924	1,278	4,520
	受診率	34.9	40.0	42.0	39.1	42.2	42.1	42.1	41.0
市原	対象者	3,684	4,177	4,865	4,297	4,534	6,494	8,910	36,961
	受診者	1,282	1,567	1,879	1,634	1,818	2,860	4,181	15,221
	受診率	34.8	37.5	38.6	38.0	40.1	44.0	46.9	41.2
君津	対象者	4,503	5,272	6,103	5,122	5,521	7,579	11,218	45,318
	受診者	1,776	2,123	2,520	2,081	2,458	3,768	5,895	20,621
	受診率	39.4	40.3	41.3	40.6	44.5	49.7	52.5	45.5
柏市	対象者	6,198	6,977	7,238	6,103	5,966	8,307	12,744	53,533
	受診者	2,662	3,049	3,198	2,689	2,777	4,235	6,839	25,449
	受診率	42.9	43.7	44.2	44.1	46.5	51.0	53.7	47.5
習志野	対象者	6,179	7,412	8,526	7,146	6,831	8,558	13,063	57,715
	受診者	2,471	3,024	3,473	2,994	2,818	3,481	5,463	23,724
	受診率	40.0	40.8	40.7	41.9	41.3	40.7	41.8	41.1
香取	対象者	1,406	1,778	2,000	1,891	2,225	3,235	4,431	16,966
	受診者	577	767	916	863	1,089	1,747	2,403	8,362
	受診率	41.0	43.1	45.8	45.6	48.9	54.0	54.2	49.3
海匠	対象者	2,252	2,601	3,045	3,144	3,643	4,810	6,188	25,683
	受診者	900	1,052	1,254	1,331	1,612	2,277	2,948	11,374
	受診率	40.0	40.4	41.2	42.3	44.2	47.3	47.6	44.3
山武	対象者	2,846	3,216	3,865	3,637	4,263	6,079	7,906	31,812
	受診者	1,063	1,338	1,454	1,458	1,837	2,748	3,371	13,269
	受診率	37.4	41.6	37.6	40.1	43.1	45.2	42.6	41.7
安房	対象者	1,372	1,832	2,045	1,912	2,280	3,443	5,238	18,122
	受診者	452	657	779	706	864	1,349	1,908	6,715
	受診率	32.9	35.9	38.1	36.9	37.9	39.2	36.4	37.1

附表2 性・年齢階級別、検査値の平均値(総数) (市町村国保+協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
総数	BMI	人数	76,471	92,145	103,491	84,843	81,808	109,649	160,054	708,461
		平均値	23.7	23.9	23.9	23.7	23.4	23.2	23.0	23.5
		標準偏差	4.4	4.4	4.3	4.2	3.9	3.6	3.5	4.0
		中央値	23.0	23.2	23.3	23.2	23.0	22.9	22.8	23.0
	腹囲	人数	76,431	92,154	103,502	84,838	81,796	109,602	159,977	708,300
		平均値	82.7	83.5	84.0	84.3	84.1	84.2	84.1	83.9
		標準偏差	11.6	11.5	11.4	11.1	10.7	10.1	9.8	10.8
		中央値	81.5	82.5	83.0	84.0	83.6	84.0	84.0	83.4
	収縮期血圧	人数	76,517	92,175	103,520	84,859	81,820	109,658	160,069	708,618
		平均値	118.9	121.5	124.0	126.0	128.0	130.3	132.4	126.7
		標準偏差	16.0	16.8	17.4	17.6	17.5	17.1	16.9	17.7
		中央値	118.0	120.0	123.0	125.0	127.0	129.0	131.0	126.0
	拡張期血圧	人数	76,516	92,175	103,520	84,858	81,819	109,654	160,062	708,604
		平均値	74.3	76.3	77.9	78.4	78.0	77.0	75.8	76.7
		標準偏差	12.2	12.6	12.5	12.0	11.5	10.9	10.7	11.7
		中央値	73.0	76.0	78.0	78.0	78.0	77.0	76.0	76.0
	中性脂肪	人数	76,500	92,150	103,494	84,842	81,799	109,642	160,057	708,484
		平均値	106.5	111.5	115.6	116.1	114.6	114.9	112.9	113.3
		標準偏差	95.0	100.1	100.1	94.9	84.5	75.0	66.9	86.8
		中央値	81.0	85.0	90.0	93.0	93.0	96.0	96.0	92.0
HDL	人数	76,500	92,153	103,495	84,842	81,800	109,637	160,053	708,480	
	平均値	63.2	64.2	65.7	66.7	67.4	66.8	66.1	65.8	
	標準偏差	16.8	17.5	18.5	18.7	18.7	18.1	17.5	18.0	
	中央値	61.0	62.0	63.0	64.0	65.0	65.0	64.0	64.0	
LDL	人数	75,587	91,074	102,282	83,811	81,005	108,892	159,074	701,725	
	平均値	120.3	122.8	126.3	127.0	125.0	122.5	119.7	123.0	
	標準偏差	31.8	32.0	32.4	32.5	31.9	30.8	29.8	31.5	
	中央値	118.0	121.0	124.0	125.0	123.0	121.0	118.0	121.0	
GOT	人数	76,501	92,153	103,492	84,844	81,800	109,643	160,060	708,493	
	平均値	22.9	23.0	23.9	24.3	24.1	23.9	23.8	23.7	
	標準偏差	23.7	12.3	14.4	14.0	13.5	11.0	10.5	14.1	
	中央値	20.0	20.0	21.0	22.0	22.0	22.0	22.0	21.0	
GPT	人数	76,501	92,153	103,494	84,844	81,800	109,644	160,058	708,494	
	平均値	25.9	25.4	25.5	24.6	23.1	21.8	20.6	23.5	
	標準偏差	24.5	20.5	20.3	19.5	17.4	14.1	12.7	18.2	
	中央値	19.0	19.0	20.0	20.0	19.0	18.0	18.0	19.0	
γ-GTP	人数	76,498	92,150	103,488	84,830	81,791	109,626	160,039	708,422	
	平均値	36.9	39.4	42.3	42.2	39.9	36.0	32.1	37.8	
	標準偏差	50.0	54.2	60.6	58.3	53.4	45.0	37.6	50.7	
	中央値	22.0	24.0	26.0	27.0	25.0	24.0	22.0	24.0	
空腹時血糖	人数	67,380	80,541	89,549	71,261	64,621	78,132	105,860	557,344	
	平均値	93.6	95.6	97.7	99.7	100.7	100.9	101.3	98.7	
	標準偏差	18.1	19.3	21.4	22.1	20.9	19.7	19.6	20.4	
	中央値	91.0	92.0	94.0	95.0	96.0	97.0	97.0	95.0	
HbA1c	人数	43,102	52,509	61,314	53,378	59,104	95,195	150,814	515,416	
	平均値	5.5	5.6	5.7	5.7	5.8	5.8	5.8	5.7	
	標準偏差	0.6	0.7	0.8	0.8	0.7	0.6	0.6	0.7	
	中央値	5.4	5.5	5.5	5.6	5.6	5.7	5.7	5.6	
eGFR	人数	71,445	86,670	97,445	79,367	76,059	102,992	152,783	666,761	
	平均値	81.4	78.2	75.4	72.8	70.8	69.0	67.2	72.7	
	標準偏差	13.4	13.4	13.5	13.4	13.8	13.5	13.7	14.4	
	中央値	80.2	77.0	74.4	71.9	70.0	68.1	66.5	71.9	

附表2 性・年齢階級別、検査値の平均値(男) (市町村国保+協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
男	BMI	人数	42,938	51,347	56,933	44,803	40,603	51,271	71,777	359,672
		平均値	24.6	24.9	24.9	24.7	24.3	24.0	23.7	24.4
		標準偏差	4.3	4.2	4.1	3.9	3.6	3.3	3.2	3.8
		中央値	23.9	24.2	24.3	24.3	24.0	23.8	23.5	24.0
	腹囲	人数	42,964	51,366	56,949	44,809	40,605	51,262	71,764	359,719
		平均値	85.9	86.8	87.1	87.3	87.0	86.9	86.7	86.8
		標準偏差	11.2	11.0	10.7	10.4	9.9	9.2	8.9	10.1
		中央値	84.5	85.5	86.0	86.5	86.0	86.5	86.1	86.0
	収縮期血圧	人数	42,968	51,371	56,956	44,813	40,612	51,280	71,784	359,784
		平均値	122.6	124.7	127.0	129.0	130.3	131.2	132.4	128.5
		標準偏差	15.5	16.1	16.7	17.1	17.1	16.7	16.6	16.9
		中央値	122.0	123.0	126.0	128.0	129.0	130.0	131.0	127.0
	拡張期血圧	人数	42,967	51,371	56,956	44,813	40,612	51,279	71,781	359,779
		平均値	77.2	79.5	81.0	81.4	80.7	78.9	76.8	79.2
		標準偏差	11.9	12.3	12.1	11.7	11.3	10.8	10.7	11.6
		中央値	76.0	79.0	80.0	81.0	80.0	79.0	77.0	79.0
	中性脂肪	人数	42,955	51,355	56,935	44,802	40,598	51,268	71,772	359,685
		平均値	128.9	134.6	135.7	133.6	129.8	127.4	122.1	129.9
		標準偏差	113.1	118.7	117.6	108.4	99.0	86.9	76.1	102.7
中央値		100.0	105.0	106.0	106.0	104.0	105.0	103.0	104.0	
HDL	人数	42,955	51,357	56,936	44,803	40,599	51,265	71,769	359,684	
	平均値	57.7	58.2	59.0	59.8	60.6	60.3	60.1	59.4	
	標準偏差	15.1	15.6	16.0	16.3	16.6	16.3	16.1	16.0	
	中央値	55.0	56.0	56.0	57.0	58.0	58.0	58.0	57.0	
LDL	人数	42,461	50,823	56,338	44,289	40,227	50,872	71,310	356,320	
	平均値	126.4	127.1	126.2	123.4	119.7	116.9	114.2	121.6	
	標準偏差	32.4	32.7	32.9	32.6	31.5	30.2	29.3	31.9	
	中央値	124.0	126.0	125.0	122.0	119.0	116.0	113.0	120.0	
GOT	人数	42,955	51,357	56,935	44,804	40,599	51,270	71,772	359,692	
	平均値	25.7	25.5	25.5	25.3	25.2	24.8	24.3	25.1	
	標準偏差	30.0	13.8	16.7	14.3	16.4	12.9	11.8	16.9	
	中央値	22.0	22.0	22.0	22.0	22.0	22.0	22.0	22.0	
GPT	人数	42,955	51,357	56,936	44,804	40,599	51,270	71,771	359,692	
	平均値	32.9	31.5	29.8	27.6	25.7	24.1	22.3	27.4	
	標準偏差	28.7	23.1	22.7	20.0	20.5	15.6	13.4	20.9	
	中央値	25.0	25.0	24.0	22.0	21.0	20.0	19.0	22.0	
γ-GTP	人数	42,953	51,354	56,930	44,791	40,593	51,252	71,761	359,634	
	平均値	48.4	51.3	53.1	52.7	50.8	46.2	40.4	48.5	
	標準偏差	60.5	65.5	71.8	72.0	67.3	57.5	47.9	63.0	
	中央値	31.0	33.0	34.0	33.0	32.0	30.0	28.0	31.0	
空腹時血糖	人数	38,384	45,390	49,692	38,199	33,020	37,478	48,107	290,270	
	平均値	96.4	99.0	101.6	104.0	105.4	105.4	105.5	102.4	
	標準偏差	20.7	22.2	24.4	25.1	23.9	22.2	22.0	23.2	
	中央値	93.0	95.0	96.0	98.0	100.0	100.0	100.0	97.0	
HbA1c	人数	22,857	27,860	32,267	26,623	26,813	41,789	65,568	243,777	
	平均値	5.6	5.7	5.8	5.8	5.9	5.9	5.9	5.8	
	標準偏差	0.7	0.8	0.9	0.9	0.8	0.7	0.7	0.8	
	中央値	5.4	5.5	5.6	5.6	5.7	5.7	5.7	5.6	
eGFR	人数	41,967	50,143	55,588	43,539	39,259	49,247	69,060	348,803	
	平均値	80.4	77.5	75.0	72.6	70.4	68.2	66.1	72.5	
	標準偏差	13.0	13.3	13.5	13.8	14.1	14.2	14.2	14.6	
	中央値	79.3	76.3	74.2	71.9	69.8	67.6	65.6	71.9	

附表2 性・年齢階級別、検査値の平均値(女) (市町村国保+協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
女	BMI	人数	33,533	40,798	46,558	40,040	41,205	58,378	88,277	348,789
		平均値	22.6	22.7	22.8	22.6	22.5	22.5	22.5	22.6
		標準偏差	4.4	4.3	4.3	4.2	4.0	3.7	3.6	4.0
		中央値	21.5	21.8	21.9	21.9	21.9	22.0	22.1	21.9
	腹囲	人数	33,467	40,788	46,553	40,029	41,191	58,340	88,213	348,581
		平均値	78.5	79.3	80.3	81.0	81.2	81.8	82.1	80.9
		標準偏差	10.9	10.8	11.0	11.0	10.7	10.2	10.0	10.6
		中央値	76.5	78.0	79.0	80.0	80.5	81.3	82.0	80.0
	収縮期血圧	人数	33,549	40,804	46,564	40,046	41,208	58,378	88,285	348,834
		平均値	114.1	117.4	120.3	122.8	125.8	129.4	132.4	124.9
		標準偏差	15.4	16.8	17.5	17.7	17.6	17.3	17.2	18.3
		中央値	112.0	116.0	119.0	122.0	125.0	128.0	130.0	124.0
	拡張期血圧	人数	33,549	40,804	46,564	40,045	41,207	58,375	88,281	348,825
		平均値	70.6	72.4	74.1	75.0	75.3	75.4	74.9	74.2
		標準偏差	11.4	11.9	11.9	11.5	11.1	10.7	10.6	11.3
		中央値	70.0	71.0	73.0	75.0	75.0	75.0	74.0	74.0
	中性脂肪	人数	33,545	40,795	46,559	40,040	41,201	58,374	88,285	348,799
		平均値	77.7	82.4	90.9	96.6	99.6	103.8	105.5	96.2
		標準偏差	52.3	58.3	65.2	72.3	63.8	60.5	57.3	62.0
		中央値	64.0	68.0	75.0	81.0	84.0	89.0	92.0	81.0
HDL	人数	33,545	40,796	46,559	40,039	41,201	58,372	88,284	348,796	
	平均値	70.2	71.6	74.0	74.4	74.2	72.4	70.9	72.4	
	標準偏差	16.3	16.9	18.1	18.3	18.2	17.7	17.1	17.6	
	中央値	69.0	70.0	73.0	73.0	72.0	71.0	69.0	71.0	
LDL	人数	33,126	40,251	45,944	39,522	40,778	58,020	87,764	345,405	
	平均値	112.4	117.4	126.5	131.0	130.2	127.4	124.1	124.6	
	標準偏差	29.1	30.2	31.9	31.8	31.4	30.5	29.5	31.0	
	中央値	110.0	115.0	124.0	129.0	128.0	125.0	122.0	122.0	
GOT	人数	33,546	40,796	46,557	40,040	41,201	58,373	88,288	348,801	
	平均値	19.3	19.9	21.9	23.1	23.1	23.2	23.5	22.3	
	標準偏差	10.2	9.3	10.5	13.6	9.6	8.9	9.3	10.2	
	中央値	18.0	18.0	20.0	21.0	21.0	21.0	22.0	21.0	
GPT	人数	33,546	40,796	46,558	40,040	41,201	58,374	88,287	348,802	
	平均値	17.0	17.8	20.1	21.2	20.5	19.8	19.2	19.5	
	標準偏差	13.4	13.2	15.3	18.4	13.3	12.2	11.9	13.8	
	中央値	14.0	14.0	16.0	18.0	17.0	17.0	17.0	16.0	
γ-GTP	人数	33,545	40,796	46,558	40,039	41,198	58,374	88,278	348,788	
	平均値	22.2	24.4	29.1	30.3	29.1	27.0	25.4	26.7	
	標準偏差	25.2	28.9	39.2	33.9	30.8	27.1	24.6	29.8	
	中央値	16.0	17.0	19.0	21.0	20.0	20.0	19.0	19.0	
空腹時血糖	人数	28,996	35,151	39,857	33,062	31,601	40,654	57,753	267,074	
	平均値	89.9	91.2	92.9	94.8	95.9	96.8	97.9	94.6	
	標準偏差	13.0	13.5	15.7	16.7	15.8	15.9	16.5	15.8	
	中央値	88.0	90.0	91.0	92.0	93.0	94.0	95.0	92.0	
HbA1c	人数	20,245	24,649	29,047	26,755	32,291	53,406	85,246	271,639	
	平均値	5.4	5.5	5.6	5.7	5.7	5.7	5.8	5.7	
	標準偏差	0.5	0.5	0.6	0.6	0.5	0.5	0.6	0.6	
	中央値	5.4	5.4	5.5	5.6	5.6	5.7	5.7	5.6	
eGFR	人数	29,478	36,527	41,857	35,828	36,800	53,745	83,723	317,958	
	平均値	82.8	79.2	75.8	73.0	71.3	69.7	68.1	72.9	
	標準偏差	13.8	13.5	13.5	12.8	13.5	12.8	13.2	14.1	
	中央値	81.6	78.0	74.7	72.0	70.3	68.7	67.0	71.9	

附表3 性・年齢階級別・検査値の判定区分別該当状況(総数) (市町村国保+協会けんぽ)

		年齢5歳階級										年齢5歳階級								合計														
		40~44歳		45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計		40~44歳			45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計	
		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%
総数	BMI判定区分	18.5未満	5,565	5.939	6,996	6.409	6,690	6.583	12,744	12.444	52,926	51.826	7.3	6.4	6.8	7.6	8.2	7.8	8.0	7.5	6.9	6.4	5.9	5.8	5.9	6.1	6.4	6.2	6.3	6.1	6.9	7.1		
		18.5以上、25未満	46,564	54.705	60,522	50.083	50,264	70.429	106,077	438.644	60.9	59.3	58.5	59.0	61.4	64.2	66.3	61.9	65.9	66.3	61.9	58.5	59.3	58.5	59.0	61.4	64.2	66.3	61.9	65.9	66.3	61.9		
	25以上	24,342	31.501	35,973	28.351	24,854	30.637	41,233	216.891	31.8	34.2	34.7	33.4	30.4	27.9	25.8	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.6	30.4	27.9	25.8	26.8	25.1	25.8	30.6			
	欠損値	47	30	29	18	13	13	22	770	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	腹囲判定区分	85cm未満	47,314	54.034	58,004	45.932	44,628	58.736	85,322	393.970	61.8	58.6	56.0	54.1	54.5	53.6	53.3	55.6	53.6	53.3	55.6	53.6	53.6	56.0	54.1	54.5	53.6	53.3	53.3	55.6	53.3	55.6		
		85~90cm未満	10,678	13.982	16,713	14.527	14,651	21.046	31,788	123.385	14.0	15.2	16.1	17.1	17.9	19.2	19.9	17.4	19.2	19.9	17.4	19.2	19.2	21.0	20.8	23.0	23.0	25.1	25.1	19.7	19.7	25.1		
	90cm以上	18,439	24.138	28,785	24.379	22,517	29.820	42,867	190.945	24.1	26.2	27.8	28.7	27.5	27.2	26.8	26.9	27.5	27.2	26.8	26.9	27.5	27.8	28.7	27.5	27.2	26.8	26.8	26.9	27.5	27.2			
	欠損値	87	21	18	23	25	58	99	331	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0			
	合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	収縮期血圧判定区分	130mmHg未満	59,819	66.641	68,507	52.070	46,193	55.819	72,818	421.967	78.2	72.3	66.2	61.4	56.5	50.9	45.5	59.5	56.5	50.9	45.5	59.5	56.5	56.5	61.4	61.4	61.4	61.4	61.4	61.4	61.4	61.4	61.4	
		130~140mmHg未満	9,811	13.595	17,800	15.977	17,055	25.258	40,107	139.403	12.6	14.7	17.2	18.8	20.8	23.0	25.1	19.7	23.0	25.1	19.7	23.0	23.0	24.7	24.7	24.7	24.7	24.7	24.7	24.7	24.7	24.7		
	140mmHg以上	7,087	11.939	17,213	16.812	18,572	28.581	47,144	147.348	9.3	13.0	16.6	19.8	22.7	26.1	29.5	20.8	26.1	29.5	20.8	26.1	26.1	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7	28.7			
	欠損値	13	13	13	13	13	13	13	13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
	拡張期血圧判定区分	85mmHg未満	62,667	70.297	74,783	60.454	59,967	84.592	129,820	542.580	81.9	76.3	72.2	71.2	73.3	77.1	81.1	76.6	73.3	77.1	81.1	76.6	76.6	76.6	76.6	76.6	76.6	76.6	76.6	76.6	76.6	76.6	76.6	
		85~90mmHg未満	5,832	8.847	11,307	10.106	9,223	11.561	14,228	71.104	7.6	9.6	10.9	11.9	11.3	10.5	8.9	10.4	11.3	10.5	8.9	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4		
	90mmHg以上	8,016	13.029	17,430	14.296	12,627	13.498	16,013	94.909	10.5	14.1	16.8	16.8	16.8	15.4	12.3	13.0	16.8	15.4	12.3	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0	13.0		
	欠損値	15	22	26	19	22	18	19	147	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
中性脂肪判定区分	150mg/dl未満	63,018	74.344	82,338	67.371	65,404	87.513	128,989	568.977	82.4	80.7	79.5	79.4	79.9	79.8	80.6	80.3	79.9	79.8	80.6	80.3	80.3	80.3	80.3	80.3	80.3	80.3	80.3	80.3	80.3	80.3	80.3		
	150~300mg/dl未満	11,084	14.646	17,403	14.574	13,968	19.340	27,917	118.932	14.5	15.9	16.8	17.2	17.1	17.6	17.4	16.8	17.2	17.1	17.6	17.4	17.4	17.4	17.4	17.4	17.4	17.4	17.4	17.4	17.4	17.4			
300mg/dl以上	2,398	3.160	3,753	2.897	2,427	2.789	3,151	20.575	3.1	3.4	3.6	3.4	3.0	2.5	2.0	2.9	3.6	3.0	2.5	2.0	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9	2.9			
欠損値	18	25	26	19	22	18	19	147	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0			
HDLコレステロール判定区分	40mg/dl以上	72,822	87.885	99,142	81.556	79,011	105.338	154,515	680.969	95.2	95.3	95.8	96.2	96.6	96.6	96.1	96.1	96.6	96.6	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1	96.1			
	34~39mg/dl未満	2,707	3.119	3,214	2.371	2,059	2.743	4,016	20.229	3.5	3.4	3.4	3.1	2.5	2.5	2.9	3.5	3.4	3.4	3.1	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.5				
34mg/dl以下	974	1.149	1,139	817	732	965	1,534	7,310	1.3	1.2	1.1	1.0	0.9	0.9	1.0	1.0	1.3	1.2	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0				
欠損値	15	22	25	17	19	14	11	123	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0			
LDLコレステロール判定区分	120mg/dl未満	39,506	44.199	44,803	35.575	36,271	52.158	82,356	334.968	51.6	48.0	43.3	41.9	44.3	47.6	51.4	47.3	44.3	47.6	51.4	47.3	47.3	47.3	47.3	47.3	47.3	47.3	47.3	47.3	47.3	47.3			
	120~140mg/dl未満	16,934	21.379	24,630	20.608	19,964	28.920	38,677	169.112	22.1	23.2	23.8	24.3	24.4	24.5	24.2	23.9	24.4	24.5	24.2	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9	23.9			
140~160mg/dl未満	10,820	14.149	17,763	14.994	13,968	17.618	23,248	112.698	14.1	15.4	17.2	17.1	16.1	14.6	15.9	16.6	17.2	17.1	16.1	14.6	15.9	15.9	15.9	15.9	15.9	15.9	15.9	15.9	15.9	15.9				
160mg/dl以上	8,327	11.347	15,086	12.634	10,802	12.196	14,655	85.407	10.9	12.3	14.6	14.9	13.2	11.1	9.2	12.0	12.0	13.2	11.1	9.2	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0				
欠損値	931	1.101	1,238	1,050	816	768	1,002	6,906	1.2	1.2	1.2	1.2	1.0	0.7	0.6	1.0	1.0	1.2	1.0	0.7	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6				
合計	76,518	92.175	103,520	84.861	81,821	109.660	160,076	708.631	100.0	100.0	100.																							

附表3 性・年齢階級別・検査値の判定区分別該当状況(男) (市町村国保+協会けんぽ)

		年齢5歳階級								年齢5歳階級							
		40~44歳	45~49歳	50~54歳	55~59歳	60~64歳	65~69歳	70~74歳	合計	40~44歳	45~49歳	50~54歳	55~59歳	60~64歳	65~69歳	70~74歳	合計
		度数	度数	度数	度数	度数	度数	度数	度数	%	%	%	%	%	%	%	%
BMI判定区分	18.5未満	1,448	1,380	1,497	1,243	1,259	1,632	2,626	11,085	3.4	2.7	2.6	2.8	3.1	3.2	3.7	3.1
	18.5以上、25未満	24,705	28,098	30,878	24,630	23,731	31,643	46,633	210,318	57.5	54.7	54.2	55.0	58.4	61.7	65.0	58.5
	25以上	16,785	21,869	24,558	18,930	15,613	17,996	22,518	138,269	39.1	42.6	43.1	42.2	38.4	35.1	31.4	38.4
	欠損値	30						10	117	0.1						0.0	0.0
	合計	42,968						71,787	359,789	100.0						100.0	100.0
腹囲判定区分	85cm未満	21,821	24,092	25,559	19,323	17,697	21,699	30,759	160,950	50.8	46.9	44.9	43.1	43.6	42.3	42.8	44.7
	85~90cm未満	7,444	9,441	10,929	8,956	8,467	11,505	16,384	73,126	17.3	18.4	19.2	20.0	20.8	22.4	22.8	20.3
	90cm以上	13,699	17,833	20,461	16,530	14,441	18,058	24,621	125,643	31.9	34.7	35.9	36.9	35.6	35.2	34.3	34.9
	欠損値							18	23						0.0	0.0	0.0
	合計	42,968						51,280	71,787	100.0					100.0	100.0	100.0
収縮期血圧判定区分	130mmHg未満	30,822	34,102	34,325	24,789	20,856	24,943	32,332	202,169	71.7	66.4	60.3	55.3	51.4	48.6	45.0	56.2
	130~140mmHg未満	6,917	9,144	11,328	9,452	9,272	12,213	18,253	76,579	16.1	17.8	19.9	21.1	22.8	23.8	25.4	21.3
	140mmHg以上	5,229	8,125	11,303	10,572	10,484	14,124	21,199	81,036	12.2	15.8	19.8	23.6	25.8	27.5	29.5	22.5
	欠損値								14								0.0
	合計	42,968						71,787	359,789	100.0							100.0
拡張期血圧判定区分	85mmHg未満	32,732	35,449	36,542	28,154	26,671	36,956	56,194	252,698	76.2	69.0	64.2	62.8	65.7	72.1	78.3	70.2
	85~90mmHg未満	4,205	6,206	7,659	6,488	5,532	6,328	7,257	43,675	9.8	12.1	13.4	14.5	13.6	12.3	10.1	12.1
	90mmHg以上	6,030	9,716	12,755	10,170	8,408	7,993	8,330	63,402	14.0	18.9	22.4	22.7	20.7	15.6	11.6	17.6
	欠損値								14								0.0
	合計	42,968						71,787	359,789	100.0							100.0
中性脂肪判定区分	150mg/dl未満	31,703	36,753	40,797	32,290	29,776	37,840	54,584	263,743	73.8	71.5	71.6	72.1	73.3	73.8	76.0	73.3
	150~300mg/dl未満	9,977	11,779	12,951	10,146	8,956	11,409	15,058	79,396	21.2	22.9	22.7	22.6	22.1	22.2	21.0	22.1
	300mg/dl以上	2,155	2,823	3,187	2,366	1,866	2,019	2,130	16,546	5.0	5.5	5.6	5.6	4.6	3.9	3.0	4.6
	欠損値								104								0.0
	合計	42,968						71,787	359,789	100.0							100.0
HDLコレステロール判定区分	40mg/dl以上	39,716	47,538	53,037	41,945	38,141	48,100	67,260	335,737	92.4	92.5	93.1	93.6	93.9	93.8	93.7	93.3
	34~39mg/dl未満	2,370	2,777	2,856	2,109	1,805	2,333	3,223	17,443	5.5	5.4	5.0	4.7	4.4	4.5	4.5	4.9
	34mg/dl以下	870	1,042	1,043	750	653	837	1,293	6,488	2.0	2.0	1.8	1.7	1.6	1.6	1.8	1.8
	欠損値								91								0.0
	合計	42,968						71,787	359,789	100.0							100.0
LDLコレステロール判定区分	120mg/dl未満	18,530	21,585	24,609	20,587	20,573	27,897	41,716	175,497	43.1	42.0	43.2	45.9	50.7	54.4	58.1	48.8
	120~140mg/dl未満	10,291	12,329	13,392	10,636	9,430	11,955	16,206	84,239	24.0	24.0	23.5	23.7	23.2	23.3	22.6	23.4
	140~160mg/dl未満	7,361	9,039	9,877	7,336	6,095	6,391	8,252	35,451	17.1	17.6	17.3	16.4	15.0	13.4	12.3	15.4
	160mg/dl以上	6,279	7,870	8,460	5,730	4,129	4,129	4,536	41,133	14.6	15.3	14.9	12.8	10.2	8.1	6.3	11.4
	欠損値	507	548	618	526	385	408	477	3,469	1.2	1.1	1.1	1.2	0.9	0.8	0.7	1.0
	合計	42,968						71,787	359,789	100.0							100.0
GOT判定区分	31U/L未満	35,078	41,850	46,609	37,109	33,758	43,191	61,529	299,124	81.6	81.5	81.8	82.8	83.1	84.2	85.7	83.1
	31~51U/L未満	6,185	7,603	8,188	6,034	5,459	6,528	8,614	48,611	14.4	14.8	14.4	13.5	13.4	12.7	13.5	13.5
	51U/L以上	1,692	1,904	2,138	1,661	1,382	1,551	1,629	11,957	3.9	3.7	3.8	3.7	3.4	3.0	2.3	3.3
	欠損値								97								0.0
	合計	42,968						71,787	359,789	100.0							100.0
GPT判定区分	31U/L未満	26,966	32,983	38,630	32,400	31,203	41,280	60,805	264,267	62.8	64.2	67.8	72.3	76.8	80.5	84.7	73.5
	31~51U/L未満	9,770	11,728	12,098	8,759	6,821	7,411	8,517	65,104	22.7	22.8	21.2	19.5	16.8	14.5	11.9	18.1
	51U/L以上	6,219	6,646	6,208	3,645	2,575	2,579	2,449	30,321	14.5	12.9	10.9	8.1	6.3	5.0	3.4	8.4
	欠損値								97								0.0
	合計	42,968						71,787	359,789	100.0							100.0
γ-GTP判定区分	51U/L未満	31,284	36,257	39,661	31,774	29,335	38,890	57,949	265,150	72.8	70.6	69.6	70.9	72.2	75.8	80.7	73.7
	51~101U/L未満	7,761	10,067	11,319	8,557	7,550	8,492	9,984	63,730	18.1	19.6	19.9	19.1	18.6	16.6	13.9	17.7
	101U/L以上	3,908	5,030	5,950	4,459	3,706	3,869	3,826	30,748	9.1	9.8	10.4	9.9	9.1	7.5	5.3	8.5
	欠損値							28	161					0.1	0.0	0.0	0.0
	合計	42,968						71,787	359,789	100.0							100.0
空腹時血糖判定区分	100mg/dl未満	28,283	30,170	29,988	20,719	16,368	18,117	23,344	166,989	65.8	58.7	52.7	46.2	40.3	35.3	32.5	46.4
	100~110mg/dl未満	6,634	9,062	10,563	8,617	7,699	8,627	10,856	62,058	15.4	17.6	18.5	19.2	19.0	16.8	15.1	17.2
	110~126mg/dl未満	2,106	3,646	5,241	4,866	4,915	6,033	7,706	34,513	4.9	7.1	9.2	10.9	12.1	11.8	10.7	9.6
	126mg/dl以上	1,361	2,512	3,900	3,997	4,038	4,701	6,201	26,710	3.2	4.9	6.8	8.9	9.9	9.2	8.6	7.4
	欠損値	4,584	5,981	7,264	6,616	7,592	13,802	23,680	69,519	10.7	11.6	12.8	14.8	18.7	26.9	33.0	19.3
	合計	42,968						71,787	359,789	100.0							100.0
HbA1c判定区分	5.6%未満	14,509	15,574	15,788	11,418	10,494	14,740	21,120	103,643	33.8	30.3	27.7	25.5	25.8	28.7	29.4	28.8
	5.6~6.0%未満	6,154	8,260	10,114	8,569	8,491	13,746	21,398	76,732	14.3	16.1	17.8	19.1	20.9	26.8	29.8	21.3
	6.0~6.5%未満	1,226	2,154	3,210	3,311	3,983	7,036	12,231	33,151	2.9	4.2	5.6	7.4	9.8	13.7	17.0	9.2
	6.5~8.4%未満	680	1,387	2,449	2,712	3,363	5,771	10,058	26,420	1.6	2.7	4.3	6.1	8.3	11.3	14.0	7.3
	8.4%以上	288	485	706	613	482	496	761	3,831	0.7	0.9	1.2	1.4	1.2	1.0	1.1	1.1
	欠損値	20,111	23,511	24,689	18,192	13,799	9,491	6,219	116,012	46.8	45.8	43.3	40.6	34.0	18.5	8.7	32.2
	合計	42,968						71,787	359,789	100.0							100.0
eGFR判定区分	45ml/分/1.73m2未満	82	252	494	658	922	1,665	3,517	7,590	0.2	0.5	0.9	1.5	2.3	3.2	4.9	2.1
	45~50ml/分/1.73m2未満	89	205	469	685	938	1,893	3,493	7,772	0.2	0.4	0.8	1.5	2.3	3.7	4.9	2.2
	50~60ml/分/1.73m2未満	1,168	2,700	4,618	5,129	6,162	9,414	15,589	44,780	2.7	5.3	8.1	11.4	15.2	18.4	21.7	12.4
	60ml/分/1.73m2以上	40,828	46,986	50,007	37,067	31,227	36,275	46,461	288,661	94.6	91.5	87.8	82.7	76.9	70.7	64.7	80.2
	欠損値	1,001	1,228	1,368	1,276	1,353	2,033	2,727	10,986	2.3	2						

附表3 性・年齢階級別・検査値の判定区分別該当状況(女) (市町村国保+協会けんぽ)

		年齢5歳階級								年齢5歳階級							
		40~44歳	45~49歳	50~54歳	55~59歳	60~64歳	65~69歳	70~74歳	合計	40~44歳	45~49歳	50~54歳	55~59歳	60~64歳	65~69歳	70~74歳	合計
		度数	度数	度数	度数	度数	度数	度数	度数	%	%	%	%	%	%	%	%
BMI判定区分	18.5未満	4,117	4,559	5,499	5,166	5,431	6,951	10,118	41,841	12.3	11.2	11.8	12.9	13.2	11.9	11.5	12.0
	18.5以上、25未満	21,859	26,607	29,644	25,453	26,533	38,786	59,444	228,326	65.2	65.2	63.7	63.6	64.4	66.4	67.3	65.5
腹囲判定区分	85cm未満	7,557	9,632	11,415	9,421	9,241	12,641	18,715	78,822	22.5	23.6	24.5	23.5	22.4	21.7	21.2	22.5
	85cm以上	33,550						12	53	0.1						0.0	100.0
収縮期血圧判定区分	130mmHg未満	25,483	29,942	32,445	26,609	26,931	37,037	54,563	233,020	76.0	73.4	69.7	66.4	65.4	63.4	61.8	66.8
	130~140mmHg未満	3,234	4,541	5,784	5,571	6,184	9,541	15,404	50,259	9.6	11.1	12.4	13.9	15.0	16.3	17.4	14.4
拡張期血圧判定区分	90mmHg以上	4,740	6,305	8,324	7,849	8,076	11,762	18,246	65,302	14.1	15.5	17.9	19.6	19.6	20.1	20.7	18.7
	90mmHg未満							40	76						0.1	0.1	0.1
中性脂肪判定区分	150mg/dl未満	28,997	32,539	34,182	27,281	25,337	30,876	40,486	219,698	86.4	79.7	73.4	68.1	61.5	52.9	45.9	63.0
	150~300mg/dl未満	2,694	4,451	6,472	6,525	7,783	13,045	21,954	62,924	8.0	10.9	13.9	16.3	18.9	22.3	24.8	18.0
HDLコレステロール判定区分	140mg/dl以上	1,858	3,814	5,910	6,240	8,088	14,457	25,945	66,312	5.5	9.3	12.7	15.6	19.6	24.8	29.4	19.0
	140mg/dl未満								24						0.0	0.0	100.0
LDLコレステロール判定区分	120mg/dl未満	29,935	34,848	38,241	32,300	33,296	47,636	73,626	289,882	89.2	85.4	82.1	80.7	80.8	81.6	83.4	83.1
	120~140mg/dl未満	1,627	2,641	3,648	3,618	3,691	5,233	6,971	27,429	4.8	6.5	7.8	9.0	10.2	9.4	7.9	9.0
γ-GTP判定区分	90mmHg以上	1,986	3,313	4,675	4,126	4,219	5,505	7,683	31,507	5.9	8.1	10.0	10.3	10.2	9.4	8.7	9.0
	90mmHg未満								41						0.0	0.0	100.0
空腹時血糖判定区分	100mg/dl未満	31,315	37,591	41,541	35,081	35,628	49,673	74,405	305,234	93.3	92.1	89.2	87.6	86.5	85.1	84.3	87.5
	100~126mg/dl未満	1,987	2,867	4,452	4,428	5,012	7,931	12,859	39,536	5.9	7.0	9.6	11.1	12.2	13.6	14.6	11.3
HbA1c判定区分	5.6%未満	243	337	566	531	561	770	1,021	4,029	0.7	0.8	1.2	1.3	1.4	1.3	1.2	1.2
	5.6~6.0%未満								43								0.0
空腹時血糖判定区分	126mg/dl以上	33,106	40,347	46,105	39,711	40,870	57,838	87,255	345,232	98.7	98.9	99.0	99.2	99.2	99.1	98.8	99.0
	126mg/dl未満	337	342	358	262	254	410	793	2,756	1.0	0.8	0.8	0.7	0.6	0.7	0.9	0.8
LDLコレステロール判定区分	140mg/dl以上	104	107	96	67	79	128	241	727	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2
	140mg/dl未満								32								0.0
HbA1c判定区分	6.0~6.4%未満	20,976	22,614	20,194	14,988	15,698	24,261	40,640	159,371	62.5	55.4	43.4	37.4	38.1	41.6	46.0	45.7
	6.0~6.5%未満	6,643	9,050	11,238	9,972	10,534	14,965	22,471	84,873	19.8	22.2	24.1	24.9	25.6	25.6	25.5	24.3
HbA1c判定区分	6.5~6.9%未満	3,450	5,110	7,886	7,852	7,873	14,727	14,534	50,530	10.3	12.5	16.9	19.1	18.4	16.5	16.4	16.5
	6.5~6.9%未満	2,048	3,477	6,626	6,904	6,673	8,067	10,119	43,914	6.1	8.5	14.2	17.2	16.2	13.8	11.5	12.6
HbA1c判定区分	7.0%以上	424	553	620	524	431	360	525	3,437	1.3	1.4	1.3	1.3	1.0	0.6	0.6	1.0
	7.0%未満	33,550	40,804	46,564	40,046	41,209	58,380	88,289	348,842	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
eGFR判定区分	31U/L未満	31,996	38,541	42,579	36,051	37,189	52,695	79,335	318,386	95.4	94.5	91.4	90.0	90.2	90.3	89.9	91.3
	31~51U/L未満	1,228	1,792	3,265	3,295	3,395	4,828	7,648	25,451	3.7	4.4	7.0	8.2	8.2	8.5	8.7	7.4
eGFR判定区分	51U/L以上	322	463	713	694	617	850	1,305	4,964	1.0	1.1	1.5	1.7	1.5	1.5	1.5	1.3
	51U/L未満								41								0.0
eGFR判定区分	31U/L未満	31,141	37,526	41,240	34,986	36,559	52,765	81,047	315,264	92.8	92.0	88.6	87.4	88.7	90.4	91.8	90.4
	31~51U/L未満	1,613	2,231	3,781	3,732	3,550	4,312	5,564	24,783	4.8	5.5	8.1	9.3	8.6	7.4	6.3	7.1
eGFR判定区分	51U/L以上	792	1,039	1,537	1,322	1,092	1,297	1,676	8,755	2.4	2.5	3.3	3.3	2.6	2.2	1.9	2.5
	51U/L未満								40								0.0
空腹時血糖判定区分	100mg/dl未満	31,690	37,873	41,613	35,320	36,858	53,476	82,277	319,107	94.5	92.8	89.4	88.2	89.4	91.6	93.2	91.5
	100~126mg/dl未満	1,406	2,169	3,543	3,523	3,303	3,799	4,720	22,463	4.2	5.3	7.6	8.8	8.0	6.5	5.3	6.4
空腹時血糖判定区分	126mg/dl以上	449	754	1,402	1,196	1,037	1,099	1,280	7,217	1.3	1.8	3.0	3.0	2.5	1.9	1.4	2.1
	126mg/dl未満					11		12	55					0.0	0.0	0.0	0.0
空腹時血糖判定区分	100mg/dl未満	25,920	30,120	32,284	25,122	22,890	28,301	38,528	203,165	77.3	73.8	69.3	62.7	55.5	48.5	43.6	58.2
	100~110mg/dl未満	2,209	3,449	4,987	4,943	5,348	7,260	10,635	38,831	6.6	8.5	10.7	12.3	13.0	12.4	12.0	11.1
空腹時血糖判定区分	110~126mg/dl未満	520	1,035	1,688	1,935	2,184	3,335	5,540	16,237	1.5	2.5	3.6	4.8	5.3	5.7	6.3	4.7
	126mg/dl以上	347	547	898	1,062	1,179	1,758	3,050	8,941	1.0	1.3	1.9	2.7	2.9	3.0	3.5	2.5
空腹時血糖判定区分	126mg/dl未満	4,554	5,653	6,707	6,984	9,608	17,726	30,536	81,768	13.6	13.9	14.4	17.4	23.3	30.4	34.6	23.4
	126mg/dl以上	33,550	40,804	46,564	40,046	41,209	58,380	88,289	348,842	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
HbA1c判定区分	5.6%未満	14,927	16,512	16,037	12,123	13,139	19,716	28,796	121,250	44.5	40.5	34.4	30.3	31.9	33.8	32.6	34.8
	5.6~6.0%未満	4,420	6,379	9,743	10,290	12,903	21,400	33,627	98,762	13.2	15.6	20.9	25.7	31.3	36.7	38.1	28.3
HbA1c判定区分	6.0~6.5%未満	597	1,214	2,308	3,012	4,458	8,578	15,436	35,803	1.8	3.0	5.0	7.5	10.8	14.7	17.5	10.2
	6.0~6.5%未満	228	453	770	1,133	1,629	3,455	6,966	14,634	0.7	1.1	1.7	2.8	4.0	5.9	7.9	4.2
HbA1c判定区分	6.5~6.9%未満	73	91	189	197	162	257	421	1,390	0.2	0.2	0.4	0.5	0.4	0.4	0.5	0.4
	6.5~6.9%未満	13,305	16,155	17,517	13,291	8,918	4,974	3,043	77,203	39.7	39.6	37.6	33.2	21.6	8.5	3.4	22.1
HbA1c判定区分	7.0%以上	33,550	40,804	46,564	40,046	41,209	58,380	88,289	348,842	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	7.0%未満								41								0.0
eGFR判定区分	45ml/分/1.73m2未満	38	88	166	205	325	805	2,127	3,754	0.1	0.2	0.4	0.5	0.8	1.4	2.4	1.1
	45~50ml/分/1.73m2未満	38	114	284	436	663	1,373	2,977	5,905	0.1	0.3	0.6	1.1	1.6	2.4	3.4	1.7
eGFR判定区分	50~60ml/分/1.73m2未満	703	1,602	3,280	4,990	5,381	9,284	17,176	41,516	2.1	3.9	7.0	10.2	13.1	15.9	19.5	11.9
	60ml/分/1.73m2以上	28,699	34,723	38,127	31,997	30,431	42,283	61,423	266,783	85.5	85.1	81.9	77.7	73.8	72.4	69.6	76.5
eGFR判定区分	60ml/分/1.73m2以上	4,072	4,277	4,707	4,218	4,409	4,635	4,566	30,884	12.1	10.5	10.1	10.5	10.7	7.9	5.2	8.9
	60ml/分/1.73m2未満	33,550	40,804	46,564	40,046	41,209	58,380	88,289	348,842	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
尿糖	陰性	32,339	39,132	44,691	38,360	39,520	56,257	84,980	335,279	96.4	95.9	96.0	95.8	95.9	96.4	96.3	96.1
	陽性	67	83	90	86	108	141	271	846	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.2
尿糖	陽性	342	584	923	1,057	1,124	1,728	2,810	8,568	1.0	1.4	2.0	2.6	2.7	3.0	3.2	2.5
	陽性	802															

附表4 性・年齢階級別、標準的質問項目の回答状況(総数) (市町村国保+協会けんぽ)

		年齢5歳階級										年齢5歳階級																					
		40~44歳		45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計		40~44歳		45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計	
		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%		
血圧を下げる薬を服用	はい	3,280	8.185	15,985	19,805	25,353	41,435	70,814	184,857	4.3	8.9	15.4	23.3	31.0	37.8	44.2	26.1	4.3	8.9	15.4	23.3	31.0	37.8	44.2	26.1	4.3	8.9	15.4	23.3	31.0	37.8	44.2	26.1
	いいえ 次換値 合計	73,238	83.990	87,535	65,056	56,468	68,225	89,262	523,774	95.7	91.1	84.6	76.7	69.0	62.2	55.8	73.9	95.7	91.1	84.6	76.7	69.0	62.2	55.8	73.9	95.7	91.1	84.6	76.7	69.0	62.2	55.8	
インスリン注射または血糖を下げる薬を服用	はい	1,433	2,958	5,093	5,883	6,858	10,447	17,330	50,002	1.9	3.2	4.9	6.9	8.4	9.5	10.8	7.1	1.9	3.2	4.9	6.9	8.4	9.5	10.8	7.1	1.9	3.2	4.9	6.9	8.4	9.5	10.8	7.1
	いいえ 次換値 合計	75,085	89,217	98,427	78,978	74,963	99,213	142,746	658,629	98.1	96.8	95.1	93.1	91.6	90.5	89.2	92.9	98.1	96.8	95.1	93.1	91.6	90.5	89.2	92.9	98.1	96.8	95.1	93.1	91.6	90.5	89.2	92.9
コレステロールを下げる薬を服用	はい	2,460	5,526	10,455	13,462	18,885	32,510	54,940	138,238	3.2	6.0	10.1	15.9	23.1	29.6	34.3	19.5	3.2	6.0	10.1	15.9	23.1	29.6	34.3	19.5	3.2	6.0	10.1	15.9	23.1	29.6	34.3	19.5
	いいえ 次換値 合計	74,058	86,649	93,065	71,399	62,936	77,150	105,136	570,393	96.8	94.0	89.9	84.1	76.9	70.4	65.7	80.5	96.8	94.0	89.9	84.1	76.9	70.4	65.7	80.5	96.8	94.0	89.9	84.1	76.9	70.4	65.7	80.5
医師から脳卒中に罹っているといわれたり、治療を受けたことがある	はい	284	644	1,212	1,504	1,998	3,168	5,947	14,757	0.4	0.7	1.2	1.8	2.4	2.9	3.7	2.1	0.4	0.7	1.2	1.8	2.4	2.9	3.7	2.1	0.4	0.7	1.2	1.8	2.4	2.9	3.7	2.1
	いいえ 次換値 合計	74,299	89,283	99,871	81,473	78,236	105,329	153,217	681,708	97.1	96.9	96.5	96.0	95.6	96.1	95.7	96.2	97.1	96.9	96.5	96.0	95.6	96.1	95.7	96.2	97.1	96.9	96.5	96.0	95.6	96.1	95.7	96.2
医師から心臓病に罹っているといわれたり、治療を受けたことがある	はい	749	1,275	2,065	2,541	3,445	5,980	11,777	27,832	1.0	1.4	2.0	3.0	4.2	5.5	7.4	3.9	1.0	1.4	2.0	3.0	4.2	5.5	7.4	3.9	1.0	1.4	2.0	3.0	4.2	5.5	7.4	3.9
	いいえ 次換値 合計	73,834	88,648	99,009	80,431	76,779	102,502	147,366	668,569	96.5	96.2	95.6	94.8	93.8	92.1	91.3	94.3	96.5	96.2	95.6	94.8	93.8	92.1	91.3	94.3	96.5	96.2	95.6	94.8	93.8	92.1	91.3	94.3
医師から慢性的腎不全に罹っているといわれたり、治療を受けたことがある	はい	228	347	532	531	597	876	1,645	4,756	0.3	0.4	0.5	0.6	0.7	0.8	1.0	0.7	0.3	0.4	0.5	0.6	0.7	0.8	1.0	0.7	0.3	0.4	0.5	0.6	0.7	0.8	1.0	0.7
	いいえ 次換値 合計	74,348	89,577	100,532	82,438	79,631	107,614	157,528	691,668	97.2	97.2	97.1	97.1	97.3	98.1	98.4	97.6	97.2	97.2	97.1	97.1	97.1	97.3	98.1	98.4	97.6	97.2	97.2	97.1	97.1	97.1	97.3	98.1
医師から貧血といわれたことがある	はい	8,769	11,576	13,189	10,274	9,058	10,503	13,845	17,214	11.5	12.6	12.7	12.1	11.1	9.6	8.6	10.9	11.5	12.6	12.7	12.1	11.1	9.6	8.6	10.9	11.5	12.6	12.7	12.1	11.1	9.6	8.6	10.9
	いいえ 次換値 合計	65,933	78,523	88,032	72,804	71,278	98,048	145,314	619,932	86.2	85.2	85.0	85.8	87.1	89.4	90.8	87.5	86.2	85.2	85.0	85.8	87.1	89.4	90.8	87.5	86.2	85.2	85.0	85.8	87.1	89.4	90.8	87.5
たばこを習慣的にすっている	喫煙	22,487	27,597	30,627	22,837	17,867	16,749	16,061	154,225	29.4	29.9	29.6	26.9	21.8	15.3	10.0	21.8	29.4	29.9	29.6	26.9	21.8	15.3	10.0	21.8	29.4	29.9	29.6	26.9	21.8	15.3	10.0	21.8
	喫煙 次換値 合計	54,031	64,578	72,893	62,024	63,954	92,911	144,014	554,405	70.6	70.1	70.4	73.1	78.2	84.7	90.0	78.2	70.6	70.1	70.4	73.1	78.2	84.7	90.0	78.2	84.7	90.0	78.2	84.7	90.0	78.2	84.7	90.0
20歳のときから体重が10kg以上増加している	はい	30,938	39,254	44,238	35,029	30,428	37,024	48,165	265,076	40.4	42.6	42.7	41.3	37.2	33.8	30.1	37.4	40.4	42.6	42.7	41.3	37.2	33.8	30.1	37.4	40.4	42.6	42.7	41.3	37.2	33.8	30.1	37.4
	いいえ 次換値 合計	42,387	49,076	54,542	45,449	45,874	62,412	92,901	392,641	55.4	53.2	52.7	53.6	56.1	56.9	58.0	55.4	42,387	49,076	54,542	45,449	45,874	62,412	92,901	392,641	55.4	53.2	52.7	53.6	56.1	56.9	58.0	55.4
1回30分以上の軽く汗をかき運動を週2日以上、1年以上実施	はい	17,640	21,760	24,825	21,645	23,436	38,990	66,821	215,117	23.1	23.6	24.0	25.8	28.6	35.6	41.7	30.4	23.1	23.6	24.0	25.8	28.6	35.6	41.7	30.4	23.1	23.6	24.0	25.8	28.6	35.6	41.7	30.4
	いいえ 次換値 合計	55,707	66,599	73,972	58,833	52,875	60,476	74,231	442,693	72.8	72.3	71.5	69.3	64.6	55.1	46.4	62.5	72.8	72.3	71.5	69.3	64.6	55.1	46.4	62.5	72.8	72.3	71.5	69.3	64.6	55.1	46.4	62.5
日常生活において歩行または同等の身体活動を1日1時間以上実施	はい	35,571	40,903	44,184	36,856	36,770	51,683	78,791	324,758	46.5	44.4	42.7	43.4	44.9	47.1	49.2	45.8	46.5	44.4	42.7	43.4	44.9	47.1	49.2	45.8	46.5	44.4	42.7	43.4	44.9	47.1	49.2	45.8
	いいえ 次換値 合計	37,731	47,398	54,548	43,570	39,492	47,699	62,207	332,645	49.3	51.4	52.7	51.3	48.3	43.5	38.9	46.9	37,731	47,398	54,548	43,570	39,492	47,699	62,207	332,645	49.3	51.4	52.7	51.3	48.3	43.5	38.9	46.9
ほぼ同じ年齢の同性と比較して歩く速度が速い	はい	32,964	38,497	44,819	38,613	37,720	52,105	75,991	320,709	43.1	41.8	43.3	45.5	46.1	47.5	47.5	45.3	43.1	41.8	43.3	45.5	46.1	47.5	47.5	45.3	43.1	41.8	43.3	45.5	46.1	47.5	47.5	45.3
	いいえ 次換値 合計	40,320	49,765	53,883	41,780	38,485	47,162	64,696	336,091	52.7	54.0	52.1	49.2	47.0	43.0	40.4	47.4	40,320	49,765	53,883	41,780	38,485	47,162	64,696	336,091	52.7	54.0	52.1	49.2	47.0	43.0	40.4	47.4
食事をかんで食べるときの状態はどれにあてはまりますか。	何でもかめる	63,879	74,418	79,766	62,815	58,266	75,497	106,488	521,129	83.5	80.7	77.1	74.0	71.2	68.8	66.5	73.5	83.5	80.7	77.1	74.0	71.2	68.8	66.5	73.5	83.5	80.7	77.1	74.0	71.2	68.8	66.5	73.5
	かみにくいことがある ほとんどかめない 次換値 合計	7,897	11,880	16,589	15,497	16,031	21,278	31,331	120,503	10.3	12.9	16.0	18.3	19.6	19.4	18.6	17.0	10.3	12.9	16.0	18.3	19.6	19.4	18.6	17.0	10.3	12.9	16.0	18.3	19.6	19.4	18.6	17.0
人と比較して食べる速度が速い	速い	26,740	31,157	32,970	25,025	21,485	25,304	33,045	195,726	34.9	33.8	31.8	29.5	26.3	23.1	20.6	27.6	34.9	33.8	31.8	29.5	26.3	23.1	20.6	27.6	34.9	33.8	31.8	29.5	26.3	23.1	20.6	27.6
	普通 遅い 次換値 合計	40,210	50,024	58,046	49,228	49,128	66,651	96,603	409,890	52.5	54.3	56.1	58.0	60.0	60.8	60.3	57.8	40,210	50,024	58,046	49,228	49,128	66,651	96,603	409,890	52.5	54.3	56.1	58.0	60.0	60.8	60.3	57.8
就寝前の2時間以内に夕食をとることが週に3回以上ある	はい	27,831	32,857	36,169	26,903	20,205	17,726	20,711	182,402	36.4	35.6	34.9	31.7	24.7	16.2	12.9	25.7	36.4	35.6	34.9	31.7	24.7	16.2	12.9	25.7	36.4	35.6	34.9	31.7	24.7	16.2	12.9	25.7
	いいえ 次換値 合計	45,461	55,453	62,549	53,526	56,038	81,607	120,167	474,801	59.4	60.2	60.4	63.1	68.5	74.4	75.1	67.0	45,461	55,453	62,549	53,526	56,038	81,607	120,167	474,801	59.4	60.2	60.4	63.1	68.5	74.4	75.1	67.0
朝昼夕の3食以外に間食や甘い飲み物を摂取していますか。	毎日	18,312	20,861	21,671	16,327	14,775	18,858	27,205	138,009	23.9	22.6	20.9	19.2	18.1	17.2	17.0	19.5	23.9	22.6	20.9	19.2	18.1	17.2	17.0	19.5	23.9	22.6	20.9	19.2	18.1	17.2	17.0	19.5
	時々 ほとんど摂取しない 次換値 合計	41,119	49,177	54,364	44,504	42,147	57,240	83,265	371,816	53.7	53.4	52.5	52.4	51.5	52.2	52.0	52.5	41,119	49,177	54,364	44,504	42,147	57,240	83,265	371,816	53.7	53.4	52.5	52.4	51.5	52.2	52.0	52.5
朝食を抜くことが週に3回以上ある	はい	48,793	61,023	70,419	61,065	63,240	89,318	1																									

附表4 性・年齢階級別、標準的質問項目の回答状況(男)(市町村国保+協会けんぽ)

		年齢5歳階級										年齢5歳階級																										
		40~44歳		45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計		40~44歳		45~49歳		50~54歳		55~59歳		60~64歳		65~69歳		70~74歳		合計						
		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%							
男	血圧を下げる薬を服用	はい いいえ 次換値 合計	2,396 40,572	5,791 45,580	10,839 46,117	12,972 31,843	15,783 24,229	23,673 27,607	36,582 35,205	108,036 251,753	5.6 94.4	11.3 88.7	19.0 81.0	28.9 71.1	38.9 61.1	46.2 53.8	51.0 49.0	30.0 70.0	5.6 94.4	11.3 88.7	19.0 81.0	28.9 71.1	38.9 61.1	46.2 53.8	51.0 49.0	30.0 70.0	5.6 94.4	11.3 88.7	19.0 81.0	28.9 71.1	38.9 61.1	46.2 53.8	51.0 49.0	30.0 70.0				
	インスリン注射または血糖を下げる薬を服用	はい いいえ 次換値 合計	1,091 41,877	2,273 49,098	3,942 53,014	4,403 40,412	4,992 35,620	7,062 44,218	10,912 60,875	34,675 325,114	2.5 97.5	4.4 95.6	6.9 93.1	9.8 90.2	12.3 87.7	13.8 86.2	15.2 84.8	9.6 90.4	2.5 97.5	4.4 95.6	6.9 93.1	9.8 90.2	12.3 87.7	13.8 86.2	15.2 84.8	9.6 90.4	2.5 97.5	4.4 95.6	6.9 93.1	9.8 90.2	12.3 87.7	13.8 86.2	15.2 84.8	9.6 90.4				
	コレステロールを下げる薬を服用	はい いいえ 次換値 合計	1,787 41,181	4,042 47,329	6,825 50,131	7,364 37,451	8,985 31,627	13,466 37,814	20,760 51,027	63,229 296,560	4.2 95.8	7.9 92.1	12.0 88.0	16.4 83.6	22.1 77.9	26.3 73.7	28.9 71.1	17.6 82.4	4.2 95.8	7.9 92.1	12.0 88.0	16.4 83.6	22.1 77.9	26.3 73.7	28.9 71.1	17.6 82.4	4.2 95.8	7.9 92.1	12.0 88.0	16.4 83.6	22.1 77.9	26.3 73.7	28.9 71.1	17.6 82.4				
	医師から脳卒中に罹っているといわれたり、治療を受けたことがある	はい いいえ 次換値 合計	181 41,654	427 49,720	813 54,789	1,034 42,766	1,324 38,394	2,016 48,602	3,648 67,643	9,443 343,568	0.4 99.6	0.8 99.2	1.4 98.6	2.3 97.7	3.3 96.7	3.9 96.1	5.1 94.9	2.6 97.4	0.4 99.6	0.8 99.2	1.4 98.6	2.3 97.7	3.3 96.7	3.9 96.1	5.1 94.9	2.6 97.4	0.4 99.6	0.8 99.2	1.4 98.6	2.3 97.7	3.3 96.7	3.9 96.1	5.1 94.9	2.6 97.4				
	医師から心臓病に罹っているといわれたり、治療を受けたことがある	はい いいえ 次換値 合計	472 41,364	867 49,282	1,504 54,092	1,869 41,927	2,466 37,247	4,115 46,496	7,658 63,622	18,951 334,030	1.1 96.3	1.7 95.9	2.6 95.0	4.2 93.6	6.1 91.7	8.0 90.7	10.7 88.6	5.3 92.8	1.1 96.3	1.7 95.9	2.6 95.0	4.2 93.6	6.1 91.7	8.0 90.7	10.7 88.6	5.3 92.8	1.1 96.3	1.7 95.9	2.6 95.0	4.2 93.6	6.1 91.7	8.0 90.7	10.7 88.6	5.3 92.8				
	医師から慢性的腎不全に罹っているといわれたり、治療を受けたことがある	はい いいえ 次換値 合計	109 41,726	195 49,952	326 55,265	297 43,497	370 39,339	538 50,073	1,010 70,274	2,845 350,124	0.3 97.1	0.4 97.2	0.6 97.0	0.7 97.1	0.9 96.9	1.0 97.0	1.4 97.3	0.3 97.1	0.4 97.2	0.6 97.0	0.7 97.1	0.7 97.1	0.9 96.9	1.0 97.0	1.4 97.3	0.3 97.1	0.4 97.2	0.6 97.0	0.7 97.1	0.7 97.1	0.9 96.9	1.0 97.0	1.4 97.3	0.3 97.1				
	医師から貧血といわれたことがある	はい いいえ 次換値 合計	1,168 40,741	1,412 48,831	1,644 54,022	1,508 42,356	1,615 38,164	2,331 48,330	3,954 67,340	13,632 339,784	2.7 95.1	2.7 95.1	2.9 94.5	3.4 94.5	4.0 94.2	4.5 94.2	5.5 93.8	3.8 94.4	2.7 95.1	2.7 95.1	2.9 94.5	3.4 94.5	4.0 94.2	4.5 94.2	5.5 93.8	3.8 94.4	2.7 95.1	2.7 95.1	2.9 94.5	3.4 94.5	4.0 94.2	4.5 94.2	5.5 93.8	3.8 94.4				
	たばこを習慣的にすっている	喫煙 非喫煙 次換値 合計	17,710 25,258	21,146 30,225	22,821 34,135	17,076 27,739	13,480 27,132	12,926 28,354	12,586 59,201	117,745 242,044	41.2 58.8	41.2 58.8	40.1 59.9	38.1 61.9	33.2 66.8	25.2 74.8	17.5 82.5	32.7 67.3	41.2 58.8	41.2 58.8	40.1 59.9	38.1 61.9	33.2 66.8	25.2 74.8	17.5 82.5	32.7 67.3	41.2 58.8	41.2 58.8	40.1 59.9	38.1 61.9	33.2 66.8	25.2 74.8	17.5 82.5	32.7 67.3				
	20歳のときから体重が10kg以上増加している	はい いいえ 次換値 合計	21,032 20,201	26,254 23,095	28,954 25,605	22,341 20,407	18,840 19,442	22,536 24,588	28,115 36,222	168,072 169,560	48.9 47.0	51.1 45.0	50.8 45.0	49.9 45.5	46.4 47.9	43.9 47.9	39.2 50.5	46.7 47.1	48.9 47.0	51.1 45.0	50.8 45.0	49.9 45.5	46.4 47.9	43.9 47.9	39.2 50.5	46.7 47.1	48.9 47.0	51.1 45.0	50.8 45.0	49.9 45.5	46.4 47.9	43.9 47.9	39.2 50.5	46.7 47.1				
	1回30分以上の軽く汗をかく運動を週2日以上、1年以上実施	はい いいえ 次換値 合計	12,279 28,973	14,615 34,760	15,801 38,771	12,496 30,266	12,331 30,266	18,834 26,056	31,004 28,299	112,260 33,346	28.6 67.4	28.4 67.7	27.7 68.1	27.9 67.5	30.1 64.2	36.7 55.2	42.2 46.5	28.6 67.4	28.4 67.7	27.7 68.1	27.9 67.5	30.1 64.2	36.7 55.2	42.2 46.5	28.6 67.4	28.4 67.7	27.7 68.1	27.9 67.5	30.1 64.2	36.7 55.2	42.2 46.5	28.6 67.4	28.4 67.7	27.7 68.1	27.9 67.5	30.1 64.2	36.7 55.2	42.2 46.5
	日常生活において歩行または同等の身体活動を1日1時間以上実施	はい いいえ 次換値 合計	21,301 19,926	23,662 25,668	24,369 30,172	23,944 23,944	20,878 23,834	23,834 23,834	29,367 173,789	46.4 94.6	50.0 53.0	53.4 51.4	46.5 46.5	40.9 46.5	42.8 46.5	45.4 46.5	48.7 48.3	46.4 94.6	46.4 94.6	50.0 53.0	53.4 51.4	46.5 46.5	40.9 46.5	42.8 46.5	45.4 46.5	48.7 48.3	46.4 94.6	46.4 94.6	50.0 53.0	53.4 51.4	46.5 46.5	40.9 46.5	42.8 46.5	45.4 46.5	48.7 48.3			
	ほぼ同じ年齢の同性と比較して歩く速度が速い	はい いいえ 次換値 合計	20,114 21,097	22,801 26,510	25,550 28,975	20,636 22,082	18,663 19,581	24,027 23,047	34,023 30,167	165,814 171,459	46.8 49.1	44.4 51.6	44.9 50.9	46.0 49.3	46.0 48.2	46.9 44.9	47.4 42.0	46.8 49.1	46.8 49.1	44.4 51.6	44.9 50.9	46.0 49.3	46.0 48.2	46.9 44.9	47.4 42.0	46.8 49.1	46.8 49.1	44.4 51.6	44.9 50.9	46.0 49.3	46.0 48.2	46.9 44.9	47.4 42.0	46.8 49.1				
	食事をかんで食べるときの状態はどれにあてはまりますか。	何でもかめる かみにくいことがある ほとんどかめない 次換値 合計	35,628 4,793	40,841 7,409	43,024 10,196	32,210 9,276	27,897 9,187	34,229 11,308	47,009 15,380	260,838 67,549	82.9 11.2	79.5 14.4	75.5 17.9	71.9 20.7	68.7 22.6	66.7 22.1	65.5 21.4	72.0 18.8	82.9 11.2	79.5 14.4	75.5 17.9	71.9 20.7	68.7 22.6	66.7 22.1	65.5 21.4	72.0 18.8	82.9 11.2	79.5 14.4	75.5 17.9	71.9 20.7	68.7 22.6	66.7 22.1	65.5 21.4	72.0 18.8				
	人と比較して食べる速度が速い	速い 普通 遅い 次換値 合計	21,182 2,611	26,289 2,922	30,591 3,277	25,124 2,691	23,604 2,567	30,116 3,527	41,842 5,420	198,748 23,015	49.3 6.1	51.2 5.7	53.7 6.0	56.1 6.3	58.1 6.9	58.7 7.6	58.3 6.4	49.3 6.1	49.3 6.1	51.2 5.7	53.7 6.0	56.1 6.3	58.1 6.9	58.7 7.6	58.3 6.4	58.7 7.6	58.3 6.4	49.3 6.1	49.3 6.1	51.2 5.7	53.7 6.0	56.1 6.3	58.1 6.9	58.7 7.6	58.3 6.4			
	就寝前の2時間以内に夕食をとることが週に3回以上ある	はい いいえ 次換値 合計	18,943 22,277	22,346 26,990	24,524 30,003	18,110 24,612	13,717 24,542	11,890 35,186	12,621 51,623	122,151 215,233	44.1 51.8	43.5 52.5	43.1 52.7	40.4 54.9	33.8 60.4	23.2 68.6	17.6 71.9	34.0 59.8	44.1 51.8	43.5 52.5	43.1 52.7	40.4 54.9	33.8 60.4	23.2 68.6	17.6 71.9	34.0 59.8	44.1 51.8	43.5 52.5	43.1 52.7	40.4 54.9	33.8 60.4	23.2 68.6	17.6 71.9	34.0 59.8				
	朝昼夕の3食以外に間食や甘い飲み物を摂取していますか。	毎日時々 ほとんど摂取しない 次換値 合計	7,391 24,144	8,164 28,407	8,005 30,661	5,612 23,395	4,525 20,342	5,339 26,305	47,081 37,092	8,045 190,346	17.2 56.2	15.9 55.3	14.1 53.8	12.5 52.2	11.1 50.1	10.4 51.3	11.2 51.7	13.1 52.9	17.2 56.2	15.9 55.3	14.1 53.8	12.5 52.2	11.1 50.1	10.4 51.3	11.2 51.7	11.2 51.7	13.1 52.9	17.2 56.2	15.9 55.3	14.1 53.8	12.5 52.2	11.1 50.1	10.4 51.3	11.2 51.7	11.2 51.7			
	朝食を抜くことが週に3回以上ある	はい いいえ 次換値 合計	24,805 1,796	31,112 2,118	36,288 2,497	30,448 2,164	30,164 2,422	40,948 4,253	59,137 7,561	252,902 22,811	57.7 4.2	60.6 4.1	63.7 4.4	67.9 4.8	74.3 6.0	79.9 8.3	82.4 10.5	57.7 4.2	57.7 4.2	60.6 4.1	63.7 4.4	67.9 4.8	74.3 6.0	79.9 8.3	82.4 10.5	82.4 10.5	57.7 4.2	57.7 4.2	60.6 4.1	63.7 4.4	67.9 4.8	74.3 6.0	79.9 8.3	82.4 10.5				
	お酒を飲む頻度	毎日時々 ほとんど飲まない 次換値 合計	10,672 14,212	15,075 15,773	18,655 16,102	15,772 12,019	15,284 10,520	19,996 12,332	27,128 15,690	122,582 96,648	24.8 33.1	29.3 30.7	32.8 28.3	35.2 26.8	37.6 25.9	39.0 24.0	37.8 21.9	24.8 33.1	24.8 33.1	29.3 30.7	32.8 28.3	35.2 26.8	37.6 25.9	39.0 24.0	37.8 21.9	37.8 21.9	24.8 33.1	24.8 33.1	29.3 30.7	32.8 28.3	35.2 26.8	37.6 25.9	39.0 24.0	37.8 21.9				
	飲酒日の1日あたりの飲酒量	1合未満 1~2合未満 2~3合未満 4合以上 次換値 合計	18,176 10,217	20,790 12,487	22,021 14,183	16,651 11,632	14,456 11,222	18,239 14,785	27,618 19,370	137,951 93,896	42.3 23.8	40.5 24.3	38.7 24.9	37.2 26.0	35.6 27.6	35.6 28.8	38.5 27.0	42.3 42.3	42.3 42.3	40.5 24.3	40.5 24.3	38.7 24.9	37.2 26.0	35.6 27.6	35.6 28.8	35.6 27.6	38.5 27.0	42.3 42.3	42.3 42.3	40.5 24.3	40.5 24.3	38.7 24.9	37.2 26.0	35.6 27.6	35.6 28.8			
	睡眠で休養が十分に取れている	はい いいえ 次換値 合計	25,583 15,556	30,423 18,804	33,225 21,190	26,143 16,488	25,050 13,120	34,439 12,481	50,308 13,756	225,171 111,395	59.5 36.2	59.2 36.6	58.3 37.2	58.3 36.8	61.7 32.3	67.2 24.3	70.1 19.2	59.5 36.2	59.5 36.2	59.2 36.6	58.3 37.2	58.3 36.8	61.7 32.3	67.2 24.3	70.1 19.2	70.1 19.2	59.5 36.2	59.5 36.2	59.2 36.6	58.3 37.2	58.3 36.8	61.7 32.3	67.2 24.3	70.1 19.2				
	生活習慣の改善	改善するつもりはない 6ヶ月以内に改善 近いうちに改善 既に取組み6ヶ月未満 既に取組み6ヶ月以上 次換値 合計	11,097 14,142	13,7																																		

