

マアジの粗脂肪量

水揚日: 令和2年8月21日


船名: 27 恵比寿丸 漁場: 35°26'N 140°48'E (九十九里沖)

Lipid content of Japanese horse mackerels

Landing day : August 21, 2020

Fishing ground : Off the coast of Kujukuri, Japan

35°26'N 140°48'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	27.6	255.1	3.0	11	25.5	234.8	11.4
2	30.1	291.5	0.2	12	24.7	196.8	9.3
3	29.1	290.7	4.4	13	24.1	187.6	8.6
4	28.0	265.5	3.0	14	24.0	203.6	12.1
5	27.8	276.2	8.6	15	23.8	186.3	7.2
6	29.1	296.4	3.7	16	29.9	160.1	12.8
7	28.6	268.4	3.7	17	21.9	140.2	8.6
8	29.0	271.6	2.3	18	22.0	143.1	13.5
9	27.9	247.8	3.0	19	21.7	136.2	11.4
10	28.3	266.3	7.2	20	21.3	124.6	10.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議