

マアジの粗脂肪量

水揚日: 令和元年6月26日


船名: 3 伊東丸 漁場: 35°33'N 140°39'E(九十九里沖)

Lipid content of Japanese horse mackerels

Landing day : June 26, 2019

Fishing ground : Off the coast of Kujukuri, Japan

35°33'N 140°39'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	32.0	370.2	4.4	11	32.3	400.2	1.1
2	30.2	361.9	6.3	12	31.2	424.8	8.6
3	30.5	414.4	5.0	13	32.0	454.1	3.8
4	29.9	339.5	9.5	14	30.8	348.3	2.5
5	31.4	406.6	6.9	15	33.0	429.0	2.3
6	30.9	418.8	11.3	16	28.2	340.6	12.7
7	28.5	324.1	5.0	17	30.3	356.6	7.0
8	29.0	343.3	10.7	18	30.6	351.9	4.9
9	28.6	285.1	5.4	19	31.2	358.4	4.5
10	29.6	329.6	5.4	20	28.3	273.8	7.7

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議