

マイワシの粗脂肪量

水揚日:令和4年1月7日


船名:きんせい丸 漁場:35°45'N 141°09'E(犬吠沖)

Lipid content of Japanese sardines

Landing day : January 7, 2022

Fishing ground : Off the coast of Inubo, Japan

35°45'N 141°09'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	21.4	116.0	24.5	11	19.0	86.0	23.9
2	21.8	113.0	17.1	12	18.8	83.7	25.7
3	20.9	112.4	25.1	13	18.3	78.3	25.1
4	18.4	95.2	25.1	14	18.1	65.4	15.8
5	21.0	104.7	19.5	15	19.7	90.6	23.9
6	19.3	94.4	30.0	16	16.7	51.1	14.6
7	20.1	109.5	25.1	17	15.5	41.1	13.4
8	20.2	96.5	15.8	18	16.0	49.1	19.5
9	18.9	88.7	30.6	19	14.7	34.2	15.2
10	19.7	84.5	17.1	20	15.4	40.1	12.1

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議