

# マイワシの粗脂肪量

水揚日: 令和4年3月1日


船名: 33 全徳丸 漁場: 35°57'N 140°56'E (鹿島沖)

Lipid content of Japanese sardines

Landing day : March 1, 2022

Fishing ground : Off the coast of Kashima, Japan

35°57'N 140°56'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.0	90.6	21.4	11	17.2	49.2	5.3
2	18.0	58.4	8.4	12	17.1	47.2	9.6
3	16.4	44.2	6.6	13	16.3	40.8	5.3
4	16.8	48.7	8.4	14	15.4	34.1	5.9
5	17.4	56.2	7.2	15	15.1	34.0	5.3
6	17.7	49.7	18.9	16	15.1	31.2	4.1
7	16.3	42.7	6.6	17	15.1	32.1	5.9
8	16.5	42.5	6.6	18	15.0	30.5	5.9
9	17.0	47.3	8.4	19	14.6	31.0	4.7
10	17.6	54.5	9.6	20	15.1	32.3	4.7

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議