

# マイワシの粗脂肪量

水揚日:令和元年11月27日


船名:88 新丸 漁場:39°38'N 142°09'E(宮古沖)

Lipid content of Japanese sardines

Landing day : Novemver 27, 2019

Fishing ground : Off the coast of Miyako, Japan

39°38'N 142°09'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.0	123.7	23.2	11	16.2	55.4	12.1
2	20.0	108.9	17.1	12	15.8	55.3	10.3
3	19.1	90.7	16.4	13	14.0	39.3	17.1
4	18.8	76.9	7.2	14	15.6	51.4	9.6
5	16.3	57.2	20.1	15	15.8	53.2	10.9
6	15.4	51.5	14.0	16	15.9	53.3	5.9
7	16.5	64.7	17.1	17	15.2	49.4	18.9
8	15.9	54.5	14.0	18	13.9	38.1	12.7
9	16.0	58.0	14.6	19	14.8	43.2	15.8
10	16.3	57.3	12.1	20	14.6	40.4	5.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議