

マイワシの粗脂肪量

水揚日:令和元年11月7日


船名:8 正福丸 漁場: 35°59'N 141°00'E(鹿島沖)

Lipid content of Japanese sardines

Landing day : November 7, 2019

Fishing ground : Off the coast of Kashima, Japan

35°59'N 141°00'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	18.4	82.6	9.9	11	19.2	96.0	13.2
2	17.4	72.8	9.2	12	18.9	97.2	9.8
3	18.0	83.8	9.6	13	18.2	85.7	10.5
4	17.8	79.2	9.9	14	18.3	93.6	14.7
5	17.7	77.6	12.7	15	17.8	73.2	5.4
6	16.9	60.7	6.8	16	16.0	54.7	0.6
7	15.7	48.9	1.3	17	17.0	64.0	5.4
8	16.5	55.8	4.0	18	14.6	44.8	6.9
9	19.1	113.6	15.6	19	17.5	75.0	10.1
10	19.2	115.7	11.3	20	13.8	33.8	2.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議