

マイワシの粗脂肪量

水揚日:令和2年1月27日


船名:31 御嶽丸 漁場:35°52'N 141°02'E(鹿島沖)

Lipid content of Japanese sardines

Landing day : January 27, 2020

Fishing ground : Off the coast of Kashima, Japan

35°52'N 141°02'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.2	152.7	31.9	11	17.0	66.4	20.1
2	21.0	116.9	20.1	12	17.7	80.5	23.9
3	19.0	113.7	29.4	13	16.6	66.1	20.1
4	20.5	102.2	12.7	14	17.1	68.1	17.7
5	19.6	94.1	20.1	15	16.9	67.3	23.9
6	20.5	98.5	15.2	16	17.2	67.7	17.1
7	19.9	99.9	22.0	17	15.8	55.0	22.0
8	17.1	69.7	20.8	18	15.9	51.1	15.8
9	16.3	59.4	16.4	19	16.4	53.2	10.3
10	19.3	89.5	13.4	20	17.4	63.8	14.6

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議