

マイワシの粗脂肪量

水揚日:令和2年1月8日


船名:35 開運丸 漁場:35°46'N 141°06'E(犬吠沖)

Lipid content of Japanese sardines

Landing day : January 8, 2020

Fishing ground : Off the coast of Inubo, Japan

35°46'N 141°06'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	19.7	101.5	23.9	11	19.2	86.3	18.3
2	20.9	143.2	32.5	12	18.8	78.7	19.5
3	19.9	108.6	25.1	13	18.8	86.3	20.8
4	19.4	93.0	25.1	14	18.7	94.2	27.6
5	19.7	116.0	23.9	15	19.7	97.5	23.9
6	21.6	149.2	25.7	16	17.9	71.4	20.1
7	20.7	126.1	30.0	17	17.7	65.2	2.2
8	20.7	120.3	26.3	18	16.8	48.9	9.6
9	19.6	82.6	15.8	19	15.8	41.3	13.4
10	19.9	91.5	18.9	20	15.6	36.5	9.6

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議