

# マイワシの粗脂肪量

水揚日:令和2年3月24日


船名:33全徳丸 漁場:36°46'N 140°59'E(大津沖)

Lipid content of Japanese sardines

Landing day : March 24, 2020

Fishing ground : Off the coast of Otsu, Japan

36°46'N 140°59'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	18.4	66.8	12.1	11	14.4	34.8	7.8
2	16.2	49.3	5.9	12	13.9	31.1	5.9
3	15.1	43.1	12.1	13	14.2	32.5	8.4
4	15.6	43.7	9.6	14	14.0	32.6	5.3
5	15.8	47.3	5.9	15	15.9	44.4	5.9
6	15.3	41.7	11.5	16	15.4	40.1	9.6
7	15.4	42.5	7.8	17	14.2	33.4	7.8
8	14.1	31.1	6.6	18	14.5	33.9	7.8
9	14.7	40.4	11.5	19	13.9	30.4	11.5
10	14.7	34.5	9.0	20	14.9	37.2	7.2

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議