

マイワシの粗脂肪量


水揚日:令和2年6月1日

船名:6 林丸 漁場:35°39'N 140°59'E(犬吠埼沖)

Lipid content of Japanese sardines

Landing day : June 1, 2020

Fishing ground : Off the coast of Inubosaki, Japan
35°39'N 140°59'E



| No. | 体長cm Standard length | 体重g Body weight | 粗脂肪量% Lipid content | No. | 体長cm Standard length | 体重g Body weight | 粗脂肪量% Lipid content |
|-----|-------------------------|--------------------|------------------------|-----|-------------------------|--------------------|------------------------|
| 1 | 21.5 | 130.3 | 7.8 | 11 | 18.7 | 84.4 | 8.4 |
| 2 | 19.9 | 101.8 | 9.0 | 12 | 19.6 | 97.1 | 9.0 |
| 3 | 20.5 | 108.8 | 9.6 | 13 | 19.8 | 102.2 | 9.6 |
| 4 | 21.3 | 119.7 | 9.0 | 14 | 18.9 | 87.4 | 12.1 |
| 5 | 20.7 | 121.7 | 13.4 | 15 | 19.8 | 97.7 | 9.0 |
| 6 | 20.7 | 114.6 | 8.4 | 16 | 20.6 | 105.9 | 9.0 |
| 7 | 20.2 | 109.1 | 10.3 | 17 | 19.4 | 88.1 | 7.2 |
| 8 | 21.3 | 123.1 | 9.6 | 18 | 19.4 | 92.6 | 8.4 |
| 9 | 23.4 | 139.2 | 5.9 | 19 | 19.2 | 99.9 | 10.9 |
| 10 | 19.7 | 106.5 | 9.0 | 20 | 20.6 | 111.2 | 2.2 |

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議