

マイワシの粗脂肪量

水揚日:令和2年6月16日


船名:67 石田丸 漁場:35°42'N 141°06'E(犬吠埼沖)

Lipid content of Japanese sardines

Landing day : June 16, 2020

Fishing ground : Off the coast of Inubosaki, Japan

35°42'N 141°06'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	19.6	112.3	15.2	11	17.3	71.6	8.4
2	20.3	117.0	15.2	12	18.4	80.9	5.3
3	19.4	98.6	9.6	13	18.8	100.0	17.7
4	18.4	86.1	7.8	14	17.7	79.5	14.6
5	19.4	92.9	17.7	15	18.3	77.4	2.2
6	18.3	90.4	15.8	16	17.6	80.3	12.1
7	18.3	85.2	9.0	17	17.5	69.6	7.2
8	18.2	76.8	11.5	18	18.3	75.3	2.2
9	17.4	72.6	9.6	19	19.1	101.6	14.6
10	18.9	98.2	11.5	20	19.7	116.3	18.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議