

マイワシの粗脂肪量

水揚日:令和2年6月25日


船名:32 海栄丸 漁場:37°11'N 141°22'E(いわき沖)

Lipid content of Japanese sardines

Landing day : June 25, 2020

Fishing ground : Off the coast of Iwaki, Japan

37°11'N 141°22'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	19.0	80.5	8.4	11	16.0	49.3	6.6
2	18.7	88.2	17.1	12	15.7	46.0	9.6
3	18.7	77.7	15.8	13	15.7	44.3	9.6
4	18.3	65.9	8.4	14	14.2	31.4	7.8
5	19.4	76.6	12.7	15	15.6	44.2	5.9
6	17.1	61.0	14.6	16	19.6	101.7	10.9
7	17.5	61.9	12.7	17	19.2	88.4	16.4
8	16.8	59.7	15.2	18	17.9	80.0	10.3
9	17.2	58.5	9.0	19	17.5	65.3	7.2
10	17.1	57.2	5.9	20	17.7	61.4	5.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議