

マイワシの粗脂肪量

水揚日:令和2年7月14日


船名:11 きんせい丸 漁場:35°51'N 141°06'E(鹿島沖)

Lipid content of Japanese sardines

Landing day : July 14, 2020

Fishing ground : Off the coast of Kashima, Japan

35°51'N 141°06'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	20.9	122.1	8.4	11	17.6	75.3	10.3
2	20.9	135.1	16.4	12	18.0	75.8	11.5
3	20.4	129.7	14.6	13	17.2	69.1	15.2
4	20.8	142.0	25.1	14	16.5	57.0	9.0
5	21.1	133.2	17.1	15	20.0	117.8	17.7
6	19.5	106.6	12.1	16	20.5	128.6	18.9
7	19.3	104.9	22.0	17	19.8	110.2	10.9
8	17.8	89.7	19.5	18	19.3	104.0	12.1
9	18.3	87.0	18.3	19	18.2	83.3	10.3
10	18.6	89.6	14.6	20	20.4	128.2	10.3

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議