

# マイワシの粗脂肪量


水揚日:令和2年7月3日

船名:8 正福丸 漁場:35°46'N 141°07'E(一の島沖)

Lipid content of Japanese sardines

Landing day : July 3, 2020

Fishing ground : Off the coast of Ichinoshima, Japan  
35°46'N 141°07'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	21.0	116.9	13.4	11	20.4	122.1	19.5
2	18.9	95.0	14.0	12	19.2	104.3	9.6
3	19.6	106.7	15.2	13	18.8	101.0	14.0
4	15.2	57.8	12.7	14	18.7	93.5	15.2
5	18.8	93.3	10.3	15	19.1	96.2	9.6
6	19.5	103.3	10.3	16	20.0	125.7	23.9
7	20.7	139.9	20.8	17	18.8	90.0	10.9
8	18.0	74.1	10.3	18	18.7	92.0	14.6
9	18.6	104.7	20.8	19	18.1	83.1	19.5
10	19.9	122.6	18.9	20	20.5	121.9	5.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議