

マイワシの粗脂肪量

水揚日:令和4年5月20日


船名:35 開運丸 漁場:35°50'N 141°03'E(鹿島沖)

Lipid content of Japanese sardines

Landing day :May 20, 2022

Fishing ground : Off the coast of Kashima, Japan

35°50'N 141°03'E



| No. | 体長cm Standard length | 体重g Body weight | 粗脂肪量% Lipid content | No. | 体長cm Standard length | 体重g Body weight | 粗脂肪量% Lipid content |
|-----|-------------------------|--------------------|------------------------|-----|-------------------------|--------------------|------------------------|
| 1 | 21.6 | 101.7 | 9.6 | 11 | 16.8 | 52.6 | 3.5 |
| 2 | 20.8 | 95.7 | 10.9 | 12 | 16.7 | 55.8 | 10.3 |
| 3 | 21.5 | 87.9 | 5.9 | 13 | 16.6 | 52.8 | 3.5 |
| 4 | 18.5 | 67.0 | 9.6 | 14 | 16.6 | 46.6 | 3.5 |
| 5 | 18.0 | 64.8 | 8.4 | 15 | 16.8 | 46.8 | 4.1 |
| 6 | 17.9 | 62.5 | 3.5 | 16 | 16.2 | 48.5 | 4.7 |
| 7 | 17.5 | 63.7 | 10.9 | 17 | 15.8 | 42.3 | 3.5 |
| 8 | 17.6 | 55.1 | 5.3 | 18 | 15.4 | 40.3 | 2.9 |
| 9 | 16.4 | 50.5 | 8.4 | 19 | 15.8 | 45.1 | 2.9 |
| 10 | 16.9 | 56.7 | 6.6 | 20 | 15.4 | 40.0 | 3.5 |

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議