

マイワシの粗脂肪量

水揚日：令和8年2月13日


船名：第6正福丸

漁場：35° 41' N 140° 55' E (犬吠埼沖)

Lipid content of Japanese sardines

Landing day : February 13, 2026

Fishing ground : Off the coast of Inubosaki, Japan
35° 41' N 140° 55' E



No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Body length	体重g Body weight	粗脂肪量% Lipid content
1	19.7	79.8	4.7	11	17.5	53.7	6.6
2	18.1	68.0	2.9	12	17.0	53.7	4.7
3	17.9	63.2	4.1	13	16.7	47.8	2.9
4	18.0	59.9	5.9	14	16.7	50.5	5.3
5	17.9	60.3	7.2	15	16.4	47.2	2.2
6	17.6	57.7	4.1	16	15.5	39.5	1.0
7	17.8	58.7	4.1	17	16.0	42.7	2.9
8	17.6	65.1	10.3	18	15.4	40.0	2.9
9	17.2	56.0	2.9	19	15.1	40.1	6.6
10	17.3	55.5	4.1	20	15.2	35.0	3.5

千葉県水産総合研究センター 銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議