

マサバの粗脂肪量

水揚日:令和2年2月12日


船名:18 共徳 漁場:36°26'N 140°54'E(磯崎沖)

Lipid content of Chub mackerels

Landing day : February 12, 2020

Fishing ground : Off the coast of Isozaki, Japan

36°26'N 140°54'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	31.3	319.5	15.5	11	35.3	451.5	8.9
2	31.3	302.5	10.9	12	30.3	270.5	9.9
3	33.0	395.6	20.0	13	29.2	248.1	12.0
4	31.7	372.8	21.0	14	24.3	130.6	8.9
5	30.2	302.3	15.0	15	26.9	190.7	7.9
6	31.8	355.9	15.5	16	24.8	138.4	10.4
7	31.9	354.8	17.5	17	24.4	122.3	7.9
8	28.1	216.1	8.4	18	23.8	121.0	10.9
9	25.3	151.2	15.0	19	24.4	130.9	11.4
10	25.5	151.5	9.4	20	26.9	181.2	11.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議