

マサバの粗脂肪量

水揚日: 令和2年11月20日


船名: たいよう丸 漁場: 38°20'N 138°56'E (新潟沖)

Lipid content of Chub mackerels

Landing day : November 20, 2020

Fishing ground : Off the coast of Niigata, Japan

38°20'N 138°56'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	33.4	485.7	6.9	11	32.1	452.4	9.4
2	35.6	577.7	8.4	12	33.0	445.5	7.4
3	35.2	536.3	9.9	13	32.5	435.6	7.4
4	34.5	551.1	9.4	14	32.0	421.9	7.4
5	36.6	634.8	7.9	15	32.9	405.1	5.9
6	34.3	527.6	12.5	16	32.1	424.8	9.9
7	35.7	545.8	9.9	17	33.0	409.2	5.9
8	36.4	562.4	9.4	18	31.2	401.5	6.9
9	35.2	520.6	6.4	19	32.3	457.8	9.4
10	33.9	457.6	7.9	20	31.8	408.7	6.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議