

マサバの粗脂肪量

水揚日: 令和2年12月2日


船名: 33 全徳丸 漁場: 37°02'N 141°14'E(いわき沖)

Lipid content of Chub mackerels

Landing day : December 2, 2020

Fishing ground : Off the coast of Iwaki, Japan

37°02'N 141°14'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	37.6	726.9	19.0	11	32.4	411.8	20.0
2	37.8	630.2	8.9	12	32.7	413.0	11.4
3	35.6	643.5	23.1	13	31.9	357.6	9.9
4	35.7	587.6	16.5	14	31.5	367.1	13.5
5	34.2	536.6	20.5	15	32.9	389.8	12.5
6	34.2	500.2	21.0	16	30.1	309.5	10.4
7	35.2	595.6	17.0	17	30.2	318.7	13.0
8	33.7	486.7	22.6	18	29.6	286.6	9.4
9	32.7	436.0	17.5	19	31.2	317.3	11.4
10	35.0	510.7	16.0	20	29.1	272.4	9.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議