

マサバの粗脂肪量

水揚日: 令和2年8月31日


船名: 27 恵比寿丸 漁場: 35°41'N 140°58'E(犬吠埼沖)

Lipid content of Chub mackerels

Landing day : August 31, 2020

Fishing ground : Off the coast of Inubosaki, Japan

35°41'N 140°58'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	34.5	519.2	12.0	11	28.7	265.8	7.9
2	29.3	298.7	11.4	12	28.4	263.6	9.4
3	32.2	377.7	9.9	13	27.9	254.6	8.9
4	30.2	362.8	14.5	14	27.4	234.1	6.4
5	30.0	289.1	6.9	15	27.0	230.2	6.9
6	28.9	273.1	10.4	16	29.2	271.2	6.4
7	30.2	335.1	5.9	17	28.0	257.4	9.4
8	29.0	287.5	8.4	18	28.8	262.7	10.4
9	28.1	255.0	8.9	19	27.8	227.0	7.9
10	29.2	299.5	10.4	20	26.7	206.1	7.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議