

# サンマの粗脂肪量

水揚日:令和2年12月2日


船名:3 鹿島丸 漁場:36°20'N 140°53'E(ひたちなか沖)

Lipid content of sauries

Landing day : December 2, 2020

Fishing ground : Off the coast of Kashima, Japan

36°20'N 140°53'E



No.	体長cm	体重g	粗脂肪量%	No.	体長cm	体重g	粗脂肪量%
	Standard length	Body weight	Lipid content		Standard length	Body weight	Lipid content
1	30.7	126.1	10.6	11	29.5	102.1	4.9
2	32.1	133.6	4.9	12	28.5	86.3	2.1
3	30.7	108.4	4.3	13	29.0	105.0	3.8
4	29.5	101.4	1.5	14	27.4	76.2	4.9
5	28.5	93.7	1.5	15	25.9	71.3	2.6
6	27.8	96.0	6.0	16	25.6	68.6	3.2
7	27.8	87.9	4.9	17	26.4	72.8	4.9
8	26.5	79.0	4.9	18	24.3	55.4	4.3
9	29.0	91.3	3.2	19	24.9	66.2	2.6
10	28.4	92.0	3.2	20	25.2	62.5	3.8

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議