

サンマの粗脂肪量


水揚日:令和元年11月1日

船名:1 太幸丸 漁場:42°41'N 149°42'E(北海道東南東沖)

Lipid content of sauries

Landing day : November 1, 2019

Fishing ground : Off the east-southeastern coast of Hokkaido, Japan
42°41'N 149°42'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	29.6	129.2	19.1	11	27.1	90.3	17.8
2	30.2	138.6	24.7	12	26.4	81.3	18.9
3	30.9	138.5	19.9	13	27.1	108.1	25.8
4	31.1	147.0	20.0	14	26.5	84.8	19.2
5	30.2	131.8	20.9	15	26.3	87.4	25.4
6	29.4	115.5	14.0	16	27.3	101.7	20.9
7	30.4	133.4	23.1	17	24.8	63.0	14.4
8	29.4	129.6	23.0	18	25.3	79.7	21.9
9	30.8	134.3	22.3	19	24.7	62.0	16.7
10	27.5	103.4	23.6	20	26.5	80.4	17.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議