

サンマの粗脂肪量

水揚日:令和元年12月2日


船名:37傳丸 漁場:36°11'N 140°08'E(大洗沖)

Lipid content of sauries

Landing day : December 2, 2019

Fishing ground : Off the coast of Oarai, Japan

36°11'N 140°08'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	32.6	139.3	8.3	11	28.1	92.5	10.0
2	30.5	122.7	10.6	12	30.1	108.7	6.6
3	30.4	120.8	3.2	13	30.0	114.3	2.6
4	29.7	112.5	8.9	14	27.7	92.1	7.7
5	31.7	128.1	12.3	15	29.7	113.8	10.0
6	31.2	124.8	6.6	16	29.9	109.8	8.3
7	30.8	117.1	6.0	17	27.3	83.1	9.4
8	30.6	121.3	7.7	18	30.6	118.6	7.7
9	30.0	126.2	11.1	19	27.8	91.9	11.1
10	30.8	119.6	4.3	20	26.4	83.2	7.7

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議