

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）：部位別、性別

## A. 上皮内がんを除く

## 千葉県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
女	全部位	000-C96	611.0	11.4	7.3	13.8	15.6	29.6	49.3	102.3	210.4	341.1	476.9	571.4	678.5	846.8	1,070.4	1,212.1	1,431.1	1,626.9	1,735.7	-	
	口腔・咽頭	000-C14	11.3	0.0	0.0	0.0	0.7	2.6	2.7	2.9	4.1	5.5	6.6	7.5	15.8	14.4	20.2	22.3	27.8	26.9	34.3	-	
	食道	C15	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.1	3.5	9.0	11.7	13.0	15.3	15.0	16.4	16.1	-	
	胃	C16	59.5	0.9	0.0	0.0	0.0	0.7	0.7	1.2	3.6	11.0	15.3	22.6	40.1	60.6	105.5	142.8	196.1	219.4	241.3	-	
	大腸（結腸・直腸）	C18-C20	91.7	0.0	0.0	0.0	0.7	2.0	2.7	5.8	15.0	22.0	37.2	47.7	81.4	122.9	168.8	212.6	254.4	309.0	327.3	-	
	結腸	C18	64.2	0.0	0.0	0.0	0.7	1.3	1.3	2.9	10.4	12.3	22.3	29.1	44.6	78.7	109.9	148.4	187.2	232.8	261.5	-	
	直腸	C19-C20	27.5	0.0	0.0	0.0	0.0	0.7	1.3	2.9	4.7	9.7	14.9	18.6	36.7	44.1	58.9	64.2	67.2	76.1	65.7	-	
	肝および肝内胆管	C22	15.6	0.9	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.3	2.5	3.5	11.9	12.2	19.0	32.6	40.6	48.1	83.9	-	
	胆のう・胆管	C23-C24	12.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	1.2	3.0	7.3	15.4	17.8	22.8	36.7	54.5	77.6	-	
	膵臓	C25	25.8	0.0	0.0	0.0	0.0	0.7	0.0	1.2	1.0	3.0	5.4	6.5	14.1	25.5	52.2	58.6	72.2	110.4	114.7	-	
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.4	1.7	2.2	1.4	-	
	肺	C33-C34	59.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.2	10.6	15.7	30.7	48.6	72.3	123.3	152.1	192.8	191.8	185.3	-	
	皮膚	C43-C44	16.2	0.0	0.0	0.0	0.0	0.7	1.3	1.2	3.6	5.1	3.3	11.6	8.5	17.0	20.2	20.9	43.3	59.0	107.0	-	
	乳房	C50	145.5	0.0	0.0	0.0	0.0	2.6	6.0	30.4	88.6	163.6	232.6	235.7	228.8	247.9	251.8	223.7	231.1	201.5	171.3	-	
	子宮	C63-C65	43.7	0.0	0.0	0.0	0.0	1.3	7.3	19.3	38.3	46.2	68.2	85.9	79.1	78.2	62.8	58.6	60.6	60.6	51.5	40.6	-
	子宮頸部	C53	17.6	0.0	0.0	0.0	0.0	0.7	6.0	11.1	26.4	24.2	30.2	29.6	28.8	20.2	22.1	18.1	23.3	23.3	23.9	18.9	-
	子宮体部	C54	25.5	0.0	0.0	0.0	0.0	0.7	1.3	8.2	11.9	22.0	37.6	56.3	50.3	56.9	39.5	40.5	36.7	36.7	25.4	17.5	-
	卵巣	C56	19.9	0.9	0.0	2.3	3.5	3.9	3.9	6.0	8.8	10.9	19.5	27.3	40.2	39.0	35.1	29.2	27.0	22.2	28.4	18.9	-
	膀胱	C67	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.8	1.7	2.5	3.4	4.8	12.6	16.3	28.9	35.1	60.1	-	
	腎・尿管（膀胱除く）	C64-C66 C68	12.7	0.9	0.0	0.0	0.0	0.0	0.0	1.2	2.1	1.7	7.9	7.9	5.5	7.9	19.1	22.1	36.3	34.4	41.8	39.2	-
	脳・中枢神経系	C70-C72	4.1	1.8	0.8	2.3	0.7	3.9	3.9	2.7	2.3	1.0	3.0	4.1	2.5	5.1	4.8	5.5	6.5	8.9	12.7	3.5	-
	甲状腺	C73	19.3	0.0	0.0	1.5	2.8	5.9	13.3	15.8	18.6	15.5	26.7	18.6	18.1	25.4	26.6	39.1	34.0	27.2	19.4	20.3	-
	悪性リンパ腫	C81-C85 C96	23.5	0.0	1.6	3.1	1.4	2.0	2.0	4.7	8.3	5.9	8.7	8.7	14.6	24.3	35.6	47.0	55.3	59.4	65.7	65.0	-
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	1.2	2.0	3.4	4.8	4.8	10.7	16.3	13.9	23.1	17.5	-
	白血病	C91-C95	7.4	1.8	2.4	3.1	3.5	1.3	4.1	1.3	3.6	5.9	6.2	8.5	4.5	8.0	13.0	11.6	12.8	17.9	19.6	-	

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）：部位別、性別

## A. 上皮内がんを除く

## 千葉県

2017年

性別	部位	ICD-10	総数*1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数*2	全部位	000-C96	743.7	16.2	7.9	14.3	13.7	26.2	40.5	74.4	139.4	227.6	333.1	465.7	691.4	1,052.0	1,506.1	1,934.6	2,299.1	2,521.3	2,378.2	-
	口腔・咽頭	000-C14	18.3	0.0	0.0	0.8	0.7	1.6	1.6	4.3	4.5	7.4	9.0	10.7	23.3	30.8	37.1	47.1	47.9	58.2	46.4	-
	食道	C15	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.0	8.3	22.5	31.6	46.8	62.9	72.1	68.6	37.4	-
	胃	C16	99.9	0.4	0.0	0.0	0.0	0.3	0.6	1.7	4.8	10.3	16.5	29.4	68.1	126.8	201.6	297.3	369.1	420.5	365.4	-
	大腸（結腸・直腸）	C18-C20	115.2	0.0	0.0	0.0	0.3	1.3	3.9	4.8	12.4	26.5	45.0	67.4	110.8	183.4	251.5	299.5	357.9	387.9	373.5	-
	結腸	C18	74.5	0.0	0.0	0.0	0.3	0.9	2.3	2.0	8.8	12.8	23.9	37.0	52.8	103.5	151.5	193.9	252.6	281.2	294.8	-
	直腸	C19-C20	40.6	0.0	0.0	0.0	0.0	0.3	1.6	2.8	3.5	13.8	21.1	30.4	58.1	79.9	100.0	105.6	105.3	106.7	78.7	-
	肝および肝内胆管	C22	26.4	0.9	0.0	0.0	0.0	0.0	0.3	0.9	1.5	1.6	5.2	10.5	21.1	35.7	48.7	59.8	89.7	129.7	120.4	-
	胆のう・胆管	C23-C24	15.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.0	1.6	3.2	9.2	15.8	23.6	40.0	55.9	72.0	93.8	-
	膵臓	C25	28.6	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.8	3.9	6.4	11.2	20.3	36.5	64.6	73.2	92.6	121.3	119.9	-
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	1.2	3.3	6.2	13.2	15.6	12.6	12.1	6.6	-
	肺	C33-C34	89.5	0.0	0.0	0.0	0.0	0.3	0.3	1.1	4.5	9.5	16.3	33.8	64.7	117.7	194.9	269.3	310.3	340.6	329.4	-
	皮膚	C43-C44	17.5	0.0	0.0	0.0	0.3	1.3	1.3	1.4	3.0	3.7	4.4	9.7	10.3	16.6	25.3	32.7	53.8	75.7	127.0	-
	乳房	C50	73.7	0.0	0.0	0.0	0.0	1.3	2.9	14.8	43.2	79.6	112.2	115.1	112.5	125.7	130.8	119.0	123.8	114.6	117.5	-
	子宮	C63-C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	18.8	0.4	0.0	0.0	0.0	0.3	0.3	0.3	0.5	2.1	2.4	3.9	12.5	21.2	32.8	49.8	68.5	82.0	100.9	-
	腎・尿管（膀胱除く）	C64-C66 C68	22.2	2.1	0.0	0.0	0.0	0.6	0.6	2.6	2.8	3.9	12.9	14.8	25.0	35.1	44.4	55.1	67.9	78.7	61.6	-
	脳・中枢神経系	C70-C72	4.3	2.1	2.4	1.9	0.7	2.5	1.6	2.3	1.5	2.3	4.2	4.9	5.3	4.8	5.3	8.8	9.4	13.0	4.7	-
	甲状腺	C73	13.0	0.0	0.0	0.8	1.4	3.8	7.1	10.2	9.8	16.3	13.7	12.9	15.8	17.4	26.1	25.6	19.7	15.9	17.5	-
	悪性リンパ腫	C81-C85 C96	26.5	1.3	1.2	2.6	2.7	1.9	2.6	4.5	8.1	6.8	8.8	19.2	26.9	42.6	51.7	66.6	78.5	85.8	77.7	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.2	1.0	2.7	4.7	5.9	11.2	16.1	20.9	25.5	20.4	-
	白血病	C91-C95	9.3	4.7	2.8	3.4	3.1	2.5	3.5	4.5	3.0	6.2	6.8	10.2	9.7	9.4	14.3	17.6	20.3	25.1	23.7	-

\*1 総数は年齢不詳を含む

\*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上をまるめ）：部位別、性別

## B. 上皮内がんを含む

## 千葉県

2017年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	000-096 D00-D09	960.6	20.7	8.5	14.7	14.0	24.2	32.9	50.3	77.3	132.0	226.9	422.2	794.5	1,405.9	2,171.4	2,969.7	3,590.6	3,936.2	3,945.6	・	
	食道	C15 D001	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.5	13.7	40.4	60.0	94.5	132.3	155.6	153.3	89.7	・	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	177.8	0.0	0.0	0.0	0.7	0.6	5.0	3.9	13.8	38.0	71.2	125.5	190.2	326.5	434.5	508.2	621.9	589.5	525.0	・	
	結腸 *2	C18 D010	113.1	0.0	0.0	0.0	0.7	0.6	3.1	1.1	10.8	18.8	39.6	68.9	92.9	188.6	262.6	326.7	437.5	408.6	402.9	・	
	直腸 *2	C19-C20 D011-D012	64.7	0.0	0.0	0.0	0.0	0.0	1.9	2.8	3.0	19.2	31.5	56.6	97.3	137.8	171.8	181.5	184.4	161.0	122.1	・	
	肺	C33-C34 D021-D022	120.2	0.0	0.0	0.0	0.0	0.6	1.7	0.6	1.7	3.9	8.4	16.9	36.8	80.3	164.3	399.0	443.1	531.4	632.4	・	
	皮膚	C43-C44 D030-D049	22.8	0.0	0.0	0.0	0.0	0.7	1.8	1.2	1.7	2.5	2.8	5.8	9.0	15.3	18.9	37.0	52.3	81.3	121.0	208.8	・
	乳房	C50 D05	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	1.6	2.5	3.6	3.1	3.8	4.4	・	
	膀胱	C67 D090	53.2	0.8	0.0	0.0	1.2	1.2	0.6	1.1	1.5	4.4	7.3	10.8	39.9	73.5	113.4	158.5	207.5	262.9	282.4	・	
	女	全部位	000-096 D00-D09	694.6	11.4	7.3	13.8	15.6	41.4	104.7	197.1	334.2	452.1	589.7	659.3	753.1	940.4	1,180.2	1,348.4	1,582.8	1,747.8	1,806.3	・
		食道	C15 D001	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.1	3.5	9.6	14.4	15.4	20.0	18.9	17.9	16.8	・
		大腸（結腸・直腸）*2	C18-C20 D010-D012	112.8	0.0	0.0	0.0	0.7	2.6	2.7	7.0	20.2	27.1	48.8	65.3	106.8	156.9	213.8	274.0	325.0	356.0	347.6	・
		結腸 *2	C18 D010	79.4	0.0	0.0	0.0	0.7	2.0	1.3	4.1	13.0	15.7	30.2	42.7	61.6	102.7	142.3	191.6	240.6	268.7	276.2	・
		直腸 *2	C19-C20 D011-D012	33.4	0.0	0.0	0.0	0.0	0.7	1.3	2.9	7.3	11.4	18.6	22.6	45.2	54.3	71.5	82.3	84.4	87.3	71.3	・
		肺	C33-C34 D021-D022	59.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.2	10.6	16.1	30.7	48.6	72.9	123.7	152.6	193.9	191.8	185.3	・
		皮膚	C43-C44 D030-D049	20.9	0.0	0.0	0.0	0.0	0.7	1.3	1.2	4.1	5.5	5.4	13.1	10.2	20.2	24.5	29.8	57.2	82.1	137.8	・
		乳房	C50 D05	164.5	0.0	0.0	0.0	0.0	2.6	8.0	36.8	103.6	195.8	276.4	272.4	250.3	272.3	280.6	252.6	258.9	217.9	175.5	・
子宮		C53-C55 D06	71.1	0.0	0.0	0.0	0.0	12.5	59.3	105.3	139.4	112.3	117.4	110.6	95.5	88.8	71.9	65.1	65.0	54.5	42.0	・	
子宮頸部		C53 D06	45.0	0.0	0.0	0.0	0.0	11.8	58.0	97.1	127.5	90.3	79.3	54.3	45.2	30.9	31.2	24.7	27.8	26.9	20.3	・	
膀胱		C67 D090	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	3.0	2.5	4.5	6.8	11.7	21.3	26.0	45.0	53.7	69.9	・	
総数 *3 全部位		000-096 D00-D09	826.7	16.2	7.9	14.3	14.8	32.5	67.5	121.6	202.5	287.4	401.8	537.0	774.2	1,171.3	1,660.7	2,119.5	2,527.6	2,709.2	2,495.7	・	
食道		C15 D001	22.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.4	8.8	25.3	37.0	53.8	73.4	83.2	77.4	40.3	・	
大腸（結腸・直腸）*2		C18-C20 D010-D012	145.1	0.0	0.0	0.0	0.7	1.6	3.9	5.4	16.9	32.7	60.4	96.4	149.2	241.0	320.8	385.4	464.7	449.8	404.7	・	
結腸 *2		C18 D010	96.2	0.0	0.0	0.0	0.7	1.3	2.3	2.6	11.9	17.3	35.1	56.2	77.5	145.3	200.6	255.9	333.2	330.1	317.1	・	
直腸 *2		C19-C20 D011-D012	48.9	0.0	0.0	0.0	0.0	0.3	1.6	2.8	5.1	15.4	25.3	40.1	71.7	95.7	120.2	129.5	131.5	119.7	87.7	・	
肺		C33-C34 D021-D022	89.7	0.0	0.0	0.0	0.0	0.3	0.3	0.3	1.1	4.5	9.5	16.5	33.8	64.7	118.2	195.5	269.8	311.2	341.0	329.4	・
皮膚	C43-C44 D030-D049	21.8	0.0	0.0	0.0	0.3	1.3	1.3	1.4	3.3	4.1	5.6	10.9	12.8	19.6	30.5	40.5	68.5	99.2	160.7	・		
乳房	C50 D05	83.3	0.0	0.0	0.0	0.0	1.3	3.9	17.9	50.5	95.3	133.3	132.8	123.3	138.1	145.8	134.1	138.5	123.8	120.4	・		
子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	・	
膀胱	C67 D090	33.2	0.4	0.0	0.0	0.7	0.6	0.6	0.3	0.9	0.8	3.7	5.0	7.8	23.6	42.4	66.0	89.0	121.5	145.6	138.4	・	

\*1 総数は年齢不詳を含む

\*2 粘膜がんを含む

\*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

## A. 上皮内がんを除く

千葉県

2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	45,625	16.6	30.3	0.1	48.0	5.0
口腔・咽頭	C00-C14	1,134	1.3	28.7	0.0	65.1	4.9
食道	C15	1,226	15.1	29.8	0.0	51.0	4.2
胃	C16	6,153	20.8	33.1	0.1	42.3	3.7
大腸(結腸・直腸)	C18-C20	7,049	19.8	22.9	0.0	52.5	4.7
結腸	C18	4,547	20.1	25.7	0.0	49.7	4.4
直腸	C19-C20	2,502	19.3	17.9	0.0	57.6	5.2
肝および肝内胆管	C22	1,578	4.1	55.1	0.1	34.2	6.6
胆のう・胆管	C23-C24	938	5.2	33.3	0.1	57.8	3.6
膵臓	C25	1,744	6.1	32.8	0.0	58.4	2.7
喉頭	C32	258	1.2	18.2	0.0	75.6	5.0
肺	C33-C34	5,419	20.6	40.6	0.1	35.3	3.5
皮膚	C43-C44	1,090	0.3	15.0	0.0	82.7	2.1
乳房	C50	4,563	27.5	13.2	0.0	52.3	7.1
乳房(女性のみ)	C50	4,531	27.6	13.2	0.0	52.1	7.1
子宮	C53-C55	1,356	13.2	17.2	0.0	64.0	5.6
子宮頸部	C53	547	19.4	14.8	0.0	59.4	6.4
子宮体部	C54	798	9.1	18.8	0.0	67.7	4.4
卵巣	C56	617	7.6	22.5	0.0	62.7	7.1
前立腺	C61	4,802	26.1	39.8	0.1	26.6	7.4
膀胱	C67	1,150	3.8	25.7	0.0	64.1	6.4
腎・尿路(膀胱除く)	C64-C66 C68	1,368	11.3	46.3	0.1	37.1	5.2
脳・中枢神経系	C70-C72	263	2.3	16.3	0.0	73.0	8.4
甲状腺	C73	808	16.6	42.0	0.2	32.5	8.7
悪性リンパ腫	C81-C85 C96	1,642	6.8	25.6	0.0	63.7	3.9
多発性骨髄腫	C88-C90	347	6.6	46.4	0.0	41.5	5.5
白血病	C91-C95	573	8.2	28.4	0.0	58.3	5.1

\*1 DC0を除く総数

表4. 発見経緯 (%) : 部位別

## B. 上皮内がんを含む

千葉県 2017年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・人間ドック	他疾患の経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	50,811	17.6	31.1	0.0	46.4	4.8
食道	C15 D001	1,402	15.2	34.8	0.0	46.1	3.9
大腸 (結腸・直腸) *2	C18-C20 D010-D012	8,919	22.5	27.2	0.0	46.2	4.1
結腸 *2	C18 D010	5,898	22.7	30.1	0.0	43.3	3.9
直腸 *2	C19-C20 D011-D012	3,021	22.0	21.4	0.0	51.9	4.6
肺	C33-C34 D021-D022	5,431	20.6	40.6	0.1	35.2	3.5
皮膚	C43-C44 D030-D049	1,359	0.2	15.3	0.0	82.6	1.8
乳房	C50 D05	5,160	29.7	13.9	0.0	49.8	6.5
乳房 (女性のみ)	C50 D05	5,126	29.9	13.9	0.0	49.6	6.5
子宮	C53-C55 D06	2,217	23.7	26.5	0.0	45.2	4.6
子宮頸部	C53 D06	1,408	32.2	30.9	0.0	32.6	4.3
膀胱	C67 D090	2,047	5.0	27.9	0.0	61.9	5.2

\*1 DC0を除く総数

\*2 粘膜がんを含む

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	44,685	47.7	9.6	13.6	18.0	11.1	23.2
口腔・咽頭	C00-C14	1,134	38.9	15.3	32.5	3.9	9.5	47.7
食道	C15	1,226	37.6	8.0	28.1	17.2	9.1	36.1
胃	C16	6,153	59.0	9.5	7.5	16.6	7.4	17.0
大腸 (結腸・直腸)	C18-C20	7,049	46.7	17.6	9.7	17.4	8.5	27.3
結腸	C18	4,547	47.2	15.4	10.2	18.1	8.8	25.6
直腸	C19-C20	2,502	45.7	21.5	8.7	16.1	8.0	30.2
肝および肝内胆管	C22	1,578	56.1	2.7	11.3	12.4	17.6	14.0
胆のう・胆管	C23-C24	938	18.4	3.8	39.9	24.3	13.5	43.7
膵臓	C25	1,744	9.9	1.9	32.1	47.8	8.4	33.9
喉頭	C32	258	70.2	10.1	10.9	1.9	7.0	20.9
肺	C33-C34	5,419	34.1	10.4	8.6	36.3	10.6	19.0
皮膚	C43-C44	1,090	85.1	1.4	5.2	1.7	6.6	6.6
乳房	C50	4,563	57.6	21.4	4.6	5.7	10.7	26.0
乳房 (女性のみ)	C50	4,531	57.7	21.4	4.5	5.6	10.8	25.9
子宮	C53-C55	1,356	53.3	3.7	22.9	10.4	9.7	26.5
子宮頸部	C53	547	38.8	4.0	32.4	13.0	11.9	36.4
子宮体部	C54	798	64.0	3.5	16.7	8.5	7.3	20.2
卵巣	C56	617	31.9	0.6	43.9	12.0	11.2	44.6
前立腺	C61	4,802	61.3	1.1	15.7	11.7	10.2	16.8
膀胱	C67	1,150	62.9	1.7	11.1	4.0	19.0	12.8
腎・尿路 (膀胱除く)	C64-C66 C68	1,368	55.8	1.5	19.2	12.5	11.0	20.8
脳・中枢神経系	C70-C72	263	64.6	0.0	14.4	2.3	18.6	14.4
甲状腺	C73	808	35.6	31.3	7.2	5.0	20.9	38.5
悪性リンパ腫	C81-C85 C96	1,608	26.4	1.0	13.5	44.8	14.4	14.5
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

\*1 DC0, 777 : 該当せずを除く総数

\*2 リンパ節転移+隣接臓器浸潤