

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	G00-C97	346.1	1.7	3.1	2.2	2.0	2.5	7.1	6.3	15.7	15.0	45.3	97.1	176.9	362.0	595.8	894.9	1,293.1	1,908.7	2,889.7	・
	口腔・咽頭	C00-C14	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.4	3.3	5.5	13.0	16.0	24.6	30.2	48.1	72.1	・
	食道	C15	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.8	12.1	17.4	40.9	51.3	57.2	76.9	83.8	・
	胃	C16	49.6	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.5	2.0	5.1	7.6	18.1	50.5	75.5	127.7	189.3	295.2	464.7	・
	大腸（結腸・直腸）	C18-C20	44.9	0.0	0.0	0.0	0.0	0.0	1.3	2.3	4.0	3.7	9.8	17.1	31.9	52.7	89.5	112.8	172.3	223.1	288.2	・
	結腸	C18	28.9	0.0	0.0	0.0	0.0	0.0	1.3	2.3	3.5	1.6	5.9	10.5	19.2	31.0	56.5	66.2	111.9	142.3	219.1	・
	直腸	C19-C20	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	3.9	6.7	12.6	21.7	32.9	46.7	60.4	80.8	69.1	・
	肝および肝内胆管	C22	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	2.7	6.7	15.4	32.1	47.3	62.6	106.9	155.8	188.2	・
	胆のう・胆管	C23-C24	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.4	6.0	7.1	19.0	32.8	57.2	69.2	154.4	・
	膵臓	C25	24.8	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	3.9	14.3	17.0	31.5	54.0	65.6	101.9	123.1	120.6	・
	喉頭	C32	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.3	2.1	2.1	4.4	4.8	17.6	・
	肺	C33-C34	84.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	1.5	0.4	8.6	20.5	37.9	91.8	146.8	247.7	301.9	450.0	704.4	・
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.8	1.0	0.5	1.1	1.7	3.1	2.5	7.7	11.8	・
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.0	1.5	・
	前立腺	C61	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	1.6	5.4	21.1	40.5	78.0	135.6	285.3	・
	膀胱	C67	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.4	1.1	7.1	11.8	17.4	23.9	73.1	123.5	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.8	1.2	1.9	7.1	10.9	13.9	16.9	28.3	51.9	92.6	・
	脳・中枢神経系	C70-C72	2.6	0.8	0.8	0.7	0.0	0.0	1.9	1.7	3.0	0.0	1.6	2.9	3.8	3.3	3.0	7.7	7.5	2.9	5.9	・
	甲状腺	C73	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	1.1	0.4	2.6	2.5	7.7	4.4	・
	悪性リンパ腫	C81-C85 C96	9.1	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.5	0.4	2.3	2.4	3.8	9.2	8.4	20.5	34.0	65.4	85.3	・
	多発性骨髄腫	C88-C90	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.6	4.3	3.8	9.2	13.8	23.1	25.0	・
	白血病	C91-C95	7.4	0.0	1.6	1.5	0.7	0.0	1.9	0.6	1.0	0.8	2.0	3.8	7.1	7.1	13.9	14.9	29.6	34.6	42.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位		215.5	0.0	0.0	1.6	2.2	2.7	3.5	9.1	18.7	33.5	64.7	101.0	135.8	207.5	288.8	367.4	554.4	829.1	1,337.1	-
	口腔・咽頭	C00-C14	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	2.1	1.7	1.6	3.6	3.3	10.0	15.7	19.6	-
	食道	C15	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	3.1	3.5	2.2	5.6	3.7	8.9	11.2	16.8	-
	胃	C16	20.2	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.5	1.7	3.0	4.7	7.5	14.5	25.9	33.0	47.2	82.1	160.1	-
	大腸（結腸・直腸）	C18-C20	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.7	3.0	4.7	8.3	19.1	29.6	37.8	59.1	82.2	131.3	243.4	-
	結腸	C18	25.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	2.6	3.8	7.3	12.1	18.8	25.9	42.8	62.8	102.2	191.6	-
	直腸	C19-C20	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	0.9	1.0	6.9	10.8	12.0	16.3	19.4	29.1	51.7	-
	肝および肝内胆管	C22	12.5	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.1	0.0	1.3	2.1	3.5	7.0	10.0	20.0	33.9	68.7	95.8	-
	胆のう・胆管	C23-C24	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.9	2.6	4.0	5.9	8.8	11.2	25.6	41.0	85.3	-
	膵臓	C25	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	3.8	6.7	12.7	23.1	38.2	47.0	63.3	94.0	131.5	-
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	-
	肺	C33-C34	29.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.2	4.3	11.4	9.2	23.1	39.4	59.1	89.4	128.4	181.1	-
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.6	0.5	1.6	0.5	1.1	0.7	14.7	-
	乳房	C50	23.0	0.0	0.0	0.0	0.0	0.0	1.4	1.8	4.8	8.3	22.6	24.9	31.8	34.9	43.4	40.9	48.3	56.0	66.4	-
	子宮	C53-C55	10.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.1	6.1	8.1	13.5	16.2	15.1	16.7	15.8	21.7	26.9	25.9	-
	子宮頸部	C53	4.5	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.1	4.3	5.5	8.8	7.5	6.5	5.6	3.7	7.2	12.7	11.2	-
	子宮体部	C54	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	1.3	1.6	6.9	7.0	8.4	6.0	11.1	7.5	8.4	-
	卵巣	C56	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	2.6	4.7	9.3	9.2	11.3	14.3	12.1	13.3	15.7	21.0	-
	膀胱	C67	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.6	3.2	6.0	8.3	20.1	39.9	-
	腎・尿路（膀胱除く）	C64-C66 C68	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	1.0	2.9	2.7	2.8	10.2	13.3	20.1	42.7	-
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	0.0	0.7	0.0	0.0	3.0	1.6	0.4	0.4	0.4	1.7	3.2	1.6	5.1	3.3	4.5	2.8	-
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	3.2	1.4	8.3	9.0	8.4	-
	悪性リンパ腫	C81-C85 C96	8.1	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.5	1.3	0.9	1.6	3.5	7.0	9.6	12.6	25.0	35.1	53.8	-
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.6	5.4	2.8	3.7	8.3	17.9	19.6	-
	白血病	C91-C95	4.4	0.0	0.0	1.6	0.7	1.4	0.0	1.2	0.5	0.9	2.6	2.6	1.2	7.0	6.8	7.4	8.9	12.7	24.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対、85歳以上まるめ）： 部位別、性別

千葉県

2017年

性別	部位	10D-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	G00-C97	280.5	0.9	1.6	1.9	2.1	2.6	5.4	7.6	17.1	23.9	54.6	99.0	156.9	284.3	437.9	618.3	900.9	1,300.8	1,837.4	-
	口腔・咽頭	C00-C14	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	2.7	3.7	7.3	9.6	13.4	19.5	29.8	36.5	-
	食道	C15	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	3.5	7.9	9.7	22.7	26.3	31.6	39.9	38.4	-
	胃	C16	34.8	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.5	1.9	4.1	6.2	13.0	32.4	50.0	78.0	113.9	175.2	258.3	-
	大腸（結腸・直腸）	C18-C20	39.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	3.4	3.4	7.3	12.9	25.6	41.1	62.9	84.6	124.5	171.4	257.8	-
	結腸	C18	26.9	0.0	0.0	0.0	0.0	0.0	0.7	1.5	2.6	2.1	4.9	8.9	15.8	24.9	40.8	53.9	85.8	119.7	200.5	-
	直腸	C19-C20	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	2.4	4.0	9.9	16.2	22.1	30.7	38.6	51.7	57.3	-
	肝および肝内胆管	C22	19.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.8	0.6	2.0	4.5	9.6	19.5	28.1	40.2	68.1	106.7	125.6	-
	胆のう・胆管	C23-C24	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.8	2.5	5.1	6.5	13.7	21.5	40.4	53.4	107.6	-
	膵臓	C25	24.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	1.3	3.9	10.7	14.9	27.3	45.9	55.9	81.4	106.7	128.0	-
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.6	1.0	1.0	2.4	2.1	5.7	-
	肺	C33-C34	56.7	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.3	6.5	16.1	23.9	57.3	91.6	148.8	189.1	268.9	349.8	-
	皮膚	C43-C44	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.7	0.6	0.8	1.6	1.7	1.8	3.8	13.7	-
	乳房	C50	11.6	0.0	0.0	0.0	0.0	0.0	0.7	0.9	2.3	4.0	10.8	11.9	15.5	17.8	22.5	21.5	25.7	31.5	45.5	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巢	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.7	1.1	4.3	7.4	11.5	15.6	43.3	66.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.2	1.5	5.1	6.8	8.2	13.4	20.4	34.0	58.8	-
	脳・中枢神経系	C70-C72	2.2	0.4	0.4	0.4	0.3	0.0	1.0	2.4	2.3	0.2	1.0	2.2	2.8	3.2	2.3	6.3	5.3	3.8	3.8	-
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.0	1.9	1.8	2.0	5.6	8.4	7.1	-
	悪性リンパ腫	C81-C85 C96	8.6	0.0	0.0	0.0	0.7	0.0	0.0	0.3	0.5	0.8	1.6	2.0	3.7	8.1	9.0	16.3	29.2	48.3	64.0	-
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7	1.1	4.9	3.3	6.3	10.9	20.2	21.3	-
	白血病	C91-C95	5.9	0.0	0.8	1.5	0.7	0.7	1.0	0.9	0.8	0.8	2.2	3.2	4.2	7.0	10.2	11.0	18.6	22.3	30.3	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表12. 5年相対生存率(%) : 部位別、性別

千葉県

2012年

男女計

女

男

部位	ICD-10	男			女			男女計		
		集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差	集計対象数 *1	5年相対生存率	標準誤差
全部位	C00-C96	18,099	49.1	0.4	12,952	54.4	0.5	31,051	51.3	0.3
口腔・咽頭	C00-C14	442	53.8	2.7	163	52.4	4.2	605	53.4	2.3
食道	C15	683	36.0	2.0	147	39.5	4.3	830	36.6	1.9
胃	C16	3,234	54.3	1.0	1,419	48.9	1.5	4,653	52.7	0.9
大腸(結腸・直腸)	C18-C20	2,716	56.5	1.1	1,870	51.7	1.3	4,586	54.6	0.8
結腸	C18	1,651	57.8	1.5	1,341	50.2	1.5	2,992	54.4	1.1
直腸	C19-C20	1,065	54.6	1.7	529	55.6	2.4	1,594	54.9	1.4
肝および肝内胆管	C22	1,037	23.6	1.5	519	23.1	2.0	1,556	23.5	1.2
胆のう・胆管	C23-C24	440	19.5	2.1	378	14.3	2.0	818	17.1	1.5
膵臓	C25	785	5.7	0.9	634	5.6	1.0	1,419	5.6	0.7
喉頭	C32	147	83.1	4.6	10	84.1	14.3	157	83.5	4.4
肺	C33-C34	2,862	22.3	0.9	1,255	32.2	1.4	4,117	25.3	0.7
皮膚	C43-C44	277	90.9	3.4	286	94.1	3.2	563	93.1	2.3
乳房	C50	12	62.6	16.5	2,844	84.3	0.8	2,856	84.2	0.8
子宮	C53-C55	-	-	-	958	71.5	1.6	958	71.5	1.6
子宮頸部	C53	-	-	-	438	68.9	2.3	438	68.9	2.3
子宮体部	C54	-	-	-	491	77.8	2.1	491	77.8	2.1
卵巢	C56	-	-	-	405	49.0	2.6	405	49.0	2.6
前立腺	C61	2,497	88.1	1.0	-	-	-	2,497	88.1	1.0
膀胱	C67	542	59.2	2.7	172	48.1	4.4	714	56.5	2.3
腎・尿路(膀胱除く)	C64-C66 C68	544	58.7	2.5	257	51.3	3.4	801	56.3	2.0
脳・中枢神経系	C70-C72	97	23.8	4.5	100	39.3	5.0	197	31.7	3.4
甲状腺	C73	86	85.3	4.7	258	88.5	2.3	344	87.9	2.1
悪性リンパ腫	C81-C85 C96	573	58.4	2.4	460	60.6	2.5	1,033	59.4	1.7
多発性骨髄腫	C88-C90	144	38.1	4.6	145	38.5	4.5	289	38.3	3.2
白血病	C91-C95	332	30.7	2.7	201	34.1	3.5	533	32.0	2.1

*1 DC0、上皮内、診断時年齢100歳以上、第2がん以降を除く

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

千葉県

2017年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	2,559	2,627	5,186	8.4	11.6	9.7	82.5	83.6	83.0	44.4	65.5	53.9	31.8	51.5	40.9	3.9	5.1	4.4
口腔、食道および胃	D00	202	46	248	0.7	0.2	0.5	6.5	1.5	4.0	3.4	0.8	2.1	2.4	0.6	1.5	0.3	0.1	0.2
食道	D001	144	32	176	0.5	0.1	0.3	4.6	1.0	2.8	2.3	0.5	1.4	1.6	0.3	1.0	0.2	0.1	0.1
その他および部位不明の消化器	D01	1,391	783	2,174	4.5	3.5	4.1	44.8	24.9	34.8	25.8	13.6	19.6	18.9	10.0	14.3	2.4	1.2	1.8
結腸	D010	874	477	1,351	2.9	2.1	2.5	28.2	15.2	21.6	16.0	8.1	12.0	11.7	5.9	8.7	1.5	0.7	1.1
直腸S状結腸移行部	D011	98	54	152	0.3	0.2	0.3	3.2	1.7	2.4	1.8	1.0	1.4	1.3	0.7	1.0	0.2	0.1	0.1
直腸	D012	236	131	367	0.8	0.6	0.7	7.6	4.2	5.9	4.6	2.3	3.4	3.4	1.7	2.5	0.4	0.2	0.3
中耳および呼吸器系	D02	20	9	29	0.1	0.0	0.1	0.6	0.3	0.5	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	6	6	12	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	12	11	23	0.0	0.0	0.0	0.4	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
皮膚のその他	D04	108	138	246	0.4	0.6	0.5	3.5	4.4	3.9	1.4	1.5	1.5	0.9	1.0	1.0	0.1	0.1	0.1
乳房	D05	2	595	597	0.0	2.6	1.1	0.1	18.9	9.6	0.0	14.8	7.3	0.0	11.5	5.7	0.0	1.2	0.6
子宮頸部	D06	-	861	861	-	3.8	1.6	-	27.4	-	-	31.3	-	-	26.0	-	-	2.2	-
その他および部位不明の性器	D07	3	22	25	0.0	0.1	0.0	0.1	0.7	0.4	0.1	0.6	0.3	0.1	0.5	0.3	0.0	0.0	0.0
その他および部位不明	D09	821	162	983	2.7	0.7	1.8	26.5	5.2	15.7	13.0	2.4	7.4	9.1	1.7	5.2	1.1	0.2	0.6
膀胱	D090	756	141	897	2.5	0.6	1.7	24.4	4.5	14.4	11.9	2.1	6.7	8.3	1.4	4.7	1.0	0.2	0.6
良性腫瘍	D32-D35	288	484	772	0.9	2.1	1.4	9.3	15.4	12.4	6.6	10.7	8.7	5.3	8.5	6.9	0.6	0.9	0.7
髄膜	D32	127	281	408	0.4	1.2	0.8	4.1	8.9	6.5	2.4	5.2	3.8	1.8	3.8	2.8	0.2	0.5	0.3
脳および中枢神経系	D33	79	89	168	0.3	0.4	0.3	2.5	2.8	2.7	2.1	2.0	2.1	1.8	1.7	1.7	0.2	0.2	0.2
下垂体	D352	82	114	196	0.3	0.5	0.4	2.6	3.6	3.1	2.1	3.5	2.8	1.7	3.0	2.3	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	472	322	794	1.5	1.4	1.5	15.2	10.2	12.7	8.5	5.6	6.9	6.4	4.6	5.4	0.6	0.4	0.5
髄膜	D42	14	12	26	0.0	0.1	0.0	0.5	0.4	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
脳および中枢神経系	D43	82	77	159	0.3	0.3	0.3	2.6	2.4	2.5	1.9	1.6	1.7	1.6	1.4	1.5	0.1	0.1	0.1
下垂体	D443	7	11	18	0.0	0.0	0.0	0.2	0.3	0.3	0.1	0.3	0.2	0.1	0.4	0.2	0.0	0.0	0.0
頭蓋咽頭管	D444	14	5	19	0.0	0.0	0.0	0.5	0.2	0.3	0.5	0.2	0.3	0.4	0.3	0.4	0.0	0.0	0.0
松果体	D445	0	1	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	33	18	51	0.1	0.1	0.1	1.1	0.6	0.8	0.8	0.3	0.6	0.6	0.2	0.4	0.1	0.0	0.1
骨髄異形成症候群	D46	248	141	389	0.8	0.6	0.7	8.0	4.5	6.2	3.7	1.8	2.6	2.5	1.3	1.8	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	24	16	40	0.1	0.1	0.1	0.8	0.5	0.6	0.4	0.2	0.3	0.3	0.2	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	45	33	78	0.1	0.1	0.1	1.5	1.0	1.2	0.8	0.8	0.8	0.6	0.6	0.6	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 詳細部位別、性別

千葉県

2017年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率			累積死亡率(0-74歳)						
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1			
											男	女	総数 *1	男				女	総数 *1	
上皮下内がん	D00-D09	-	1	1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	
口腔、食道および胃	D00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
食道	D001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
その他および部位不明の消化器	D01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
結腸	D010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
直腸S状結腸移行部	D011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
直腸	D012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
中耳および呼吸器系	D02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
気管	D021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
気管支および肺	D022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
上皮内黒色腫	D03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
皮膚のその他	D04	-	1	1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	
乳房	D05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
その他および部位不明の性器	D07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
その他および部位不明	D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
良性腫瘍	D32-D35	6	7	13	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
髄膜	D32	4	7	11	0.0	0.1	0.1	0.1	0.2	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
下垂体	D352	1	-	1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	
頭蓋咽頭管	D353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
松果体	D354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
性状不詳	D42-D47	266	148	414	2.4	2.1	2.3	8.7	4.8	6.7	3.8	1.5	2.5	2.6	1.1	1.8	0.2	0.1	0.2	
髄膜	D42	-	1	1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	
脳および中枢神経系	D43	65	54	119	0.6	0.8	0.7	2.1	1.8	1.9	1.2	0.6	0.9	0.9	0.5	0.7	0.1	0.0	0.1	
下垂体	D443	3	3	6	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
頭蓋咽頭管	D444	1	-	1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0	0.0	
松果体	D445	-	1	1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	
真正赤血球増加症	D45	2	-	2	0.0	-	0.0	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0	
骨髄異形成症候群	D46	172	68	240	1.6	1.0	1.3	5.6	2.2	3.9	2.2	0.6	1.3	1.4	0.4	0.8	0.1	0.0	0.1	
慢性骨髄増殖性疾患	D471	9	5	14	0.1	0.1	0.1	0.3	0.2	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	
本態性（出血性）血小板血症	D473	1	1	2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

*1 総数は男女および性別不詳の合計