

附表1 県及び保健所別、性・年齢階級別受診率(総数)  
(市町村国保+協会けんぽ)

		総数							合計
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	
千葉県	対象者	194,898	235,271	208,542	180,342	197,950	289,265	403,991	1,710,259
	受診者	65,449	81,173	72,323	61,868	66,092	103,898	157,563	608,366
	受診率	33.6	34.5	34.7	34.3	33.4	35.9	39.0	35.6
保健所別 千葉市	対象者	28,096	35,867	31,703	25,967	26,638	38,972	58,001	245,244
	受診者	9,046	12,104	10,899	8,751	8,697	13,591	22,623	85,711
	受診率	32.2	33.7	34.4	33.7	32.6	34.9	39.0	34.9
船橋市	対象者	19,360	22,918	20,189	16,385	16,354	23,393	34,762	153,361
	受診者	7,095	8,725	7,602	6,458	6,077	9,921	17,444	63,322
	受診率	36.6	38.1	37.7	39.4	37.2	42.4	50.2	41.3
市川	対象者	19,968	23,701	20,960	17,928	17,126	22,489	31,707	153,879
	受診者	7,222	8,633	7,928	6,485	6,209	9,107	14,476	60,060
	受診率	36.2	36.4	37.8	36.2	36.3	40.5	45.7	39.0
松戸	対象者	25,169	30,083	26,802	22,372	22,515	33,220	49,084	209,245
	受診者	8,716	10,694	9,506	7,877	7,710	12,357	19,947	76,807
	受診率	34.6	35.5	35.5	35.2	34.2	37.2	40.6	36.7
野田	対象者	5,599	6,576	5,538	4,718	5,324	8,574	12,241	48,570
	受診者	1,847	2,291	1,938	1,627	1,727	2,998	4,777	17,205
	受診率	33.0	34.8	35.0	34.5	32.4	35.0	39.0	35.4
印旛	対象者	23,573	27,279	23,453	20,558	25,262	38,345	51,402	209,872
	受診者	7,670	9,115	7,688	6,537	7,484	11,003	14,491	63,988
	受診率	32.5	33.4	32.8	31.8	29.6	28.7	28.2	30.5
長生	対象者	4,729	5,758	5,268	4,943	6,433	9,243	12,315	48,689
	受診者	1,457	1,899	1,701	1,661	2,117	3,352	4,460	16,647
	受診率	30.8	33.0	32.3	33.6	32.9	36.3	36.2	34.2
夷隅	対象者	2,119	2,532	2,586	2,638	3,508	5,172	6,870	25,425
	受診者	658	814	844	825	1,102	1,700	2,289	8,232
	受診率	31.1	32.1	32.6	31.3	31.4	32.9	33.3	32.4
市原	対象者	8,679	10,750	9,594	8,412	9,703	14,800	19,265	81,203
	受診者	2,411	3,200	2,802	2,479	3,094	5,566	7,742	27,294
	受診率	27.8	29.8	29.2	29.5	31.9	37.6	40.2	33.6
君津	対象者	10,407	13,131	11,363	10,150	11,710	17,636	23,621	98,018
	受診者	3,421	4,355	3,846	3,523	4,224	7,540	11,166	38,075
	受診率	32.9	33.2	33.8	34.7	36.1	42.8	47.3	38.8
柏市	対象者	13,741	15,551	12,934	10,843	11,777	17,891	26,166	108,903
	受診者	4,968	5,760	4,702	4,059	4,620	7,905	12,926	44,940
	受診率	36.2	37.0	36.4	37.4	39.2	44.2	49.4	41.3
習志野	対象者	13,877	17,557	15,443	12,697	12,860	18,619	27,929	118,982
	受診者	4,768	6,124	5,497	4,485	4,190	6,449	10,241	41,754
	受診率	34.4	34.9	35.6	35.3	32.6	34.6	36.7	35.1
香取	対象者	3,670	4,295	4,078	4,167	5,373	7,734	9,268	38,585
	受診者	1,365	1,569	1,540	1,567	2,108	3,252	4,192	15,593
	受診率	37.2	36.5	37.8	37.6	39.2	42.0	45.2	40.4
海匠	対象者	5,601	6,685	6,594	6,925	8,221	11,013	12,934	57,973
	受診者	1,854	2,204	2,302	2,280	2,721	3,791	4,531	19,683
	受診率	33.1	33.0	34.9	32.9	33.1	34.4	35.0	34.0
山武	対象者	6,643	8,216	7,798	7,599	9,706	13,737	16,558	70,257
	受診者	1,866	2,368	2,298	2,130	2,603	3,358	3,687	18,310
	受診率	28.1	28.8	29.5	28.0	26.8	24.4	22.3	26.1
安房	対象者	3,667	4,372	4,239	4,040	5,440	8,427	11,868	42,053
	受診者	1,085	1,318	1,230	1,124	1,409	2,008	2,571	10,745
	受診率	29.6	30.1	29.0	27.8	25.9	23.8	21.7	25.6

附表1 県及び保健所別、性・年齢階級別受診率(男)  
(市町村国保+協会けんぽ)

		男							合計
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	
千葉県	対象者	104,005	124,716	108,160	89,255	93,720	134,821	186,529	841,206
	受診者	38,330	46,735	40,012	31,927	31,588	46,554	69,326	304,472
	受診率	36.9	37.5	37.0	35.8	33.7	34.5	37.2	36.2
保健所別 千葉市	対象者	14,823	18,750	16,332	12,742	12,378	17,758	25,953	118,736
	受診者	5,370	7,007	6,034	4,583	4,164	5,979	9,622	42,759
	受診率	36.2	37.4	36.9	36.0	33.6	33.7	37.1	36.0
船橋市	対象者	10,143	12,048	10,373	8,106	7,719	10,609	15,379	74,377
	受診者	4,094	5,002	4,116	3,297	2,848	4,277	7,229	30,863
	受診率	40.4	41.5	39.7	40.7	36.9	40.3	47.0	41.5
市川	対象者	10,678	12,509	10,774	9,046	8,248	10,264	14,458	75,977
	受診者	4,131	4,820	4,254	3,319	2,940	3,880	6,247	29,591
	受診率	38.7	38.5	39.5	36.7	35.6	37.8	43.2	38.9
松戸	対象者	13,344	15,961	13,953	11,050	10,649	14,881	21,964	101,802
	受診者	5,093	6,225	5,263	4,058	3,787	5,379	8,470	38,275
	受診率	38.2	39.0	37.7	36.7	35.6	36.1	38.6	37.6
野田	対象者	3,080	3,666	3,030	2,420	2,524	3,954	5,653	24,327
	受診者	1,142	1,383	1,164	893	850	1,260	1,948	8,640
	受診率	37.1	37.7	38.4	36.9	33.7	31.9	34.5	35.5
印旛	対象者	12,777	14,339	12,125	9,973	11,687	17,981	24,124	103,006
	受診者	4,633	5,311	4,324	3,410	3,568	5,278	6,943	33,467
	受診率	36.3	37.0	35.7	34.2	30.5	29.4	28.8	32.5
長生	対象者	2,534	3,016	2,631	2,385	2,994	4,481	5,901	23,942
	受診者	823	1,058	898	822	1,001	1,631	2,196	8,429
	受診率	32.5	35.1	34.1	34.5	33.4	36.4	37.2	35.2
夷隅	対象者	1,103	1,361	1,336	1,308	1,763	2,588	3,439	12,898
	受診者	351	429	418	405	532	810	1,131	4,076
	受診率	31.8	31.5	31.3	31.0	30.2	31.3	32.9	31.6
市原	対象者	4,840	5,902	5,088	4,241	4,657	7,311	9,170	41,209
	受診者	1,413	1,824	1,559	1,225	1,439	2,549	3,520	13,529
	受診率	29.2	30.9	30.6	28.9	30.9	34.9	38.4	32.8
君津	対象者	5,543	7,034	5,957	5,098	5,697	8,557	11,164	49,050
	受診者	1,997	2,497	2,171	1,848	2,071	3,495	5,046	19,125
	受診率	36.0	35.5	36.4	36.2	36.4	40.8	45.2	39.0
柏市	対象者	7,257	8,230	6,661	5,250	5,304	7,938	11,778	52,418
	受診者	2,866	3,263	2,566	2,067	2,030	3,336	5,532	21,660
	受診率	39.5	39.6	38.5	39.4	38.3	42.0	47.0	41.3
習志野	対象者	7,321	9,214	8,012	6,168	6,044	8,348	12,434	57,541
	受診者	2,858	3,570	3,148	2,331	2,051	2,825	4,379	21,162
	受診率	39.0	38.7	39.3	37.8	33.9	33.8	35.2	36.8
香取	対象者	2,015	2,235	2,138	2,121	2,656	3,869	4,627	19,661
	受診者	780	877	829	796	995	1,497	1,975	7,749
	受診率	38.7	39.2	38.8	37.5	37.5	38.7	42.7	39.4
海匠	対象者	3,021	3,629	3,442	3,511	3,979	5,397	6,421	29,400
	受診者	1,070	1,289	1,242	1,159	1,248	1,744	2,070	9,822
	受診率	35.4	35.5	36.1	33.0	31.4	32.3	32.2	33.4
山武	対象者	3,619	4,487	4,056	3,756	4,762	6,749	8,259	35,688
	受診者	1,092	1,451	1,345	1,122	1,355	1,668	1,882	9,915
	受診率	30.2	32.3	33.2	29.9	28.5	24.7	22.8	27.8
安房	対象者	1,907	2,335	2,252	2,080	2,659	4,136	5,805	21,174
	受診者	617	729	681	592	709	946	1,136	5,410
	受診率	32.4	31.2	30.2	28.5	26.7	22.9	19.6	25.6

附表1 県及び保健所別、性・年齢階級別受診率(女)  
(市町村国保+協会けんぽ)

		女							
		40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
千葉県	対象者	90,893	110,555	100,382	91,087	104,230	154,444	217,462	869,053
	受診者	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894
	受診率	29.8	31.2	32.2	32.9	33.1	37.1	40.6	35.0
保健所別 千葉市	対象者	13,273	17,117	15,371	13,225	14,260	21,214	32,048	126,508
	受診者	3,676	5,097	4,865	4,168	4,533	7,612	13,001	42,952
	受診率	27.7	29.8	31.7	31.5	31.8	35.9	40.6	34.0
船橋市	対象者	9,217	10,870	9,816	8,279	8,635	12,784	19,383	78,984
	受診者	3,001	3,723	3,486	3,161	3,229	5,644	10,215	32,459
	受診率	32.6	34.3	35.5	38.2	37.4	44.1	52.7	41.1
市川	対象者	9,290	11,192	10,186	8,882	8,878	12,225	17,249	77,902
	受診者	3,091	3,813	3,674	3,166	3,269	5,227	8,229	30,469
	受診率	33.3	34.1	36.1	35.6	36.8	42.8	47.7	39.1
松戸	対象者	11,825	14,122	12,849	11,322	11,866	18,339	27,120	107,443
	受診者	3,623	4,469	4,243	3,819	3,923	6,978	11,477	38,532
	受診率	30.6	31.6	33.0	33.7	33.1	38.1	42.3	35.9
野田	対象者	2,519	2,910	2,508	2,298	2,800	4,620	6,588	24,243
	受診者	705	908	774	734	877	1,738	2,829	8,565
	受診率	28.0	31.2	30.9	31.9	31.3	37.6	42.9	35.3
印旛	対象者	10,796	12,940	11,328	10,585	13,575	20,364	27,278	106,866
	受診者	3,037	3,804	3,364	3,127	3,916	5,725	7,548	30,521
	受診率	28.1	29.4	29.7	29.5	28.8	28.1	27.7	28.6
長生	対象者	2,195	2,742	2,637	2,558	3,439	4,762	6,414	24,747
	受診者	634	841	803	839	1,116	1,721	2,264	8,218
	受診率	28.9	30.7	30.5	32.8	32.5	36.1	35.3	33.2
夷隅	対象者	1,016	1,171	1,250	1,330	1,745	2,584	3,431	12,527
	受診者	307	385	426	420	570	890	1,158	4,156
	受診率	30.2	32.9	34.1	31.6	32.7	34.4	33.8	33.2
市原	対象者	3,839	4,848	4,506	4,171	5,046	7,489	10,095	39,994
	受診者	998	1,376	1,243	1,254	1,655	3,017	4,222	13,765
	受診率	26.0	28.4	27.6	30.1	32.8	40.3	41.8	34.4
君津	対象者	4,864	6,097	5,406	5,052	6,013	9,079	12,457	48,968
	受診者	1,424	1,858	1,675	1,675	2,153	4,045	6,120	18,950
	受診率	29.3	30.5	31.0	33.2	35.8	44.6	49.1	38.7
柏市	対象者	6,484	7,321	6,273	5,593	6,473	9,953	14,388	56,485
	受診者	2,102	2,497	2,136	1,992	2,590	4,569	7,394	23,280
	受診率	32.4	34.1	34.1	35.6	40.0	45.9	51.4	41.2
習志野	対象者	6,556	8,343	7,431	6,529	6,816	10,271	15,495	61,441
	受診者	1,910	2,554	2,349	2,154	2,139	3,624	5,862	20,592
	受診率	29.1	30.6	31.6	33.0	31.4	35.3	37.8	33.5
香取	対象者	1,655	2,060	1,940	2,046	2,717	3,865	4,641	18,924
	受診者	585	692	711	771	1,113	1,755	2,217	7,844
	受診率	35.3	33.6	36.6	37.7	41.0	45.4	47.8	41.5
海匠	対象者	2,580	3,056	3,152	3,414	4,242	5,616	6,513	28,573
	受診者	784	915	1,060	1,121	1,473	2,047	2,461	9,861
	受診率	30.4	29.9	33.6	32.8	34.7	36.4	37.8	34.5
山武	対象者	3,024	3,729	3,742	3,843	4,944	6,988	8,299	34,569
	受診者	774	917	953	1,008	1,248	1,690	1,805	8,395
	受診率	25.6	24.6	25.5	26.2	25.2	24.2	21.7	24.3
安房	対象者	1,760	2,037	1,987	1,960	2,781	4,291	6,063	20,879
	受診者	468	589	549	532	700	1,062	1,435	5,335
	受診率	26.6	28.9	27.6	27.1	25.2	24.7	23.7	25.6

附表2 性・年齢階級別、検査値の平均値(総数) (市町村国保 + 協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
総数	BMI	人数	65,439	81,161	72,318	61,857	66,085	103,889	157,544	608,293
		平均値	23.9	24.0	24.0	23.7	23.5	23.3	23.1	23.6
		標準偏差	4.4	4.3	4.2	4.0	3.8	3.5	3.3	3.9
		中央値	23	23	23	23	23	23	23	23
	腹囲	人数	65,392	81,157	72,308	61,848	66,072	103,850	157,492	608,119
		平均値	83.1	83.8	84.3	84.3	84.2	84.3	84.1	84.0
		標準偏差	11.5	11.4	11.2	10.9	10.3	9.8	9.5	10.5
		中央値	82	83	84	84	84	84	84	84
	収縮期血圧	人数	63,881	79,237	70,618	60,411	64,496	102,700	156,927	598,270
		平均値	119.9	122.7	125.2	127.2	129.7	131.5	133.4	128.2
		標準偏差	16.5	17.3	18.1	18.3	18.0	17.2	16.7	17.9
		中央値	119.0	121.0	124.0	126.0	128.0	130.0	132.0	127.0
	拡張期血圧	人数	63,871	79,230	70,614	60,409	64,493	102,692	156,918	598,227
		平均値	74.7	76.9	78.3	78.7	78.5	77.3	76.2	77.1
		標準偏差	12.6	12.9	12.9	12.4	11.8	11.0	10.6	11.9
		中央値	74.0	76.0	78.0	78.0	78.0	77.0	76.0	77.0
	中性脂肪	人数	65,429	81,148	72,304	61,856	66,078	103,880	157,542	608,237
		平均値	111.5	116.9	120.2	120.2	119.5	118.1	115.8	117.2
		標準偏差	102.3	106.5	106.1	97.6	92.6	77.3	69.9	90.4
中央値		84	89	93	95	97	99	99	95	
HDL	人数	65,433	81,152	72,306	61,859	66,077	103,876	157,544	608,247	
	平均値	62.8	63.7	65.5	66.7	66.9	66.4	66.0	65.5	
	標準偏差	16.9	17.7	18.7	19.1	18.7	18.0	17.6	18.1	
	中央値	61	61	63	64	65	64	64	63	
LDL	人数	65,389	81,106	72,271	61,818	65,980	103,558	156,843	606,965	
	平均値	123.5	126.3	129.6	130.7	128.7	126.4	123.6	126.4	
	標準偏差	32.5	32.8	33.0	33.0	32.3	31.3	30.4	32.0	
	中央値	121	124	128	129	127	125	122	125	
GOT	人数	65,433	81,153	72,307	61,858	66,075	103,879	157,541	608,246	
	平均値	23.3	23.7	24.5	24.7	24.7	24.5	24.4	24.3	
	標準偏差	13.6	14.0	27.2	12.8	19.2	11.2	10.8	15.6	
	中央値	20	21	21	22	22	22	22	22	
GPT	人数	65,432	81,153	72,307	61,858	66,073	103,879	157,541	608,243	
	平均値	27.3	26.8	26.4	25.3	23.8	22.5	21.2	24.1	
	標準偏差	24.6	22.4	21.7	18.1	16.2	15.2	13.1	18.4	
	中央値	20	20	20	20	19	19	18	19	
-GTP	人数	65,430	81,151	72,303	61,851	66,061	103,864	157,520	608,180	
	平均値	38.8	42.0	44.1	43.8	40.7	36.4	32.9	38.6	
	標準偏差	52.3	57.3	64.0	58.9	55.6	45.0	38.4	51.5	
	中央値	24	25	27	27	26	24	23	24	
空腹時血糖	人数	56,993	70,101	61,577	51,012	50,563	71,741	103,411	465,398	
	平均値	94.2	96.3	98.4	100.4	101.4	101.2	101.4	99.2	
	標準偏差	19.0	21.0	22.7	23.2	22.1	20.4	19.9	21.2	
	中央値	91	93	94	95	96	97	97	95	
HbA1c	人数	35,526	44,711	41,681	38,435	48,742	92,653	151,528	453,276	
	平均値	5.5	5.6	5.7	5.7	5.8	5.8	5.8	5.7	
	標準偏差	0.6	0.7	0.8	0.8	0.7	0.7	0.6	0.7	
	中央値	5	5	6	6	6	6	6	6	
eGFR	人数	60,798	75,712	67,506	57,372	60,605	97,639	150,546	570,178	
	平均値	82.1	79.0	76.2	73.9	72.0	70.1	67.9	73.3	
	標準偏差	14.2	13.7	13.8	13.6	13.8	13.6	13.8	14.6	
	中央値	81	78	75	73	71	69	67	72	

附表2 性・年齢階級別、検査値の平均値(男) (市町村国保 + 協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
男	BMI	人数	38,324	46,730	40,010	31,920	31,582	46,551	69,316	304,433
		平均値	24.75	24.96	24.96	24.65	24.40	24.10	23.74	24.43
		標準偏差	4.22	4.11	4.02	3.77	3.51	3.21	3.03	3.69
		中央値	24.1	24.4	24.4	24.3	24.1	23.9	23.6	24.0
	腹囲	人数	38,324	46,730	40,006	31,918	31,580	46,536	69,304	304,398
		平均値	86.2	86.9	87.4	87.3	87.1	87.0	86.5	86.9
		標準偏差	10.9	10.8	10.6	10.1	9.5	8.9	8.6	9.8
		中央値	85	86	86	87	87	87	86	86
	収縮期血圧	人数	37,762	46,009	39,391	31,478	31,057	46,153	69,141	300,991
		平均値	123.5	126.0	128.4	130.4	132.4	132.8	133.5	129.9
		標準偏差	16.0	16.7	17.5	17.8	17.8	16.9	16.5	17.3
		中央値	122	124	127	129	131	132	132	128
	拡張期血圧	人数	37,755	46,003	39,390	31,475	31,055	46,153	69,138	300,969
		平均値	77.5	80.0	81.4	81.9	81.4	79.2	77.2	79.5
		標準偏差	12.4	12.5	12.5	12.1	11.6	11.0	10.7	11.9
		中央値	77.0	79.0	81.0	81.0	81.0	79.0	77.0	79.0
	中性脂肪	人数	38,315	46,719	39,998	31,917	31,582	46,540	69,308	304,379
		平均値	134.6	140.9	142.6	140.2	137.5	131.5	125.6	135.0
		標準偏差	119.5	125.2	125.5	113.6	111.1	90.0	80.1	107.9
		中央値	104.0	109.0	111.0	111.0	110.0	109.0	106.0	108.0
HDL	人数	38,318	46,723	39,999	31,919	31,581	46,539	69,312	304,391	
	平均値	57.2	57.7	58.4	59.5	59.8	59.9	60.0	59.0	
	標準偏差	15.0	15.4	16.0	16.8	16.5	16.3	16.3	16.1	
	中央値	55	55	56	57	57	57	58	56	
LDL	人数	38,297	46,703	39,988	31,895	31,541	46,417	68,995	303,836	
	平均値	129.8	130.9	129.6	126.8	123.4	120.7	118.1	124.9	
	標準偏差	32.9	33.4	33.6	33.0	32.1	30.6	29.8	32.4	
	中央値	128	129	128	126	122	120	117	124	
GOT	人数	38,318	46,724	40,000	31,919	31,581	46,541	69,310	304,393	
	平均値	26.1	26.3	26.1	26.1	26.1	25.6	25.1	25.8	
	標準偏差	13.8	15.2	14.6	14.5	25.8	13.1	11.2	15.3	
	中央値	23	23	23	23	23	23	23	23	
GPT	人数	38,317	46,724	40,000	31,919	31,580	46,542	69,310	304,392	
	平均値	34.5	33.4	31.2	28.8	26.9	25.1	23.1	28.5	
	標準偏差	27.2	25.1	22.9	19.9	18.1	16.8	14.1	21.0	
	中央値	26	26	25	23	22	21	20	23	
-GTP	人数	38,315	46,722	39,997	31,913	31,566	46,528	69,292	304,333	
	平均値	50.5	54.7	56.3	56.2	53.5	47.5	42.1	50.4	
	標準偏差	62.1	67.7	78.0	72.9	71.5	57.8	49.3	64.6	
	中央値	32	35	35	35	34	31	29	32	
空腹時血糖	人数	34,098	41,111	34,742	26,896	25,195	32,986	45,615	240,643	
	平均値	96.9	99.6	102.5	104.9	106.3	105.8	105.5	102.9	
	標準偏差	21.4	24.1	26.0	26.3	25.6	23.3	22.5	24.3	
	中央値	93	95	97	99	100	100	100	97	
HbA1c	人数	19,240	24,166	21,774	18,342	20,840	39,062	65,302	208,726	
	平均値	5.5	5.6	5.7	5.8	5.8	5.9	5.9	5.8	
	標準偏差	0.7	0.9	0.9	0.9	0.8	0.8	0.7	0.8	
	中央値	5	6	6	6	6	6	6	6	
eGFR	人数	37,160	45,256	38,669	30,725	29,954	44,305	66,319	292,388	
	平均値	81.1	78.1	75.8	73.6	71.4	69.0	66.6	73.0	
	標準偏差	13.4	13.4	13.6	14.1	14.6	14.0	14.3	14.8	
	中央値	80	77	75	73	71	68	66	73	

附表2 性・年齢階級別、検査値の平均値(女) (市町村国保 + 協会けんぽ)

			40～44歳	45～49歳	50～54歳	55～59歳	60～64歳	65～69歳	70～74歳	合計
女	BMI	人数	27,115	34,431	32,308	29,937	34,503	57,338	88,228	303,860
		平均値	22.6	22.8	22.8	22.7	22.7	22.7	22.6	22.7
		標準偏差	4.3	4.3	4.2	4.0	3.8	3.7	3.5	3.9
		中央値	22	22	22	22	22	22	22	22
	腹囲	人数	27,068	34,427	32,302	29,930	34,492	57,314	88,188	303,721
		平均値	78.59	79.54	80.47	81.09	81.51	82.15	82.20	81.20
		標準偏差	10.69	10.78	10.81	10.76	10.36	9.99	9.81	10.37
		中央値	77.0	78.0	79.1	80.0	81.0	82.0	82.0	80.5
	収縮期血圧	人数	26,119	33,228	31,227	28,933	33,439	56,547	87,786	297,279
		平均値	114.7	118.2	121.2	123.6	127.2	130.5	133.2	126.5
		標準偏差	15.8	17.1	18.0	18.1	17.8	17.3	16.9	18.4
		中央値	113	116	120	122	126	129	132	126
	拡張期血圧	人数	26,116	33,227	31,224	28,934	33,438	56,539	87,780	297,258
		平均値	70.7	72.7	74.3	75.2	75.7	75.7	75.4	74.7
		標準偏差	11.7	12.1	12.1	11.8	11.2	10.7	10.5	11.3
		中央値	70	72	74	75	76	76	75	74
	中性脂肪	人数	27,114	34,429	32,306	29,939	34,496	57,340	88,234	303,858
		平均値	78.8	84.5	92.5	98.9	103.0	107.1	108.1	99.5
		標準偏差	57.0	60.1	65.6	71.0	67.4	63.0	59.5	63.6
中央値		64.0	69.0	76.0	81.0	87.0	92.0	94.0	84.0	
HDL	人数	27,115	34,429	32,307	29,940	34,496	57,337	88,232	303,856	
	平均値	70.8	72.0	74.2	74.5	73.5	71.7	70.7	72.1	
	標準偏差	16.4	17.2	18.2	18.5	18.2	17.6	17.2	17.6	
	中央値	69.0	71.0	73.0	73.0	72.0	70.0	69.0	70.0	
LDL	人数	27,092	34,403	32,283	29,923	34,439	57,141	87,848	303,129	
	平均値	114.6	120.0	129.5	134.9	133.6	131.0	128.0	127.9	
	標準偏差	29.8	30.8	32.2	32.6	31.7	31.0	30.1	31.5	
	中央値	112	118	127	133	132	129	126	126	
GOT	人数	27,115	34,429	32,307	29,939	34,494	57,338	88,231	303,853	
	平均値	19.3	20.1	22.4	23.3	23.4	23.6	23.8	22.7	
	標準偏差	12.3	11.2	37.2	10.5	9.6	9.3	10.4	15.7	
	中央値	18	18	20	21	22	22	22	21	
GPT	人数	27,115	34,429	32,307	29,939	34,493	57,337	88,231	303,851	
	平均値	17.1	17.9	20.5	21.5	21.0	20.4	19.6	19.8	
	標準偏差	15.4	13.8	18.4	15.0	13.6	13.4	12.1	14.1	
	中央値	14	14	16	18	18	17	17	17	
-GTP	人数	27,115	34,429	32,306	29,938	34,495	57,336	88,228	303,847	
	平均値	22.2	24.7	28.9	30.5	29.1	27.3	25.6	26.7	
	標準偏差	26.1	31.6	34.9	33.9	31.0	27.8	24.5	29.2	
	中央値	16	17	19	21	21	20	19	19	
空腹時血糖	人数	22,895	28,990	26,835	24,116	25,368	38,755	57,796	224,755	
	平均値	90.2	91.7	93.2	95.5	96.5	97.3	98.1	95.3	
	標準偏差	13.7	14.5	16.2	17.9	16.5	16.6	16.9	16.5	
	中央値	89	90	91	92	94	94	95	92	
HbA1c	人数	16,286	20,545	19,907	20,093	27,902	53,591	86,226	244,550	
	平均値	5.4	5.5	5.6	5.7	5.7	5.7	5.8	5.7	
	標準偏差	0.5	0.5	0.6	0.7	0.6	0.7	0.6	0.6	
	中央値	5	5	6	6	6	6	6	6	
eGFR	人数	23,638	30,456	28,837	26,647	30,651	53,334	84,227	277,790	
	平均値	83.8	80.4	76.8	74.2	72.5	71.0	69.0	73.6	
	標準偏差	15.3	14.0	14.1	13.1	13.0	13.2	13.4	14.4	
	中央値	82	79	76	73	71	70	68	72	

附表3 性・年齢階級別、検査値の判定区分別該当状況(総数) (市町村国保+協会けんぽ)

		年齢5歳階級										年齢5歳階級																						
		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		合計		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		合計		
		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%			
総数	BMI判定区分	18.5未満	4,116	6.3	4,580	5.6	4,276	5.9	4,211	6.8	4,535	6.7	6,879	10.8	10,861	39.4	39,458	60.6	60.6	59.1	58.6	60.1	62.3	64.6	67.3	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	
		18.5以上、25未満	39,638	60.6	48,011	59.1	42,398	58.6	37,186	60.1	41,158	62.3	67,094	106.0	106,038	381.5	381,523	60.6	60.6	59.1	58.6	60.1	62.3	64.6	67.3	62.7	62.7	62.7	62.7	62.7	62.7	62.7	62.7	
		25以上	21,685	33.1	28,570	35.2	25,644	35.5	20,460	33.1	20,392	32.9	29,916	44.6	44,645	187.3	187,312	33.1	33.1	35.2	35.5	33.1	30.9	28.8	25.8	30.8	30.8	30.8	30.8	30.8	30.8	30.8	30.8	30.8
	欠損値	10	0.0	12	0.0	11	0.0	11	0.0	19	0.0	73	0.0	73	0.0	73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	腹囲判定区分	85cm未満	39,229	59.9	46,450	57.2	39,671	54.9	33,545	54.2	35,625	54.6	54,628	83.7	83,797	332.9	332,945	59.9	59.9	57.2	54.9	54.2	53.9	52.6	53.2	54.7	54.7	54.7	54.7	54.7	54.7	54.7	54.7	54.7
		85-90cm未満	9,903	15.1	13,024	16.0	12,055	16.7	10,808	17.5	12,318	18.6	20,879	32.3	32,374	111.3	111,361	15.1	15.1	16.0	16.7	17.5	18.6	20.1	20.5	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3
		90cm以上	16,260	24.8	21,683	26.7	20,582	28.5	17,495	28.3	17,495	28.3	28,343	43.1	43,121	163.8	163,813	24.8	24.8	26.7	28.5	28.3	27.4	27.3	26.2	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9	26.9
	欠損値	57	0.1	16	0.0	15	0.0	20	0.0	20	0.0	48	0.0	71	0.0	247	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	収縮期血圧判定区分	130mmHg未満	48,404	74.0	54,925	67.7	44,696	61.8	35,336	57.1	33,851	54.6	48,678	74.0	66,378	100.0	129,966	74.0	74.0	67.7	61.8	57.1	51.2	46.9	42.1	54.6	54.6	54.6	54.6	54.6	54.6	54.6	54.6	54.6
		130-140mmHg未満	9,634	14.7	12,452	15.3	12,500	17.3	11,852	18.8	13,981	21.2	25,115	38.8	41,432	63.4	126,966	19.2	19.2	15.3	17.3	19.2	21.2	24.2	26.3	20.7	20.7	20.7	20.7	20.7	20.7	20.7	20.7	20.7
		140mmHg以上	6,843	10.5	11,860	14.6	13,422	18.6	13,223	20.7	16,664	25.2	28,907	44.1	49,117	74.0	140,036	10.5	10.5	14.6	18.6	21.4	25.2	27.8	31.2	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0
	欠損値	1,568	2.4	1,936	2.4	1,705	2.4	1,457	2.4	1,596	2.4	1,198	1.8	636	1.0	10,096	15.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4
	合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	拡張期血圧判定区分	85mmHg未満	51,479	78.7	59,061	72.8	49,952	69.1	42,358	65.5	46,246	70.4	78,484	120.0	126,100	453.6	453,680	78.7	78.7	72.8	69.1	65.5	70.0	75.5	80.0	74.6	74.6	74.6	74.6	74.6	74.6	74.6	74.6	
		85-90mmHg未満	5,104	7.8	7,660	9.4	7,800	10.8	6,915	10.7	7,386	11.1	10,599	16.2	14,112	21.5	59,576	9.2	9.2	9.4	10.8	11.2	11.2	10.2	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0	
		90mmHg以上	7,288	11.1	12,509	15.4	12,862	17.8	11,136	17.3	10,861	16.4	13,609	20.6	16,706	25.1	84,971	12.7	12.7	15.4	17.8	18.0	16.4	13.1	10.6	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0	14.0
	欠損値	1,578	2.4	1,943	2.4	1,709	2.4	1,459	2.3	1,599	2.4	1,206	1.8	645	1.0	10,139	15.2	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	2.4	
	合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	中性脂肪判定区分	150mg/dl未満	52,668	80.5	63,787	78.6	56,192	77.7	48,042	74.8	51,438	78.1	81,304	125.0	125,061	478.4	478.4	80.5	80.5	78.6	77.7	77.7	77.8	78.3	79.3	78.7	78.7	78.7	78.7	78.7	78.7	78.7	78.7	
		150-300mg/dl未満	10,351	15.8	14,012	17.3	13,102	18.1	11,380	18.1	12,391	19.4	19,743	28.9	28,894	109.8	109,873	15.8	15.8	17.3	18.1	18.1	18.4	18.7	19.0	18.3	18.3	18.3	18.3	18.3	18.3	18.3	18.3	
		300mg/dl以上	2,410	3.7	3,349	4.1	3,010	4.2	2,434	3.9	2,249	3.5	2,833	4.3	3,587	5.3	19,872	3.0	3.0	4.1	4.2	3.9	3.4	2.7	2.3	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
	欠損値	20	0.0	25	0.0	19	0.0	12	0.0	14	0.0	18	0.0	21	0.0	129	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
	HDLコレステロール判定区分	40mg/dl以上	61,994	94.7	77,087	95.2	68,862	96.0	59,383	92.6	63,591	97.0	100,280	151.8	151,897	583.0	583.0	94.7	94.7	95.2	96.0	96.0	96.2	96.5	96.4	95.8	95.8	95.8	95.8	95.8	95.8	95.8	95.8	
		34-39mg/dl未満	2,575	3.9	2,954	3.6	2,523	3.5	1,822	2.9	1,827	2.8	2,608	4.0	4,031	16.3	18,340	3.9	3.9	3.6	3.5	3.5	2.9	2.5	2.6	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	
34mg/dl以下		864	1.3	1,111	1.4	921	1.3	654	1.1	659	1.0	988	1.5	1,616	6.8	119	0.2	0.2	1.4	1.3	1.1	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
欠損値	119	0.2	119	0.2	119	0.2	119	0.2	119	0.2	119	0.2	119	0.2	119	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
合計	65,449	100.0	81,173	100.0	72,323	100.0	61,868	100.0	66,092	100.0	103,898	157.5	157,563	232.6	608.3	608.3	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0		
LDLコレステロール判定区分	120mg/dl未満	31,406	48.0	35,724	44.0	28,657	39.6	23,427	37.9	26,626	41.6	44,461	67.2	72,938	111.9	263,239	48.0	48.0	44.0	39.6	37.9	40.3	42.8	46.3	43.0	43.0								
	120-140mg/dl未満	15,112	23.1	19,350	23.8	17,493	24.2	15,281	23.8	16,351	25.0	26,052	39.6	39,614	59.6	149,253	23.1	23.1	23.8	24.2	24.2	24.7	25.1	25.1	24.5	24.5								
	140-160mg/dl未満	10,234	15.6	13,882	17.1	13,614	18.9	11,872	18.5	12,235	18.8	16,683	25.1	26,093	39.6	106,613	15.6	15.6	17.1	18.9	19.2	18.5	18.0	16.6	17.5	17.5								
160mg/dl以上	8,637	13.2	12,150	15.0	12,507	17.3	11,238	17.3	10,768	16.4	14,362	21.9	18,198	27.5	87,860	13.2	13.2	15.0	17.3	18.2	16.3	13.8	11.5	14.4	14.4									
欠損値	60	0.1	67	0.1	52	0.1	50	0.1	112	0.2	340	0.5	720	1.1	1,401	2.1	0.1	0.1																

附表3 性・年齢階級別、検査値の判定区分別該当状況(男) (市町村国保+協会けんぽ)

		年齢5歳階級										年齢5歳階級																					
		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		合計		40-44歳		45-49歳		50-54歳		55-59歳		60-64歳		65-69歳		70-74歳		合計	
		度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%	度数	%		
BMI判定区分	18.5未満	1,027		1,036		872		851		869		1,297		2,214		8,166		2.7		2.2		2.2		2.7		2.8		2.8		3.2		2.7	
	18.5以上、25未満	21,623		25,382		21,449		17,693		18,282		28,627		45,710		178,766		56.4		54.3		53.6		55.4		57.9		61.5		65.9		58.7	
	25以上	15,674		20,312		17,689		13,376		12,431		16,627		21,392		117,501		40.9		43.5		44.2		41.9		39.4		35.7		30.9		38.6	
	欠損値															39															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
腰圍判定区分	85cm未満	18,710		21,409		17,325		13,589		13,318		19,168		29,817		133,336		48.8		45.8		43.3		42.6		42.2		41.2		43.0		43.8	
	85-90cm未満	7,120		9,048		7,912		6,513		6,852		10,900		16,456		64,801		18.6		19.8		19.8		20.4		21.7		23.4		23.7		21.3	
	90cm以上	12,494		16,273		14,769		11,816		11,410		16,468		23,031		106,261		32.6		34.8		36.9		37.0		36.1		35.4		33.2		34.9	
	欠損値															18															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
収縮期血圧判定区分	130mmHg未満	26,183		29,014		22,319		16,150		14,304		20,360		28,749		157,079		68.3		62.1		55.8		50.6		45.3		43.7		41.5		51.6	
	130-140mmHg未満	6,379		8,621		8,003		6,972		7,286		11,733		18,432		67,426		16.6		18.4		20.0		21.8		23.1		25.2		26.6		22.1	
	140mmHg以上	5,200		8,374		9,069		8,356		9,467		14,060		21,960		76,486		13.6		17.9		22.7		26.2		30.0		30.2		31.7		25.1	
	欠損値	568		726		621		449		531		401		185		3,481		1.5		1.6		1.6		1.4		1.7		0.9		0.3		1.1	
	合計	38,330		46,735		40,012		31,927		31,588		46,554		69,326		304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
拡張期血圧判定区分	85mmHg未満	28,286		31,077		24,618		19,182		19,490		32,696		53,613		208,962		73.8		66.5		61.5		60.1		61.7		70.2		77.3		68.6	
	85-90mmHg未満	3,785		5,429		5,239		4,421		4,425		5,647		7,033		35,979		9.9		11.6		13.1		13.8		14.0		12.1		10.1		11.8	
	90mmHg以上	5,684		9,497		9,533		7,872		7,140		7,810		8,492		56,028		14.8		20.3		23.8		24.7		22.6		16.8		12.2		18.4	
	欠損値	575		732		622		452		533		401		188		3,503		1.5		1.6		1.6		1.4		1.7		0.9		0.3		1.2	
	合計	38,330		46,735		40,012		31,927		31,588		46,554		69,326		304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
中性脂肪判定区分	150mg/dl未満	27,461		32,337		27,537		22,102		22,140		33,517		51,720		216,814		71.6		69.2		68.8		69.2		70.1		72.0		74.0		71.2	
	150-300mg/dl未満	8,641		11,375		9,887		7,866		7,728		11,060		15,238		71,795		22.5		24.3		24.7		24.6		24.5		23.8		22.6		22.6	
	300mg/dl以上	2,213		3,007		2,574		1,949		1,714		1,963		2,350		15,770		5.8		6.4		6.4		6.1		5.4		4.2		3.4		5.2	
	欠損値															93															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
HDLコレステロール判定区分	40mg/dl以上	35,209		43,014		36,870		29,705		29,402		43,505		64,766		282,471		91.9		92.0		92.1		93.0		93.1		93.5		93.4		92.8	
	34-39mg/dl未満	2,319		2,675		2,281		1,627		1,581		2,172		3,186		15,851		6.1		5.7		5.7		5.1		5.0		4.7		4.6		5.2	
	34mg/dl以下	790		1,034		848		587		588		862		1,360		6,069		2.1		2.2		2.1		1.8		1.9		1.9		2.0		2.0	
	欠損値															81															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
LDLコレステロール判定区分	120mg/dl未満	15,082		17,685		15,687		13,495		14,697		23,085		36,778		136,509		39.3		37.8		39.2		42.3		46.5		49.6		53.1		44.8	
	120-140mg/dl未満	9,358		11,348		9,599		7,788		7,680		11,386		16,647		73,806		24.4		24.3		24.0		24.4		24.3		24.5		24.0		24.2	
	140-160mg/dl未満	7,216		9,027		7,577		5,699		5,146		7,264		9,805		51,734		18.8		19.3		18.9		17.9		16.3		15.6		14.1		17.0	
	160mg/dl以上	6,641		8,643		7,125		4,913		4,018		4,682		5,765		41,787		17.3		18.5		17.8		15.4		12.7		10.1		8.3		13.7	
	欠損値	33		32		24		32		47		137		331		636		0.1		0.1		0.1		0.1		0.1		0.3		0.5		0.2	
	合計	38,330		46,735		40,012		31,927		31,588		46,554		69,326		304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
GOT判定区分	31U/L未満	30,544		37,041		32,019		25,702		25,726		38,406		58,098		247,536		79.7		79.3		80.0		80.5		81.4		82.5		83.8		81.3	
	31-51U/L未満	6,164		7,646		6,249		4,848		4,637		6,602		9,437		45,583		16.1		16.4		15.6		15.2		14.7		14.2		13.6		15.0	
	51U/L以上	1,610		2,037		1,732		1,369		1,218		1,533		1,775		11,274		4.2		4.4		4.3		4.3		3.9		3.3		2.6		3.7	
	欠損値															79															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
GPT判定区分	31U/L未満	22,875		28,324		25,845		22,251		23,439		36,420		57,550		216,704		59.7		60.6		64.6		69.7		74.2		78.2		83.0		71.2	
	31-51U/L未満	8,979		11,365		9,232		6,636		5,734		7,500		9,007		58,453		23.4		24.3		23.1		20.8		18.2		16.1		13.0		19.2	
	51U/L以上	6,463		7,035		4,923		3,032		2,407		2,622		2,753		29,235		16.9		15.1		12.3		9.5		7.6		5.6		4.0		9.6	
	欠損値															80															0.0		
	合計															304,472		100.0		100.0		100.0		100.0		100.0		100.0		100.0		100.0	
GTP判定区分	51U/L未満	27,076		31,670		27,030		21,657		22,184		34,711		55,115		219,443		70.6															



附表3 性・年齢階級別、検査値の判定区分別該当状況(女) (市町村国保+協会けんぽ)

		年齢5歳階級							年齢5歳階級									
		40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	合計	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	合計	
		度数	度数	度数	度数	度数	度数	度数	度数	%	%	%	%	%	%	%	%	
女	BMI判定区分	18.5未満	3,089	3,544	3,404	3,360	3,666	5,582	8,647	31,292	11.4	10.3	10.5	11.2	10.6	9.7	9.8	10.3
		18.5以上、25未満	18,015	22,629	20,949	19,493	22,876	38,467	60,328	202,757	66.4	65.7	64.8	65.1	66.3	67.1	68.4	66.7
		25以上	6,011	8,258	7,955	7,084	7,961	13,289	19,253	69,811	22.2	24.0	24.6	23.7	23.1	23.2	21.8	23.0
		欠損値								34								0.0
		合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	腹囲判定区分	85cm未満	20,519	25,041	22,346	19,956	22,307	35,460	53,980	199,609	75.7	72.7	69.2	66.7	64.7	61.8	61.2	65.7
		85-90cm未満	2,783	3,976	4,143	4,295	5,466	9,979	15,918	46,560	10.3	11.5	12.8	14.3	15.8	17.4	18.0	15.3
		90cm以上	3,766	5,410	5,813	5,679	6,719	11,875	18,290	57,552	13.9	15.7	18.0	19.0	19.5	20.7	20.7	18.9
		欠損値								30								0.1
		合計								88,237	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	収縮期血圧判定区分	130mmHg未満	22,221	25,911	22,377	19,186	19,547	28,318	37,628	175,189	81.9	75.2	69.3	64.1	56.7	49.4	42.6	57.6
		130-140mmHg未満	2,255	3,831	4,497	4,880	6,695	13,382	23,000	58,540	8.3	11.1	13.9	16.3	19.4	23.3	26.1	19.3
		140mmHg以上	1,643	3,486	4,353	4,867	7,197	14,847	27,157	63,550	6.1	10.1	13.5	16.3	20.9	25.9	30.8	20.9
		欠損値	1,000	1,210	1,084	1,008	1,065	797	451	6,615	3.7	3.5	3.4	3.4	3.1	1.4	0.5	2.2
		合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	拡張期血圧判定区分	85mmHg未満	23,193	27,984	25,334	23,176	26,756	45,788	72,487	244,718	85.5	81.3	78.4	77.4	77.5	79.8	82.2	80.5
		85-90mmHg未満	1,319	2,231	2,561	2,494	2,961	4,952	7,079	23,597	4.9	6.5	7.9	8.3	8.6	8.0	7.8	
		90mmHg以上	1,604	3,012	3,329	3,264	3,721	5,799	8,214	28,943	5.9	8.7	10.3	10.9	10.8	10.1	9.3	9.5
		欠損値	1,003	1,211	1,087	1,007	1,066	805	457	6,636	3.7	3.5	3.4	3.4	3.1	1.4	0.5	2.2
		合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
	中性脂肪判定区分	150mg/dl未満	25,207	31,450	28,655	25,940	29,298	47,787	73,341	261,678	92.9	91.3	88.7	86.6	84.9	83.3	83.1	86.1
150-300mg/dl未満		1,710	2,637	3,215	3,514	4,663	8,683	13,656	38,078	6.3	7.7	10.0	11.7	13.5	15.1	15.5	12.5	
300mg/dl以上		197	342	436	485	535	870	1,237	4,102	0.7	1.0	1.3	1.6	1.6	1.5	1.4	1.3	
	欠損値								36								0.0	
	合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
HDLコレステロール判定区分	40mg/dl以上	26,785	34,073	31,992	29,678	34,189	56,775	87,131	300,623	98.8	98.9	99.0	99.1	99.1	99.0	98.7	98.9	
	34-39mg/dl未満	256	279	242	195	236	436	845	2,489	0.9	0.8	0.7	0.7	0.7	0.8	1.0	0.8	
	34mg/dl以下	74	77	73	67	71	126	256	744	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	
	欠損値								38								0.0	
	合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
LDLコレステロール判定区分	120mg/dl未満	16,324	18,039	12,970	9,932	11,929	21,376	36,160	126,790	60.2	52.4	40.1	33.2	34.6	37.3	41.0	41.7	
	120-140mg/dl未満	5,754	8,002	7,894	7,493	8,671	14,666	22,967	75,447	21.2	23.2	24.4	25.0	25.1	25.6	26.0	24.8	
	140-160mg/dl未満	3,018	4,855	6,037	6,173	7,089	11,419	16,288	54,879	11.1	14.1	18.7	20.6	20.5	19.9	18.5	18.1	
	160mg/dl以上	1,996	3,507	5,382	6,325	6,750	9,680	12,433	46,073	7.4	10.2	16.7	21.1	19.6	16.9	14.1	15.2	
	欠損値	27	35	28	18	65	203	389	765	0.1	0.1	0.1	0.1	0.2	0.4	0.4	0.3	
	合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
GOT判定区分	31U/L未満	25,868	32,471	29,451	26,815	31,019	51,356	78,934	275,914	95.4	94.3	91.1	89.6	89.9	89.6	89.5	90.8	
	31-51U/L未満	960	1,547	2,329	2,574	2,895	5,055	7,924	23,284	3.5	4.5	7.2	8.6	8.4	8.8	7.7		
	51U/L以上	287	411	527	550	580	927	1,373	4,655	1.1	1.2	1.6	1.8	1.7	1.6	1.5	1.5	
	欠損値								41								0.0	
	合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
GPT判定区分	31U/L未満	25,170	31,587	28,457	25,935	30,390	51,329	80,474	273,342	92.8	91.7	88.1	86.6	88.1	89.5	91.2	89.9	
	31-51U/L未満	1,291	1,899	2,697	2,880	3,040	4,478	5,638	22,123	4.8	5.5	8.3	9.6	8.8	7.8	6.6	7.3	
	51U/L以上	654	943	1,153	1,124	1,063	1,530	1,919	6,386	2.4	2.7	3.6	3.8	3.1	2.7	2.2	2.8	
	欠損値								43								0.0	
	合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
GTP判定区分	51U/L未満	25,590	31,832	28,778	26,352	30,890	52,411	82,118	277,971	94.4	92.4	89.1	88.0	89.5	91.4	93.1	91.5	
	51-101U/L未満	1,136	1,912	2,566	2,649	2,722	3,825	4,852	19,662	4.2	5.6	7.9	8.8	7.9	6.7	5.5	6.5	
	101U/L以上	389	685	962	937	883	1,100	1,258	6,214	1.4	2.0	3.0	3.1	2.6	1.9	1.4	2.0	
	欠損値								47								0.0	
	合計								303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
空腹時血糖判定区分	100mg/dl未満	20,397	24,602	21,716	18,090	17,992	26,538	38,212	167,547	75.2	71.4	67.2	60.4	52.1	46.3	43.3	55.1	
	100-110mg/dl未満	1,722	2,964	3,319	3,709	4,398	6,872	10,730	33,714	6.3	8.6	10.3	12.4	12.7	12.0	12.2	11.1	
	110-126mg/dl未満	465	866	1,084	1,435	1,905	3,451	5,603	14,809	1.7	2.5	3.4	4.8	5.5	6.0	6.3	4.9	
	126mg/dl以上	311	558	716	882	1,073	1,894	3,251	8,685	1.1	1.6	2.2	2.9	3.1	3.3	3.7	2.9	
	欠損値	4,224	5,448	5,476	5,825	9,136	18,589	30,441	79,139	15.6	15.8	16.9	19.5	26.5	32.4	34.5	26.0	
	合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
HbA1c判定区分	5.6%未満	12,374	14,224	11,479	9,586	11,892	20,637	30,650	110,842	45.6	41.3	35.5	32.0	34.5	36.0	34.7	36.5	
	5.6-6.0%未満	3,245	4,943	6,304	7,338	10,747	20,771	33,489	86,837	12.0	14.4	19.5	24.5	31.1	36.2	38.0	28.6	
	6.0-6.5%未満	402	899	1,463	2,172	3,624	8,328	14,738	31,626	1.5	2.6	4.5	7.3	10.5	14.5	16.7	10.4	
	6.5-8.4%未満	195	371	526	828	1,446	3,541	6,867	13,774	0.7	1.1	1.6	2.8	4.2	6.2	7.8	4.5	
	8.4%以上	70	108	135	169	193	314	482	1,471	0.3	0.3	0.4	0.6	0.6	0.5	0.5	0.5	
	欠損値	10,833	13,893	12,404	9,848	6,602	3,753	2,011	59,344	39.9	40.3	38.4	32.9	19.1	6.5	2.3	19.5	
	合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
eGFR判定区分	45ml/分/1.73m2未満	30	74	85	138	245	688	1,890	3,150	0.1	0.2	0.3	0.5	0.7	1.2	2.1	1.0	
	45-60ml/分/1.73m2未満	30	76	137	235	428	1,175	2,851	4,932	0.1	0.2	0.4	0.8	1.2	2.0	3.2	1.6	
	60-90ml/分/1.73m2未満	440	1,150	1,860	2,706	3,851	8,097	16,098	34,202	1.6	3.3	5.8	9.0	11.2	14.1	18.2	11.3	

附表4 性・年齢階級別、標準的質問項目の回答状況(総数) (市町村国保+協会けんぽ)

		年齢5歳階級									年齢5歳階級								
		40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計	40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計		
		歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	度数	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	%		
総数	血圧を下げる薬を服用	はい いいえ 欠損値 合計	2,677 62,772	6,972 74,201	10,657 61,666	13,957 47,911	19,815 46,277	38,277 65,621	70,007 87,556	162,362 446,004	4.1 95.9	8.6 91.4	14.7 85.3	22.6 77.4	30.0 70.0	36.8 63.2	44.4 55.6	26.7 73.3	
	インスリン注射または血糖を下げる薬を服用	はい いいえ 欠損値 合計	1,123 64,326	2,443 78,730	3,317 69,006	3,967 57,901	5,142 60,950	9,350 94,546	15,959 141,602	41,301 567,061	1.7 98.3	3.0 97.0	4.6 95.4	6.4 93.6	7.8 92.2	9.0 91.0	10.1 89.9	6.8 93.2	
	コレステロールを下げる薬を服用	はい いいえ 欠損値 合計	1,889 63,560	4,283 76,890	6,487 65,836	9,167 52,701	14,320 51,772	29,325 74,572	52,427 105,136	117,898 490,467	2.9 97.1	5.3 94.7	9.0 91.0	14.8 85.2	21.7 78.3	28.2 71.8	33.3 66.7	19.4 80.6	
	医師から脳卒中に罹っているといわれたり、治療を受けたことがある	はい いいえ 欠損値 合計	232 61,244 3,973 65,449	585 75,785 4,803 81,173	861 67,369 4,093 72,323	1,077 57,691 3,100 61,868	1,535 62,174 2,383 66,092	3,410 99,095 1,393 103,898	7,010 149,821 20,477 157,563	14,710 573,179 20,477 608,366	0.4 93.6 6.1 100.0	0.7 93.4 5.9 100.0	1.2 93.2 5.7 100.0	1.7 93.2 5.0 100.0	2.3 94.1 3.6 100.0	3.3 95.4 1.3 100.0	4.4 95.1 0.5 100.0	2.4 94.2 3.4 100.0	
	医師から心臓病に罹っているといわれたり、治療を受けたことがある	はい いいえ 欠損値 合計	649 60,821 3,979 65,449	1,133 75,237 4,803 81,173	1,450 66,772 4,101 72,323	1,884 56,873 3,111 61,868	2,739 60,961 2,392 66,092	4,488 96,531 1,400 103,898	10,303 144,299 20,529 157,563	26,343 561,494 20,529 608,366	1.0 92.9 6.2 100.0	1.4 92.7 5.9 100.0	2.0 92.3 5.7 100.0	3.0 91.9 5.0 100.0	4.1 92.2 3.6 100.0	5.7 92.9 1.3 100.0	7.9 91.6 0.5 100.0	4.3 92.3 3.4 100.0	
	医師から慢性的腎不全に罹っているといわれたり、治療を受けたことがある	はい いいえ 欠損値 合計	190 61,232 4,027 65,449	326 76,013 4,834 81,173	365 67,823 4,135 72,323	350 58,393 3,125 61,868	448 63,226 2,418 66,092	1,003 101,488 1,407 103,898	4,533 154,973 739 157,563	4,533 583,148 20,685 608,366	0.3 93.6 6.2 100.0	0.4 93.6 6.0 100.0	0.5 93.8 5.7 100.0	0.6 94.4 5.1 100.0	0.7 95.7 3.7 100.0	1.0 97.7 1.4 100.0	1.2 98.4 0.5 100.0	0.7 95.9 3.4 100.0	
	医師から貧血といわれたことがある	はい いいえ 欠損値 合計	6,888 54,524 4,037 65,449	9,273 67,011 4,889 81,173	9,200 58,937 4,186 72,323	7,625 51,038 3,205 61,868	7,186 56,358 2,548 66,092	10,237 91,758 1,903 103,898	14,135 141,889 1,539 157,563	64,544 521,515 22,307 608,366	10.5 83.3 6.2 100.0	11.4 82.6 6.0 100.0	12.7 81.5 5.8 100.0	12.3 82.5 5.2 100.0	10.9 85.3 3.9 100.0	9.9 88.3 1.8 100.0	9.0 85.7 1.0 100.0	10.6 85.7 3.7 100.0	
	たばこを習慣的にすっている	喫煙 非喫煙 欠損値 合計	20,714 44,735	25,499 55,674	21,897 50,426	16,241 45,626	13,660 52,432	14,073 89,824	126,438 143,209	16,438 481,926	31.6 68.4	31.4 68.6	30.3 69.7	26.3 73.7	20.7 79.3	13.5 86.5	9.1 90.9	20.8 79.2	
	20歳のときから体重が10kg以上増加している	はい いいえ 欠損値 合計	26,155 35,155 4,139 65,449	34,112 41,852 5,209 81,173	30,258 37,038 5,027 72,323	24,444 32,881 4,543 61,868	23,975 36,556 5,561 66,092	34,212 57,855 11,831 103,898	45,285 89,547 22,731 157,563	218,441 330,884 59,041 608,366	40.0 53.7 6.3 100.0	42.0 51.6 6.4 100.0	41.8 51.2 7.0 100.0	39.5 53.1 7.3 100.0	36.3 55.5 8.4 100.0	32.9 56.8 11.7 100.0	28.7 54.4 14.4 100.0	35.9 54.4 9.7 100.0	
	1回30分以上の軽く汗をかく運動を週2日以上、1年以上実施	はい いいえ 欠損値 合計	13,241 48,009 4,199 65,449	16,727 59,171 5,275 81,173	15,558 51,723 5,042 72,323	14,246 43,042 4,580 61,868	17,846 42,650 5,596 66,092	36,873 55,146 11,879 103,898	66,656 367,836 59,383 157,563	181,147 68,095 22,812 608,366	20.2 73.4 6.4 100.0	20.6 72.9 6.5 100.0	21.5 71.5 7.0 100.0	23.0 69.6 7.4 100.0	27.0 64.5 8.5 100.0	35.5 53.1 11.4 100.0	42.3 43.2 14.5 100.0	29.8 60.5 9.8 100.0	
	日常生活において歩行または同等の身体活動を1日1時間以上実施	はい いいえ 欠損値 合計	27,573 33,683 4,193 65,449	32,124 43,785 5,264 81,173	28,145 39,119 5,059 72,323	24,842 32,428 4,598 61,868	27,928 32,571 5,593 66,092	47,159 44,847 11,892 103,898	76,217 58,534 22,812 157,563	263,988 284,967 59,411 608,366	42.1 51.5 6.4 100.0	39.6 53.9 6.5 100.0	38.9 54.1 7.0 100.0	40.2 52.4 7.4 100.0	42.3 49.3 8.5 100.0	45.4 37.1 11.4 100.0	48.4 46.8 14.9 100.0	43.4 46.8 10.3 100.0	
	ほぼ同じ年齢の同性と比較して歩く速度が速い	はい いいえ 欠損値 合計	26,308 34,449 4,692 65,449	32,955 42,371 5,847 81,173	31,234 35,588 5,500 72,323	27,718 29,174 4,976 61,868	30,832 29,370 5,890 66,092	49,820 41,807 12,271 103,898	74,977 271,934 23,412 157,563	402,606 271,934 62,598 608,366	40.2 52.6 7.2 100.0	40.6 49.2 7.6 100.0	43.2 47.2 8.0 100.0	44.8 44.4 8.9 100.0	46.7 40.2 11.8 100.0	48.0 37.6 14.9 100.0	47.6 37.6 10.3 100.0		
	食事をかんで食べるときの状態はどれにあてはまりますか。	何もかめる かみにくいことがある ほとんどかめない 欠損値 合計	51,141 8,190 747 65,449	61,254 11,881 1,131 81,173	52,403 12,084 1,132 72,323	42,817 11,578 1,057 61,868	44,152 12,452 1,052 66,092	65,616 18,417 1,045 103,898	95,294 100,670 35,226 157,563	412,677 100,670 1,045 608,366	78.1 12.5 1.1 100.0	75.5 14.6 1.4 100.0	72.5 16.7 1.6 100.0	69.2 18.7 1.7 100.0	66.8 18.9 1.5 100.0	63.2 17.7 1.2 100.0	60.5 16.5 0.7 100.0	67.8 16.5 1.2 100.0	
	人と比較して食べる速度が速い	速い 普通 遅い 欠損値 合計	22,672 33,447 5,173 65,449	26,746 43,218 5,940 81,173	22,482 39,712 5,071 72,323	17,661 35,388 4,221 61,868	17,113 39,116 4,208 66,092	23,732 61,485 9,953 103,898	162,331 345,023 41,136 157,563	346,329 345,023 41,136 608,366	34.6 51.1 6.4 100.0	32.9 53.2 6.5 100.0	31.1 54.9 7.0 100.0	28.5 57.2 7.4 100.0	25.9 59.2 8.6 100.0	22.8 58.8 11.7 100.0	20.3 56.7 14.6 100.0	26.7 56.7 9.8 100.0	
	就寝前の2時間以内に夕食をとることが週に3回以上ある	はい いいえ 欠損値 合計	23,416 37,866 4,167 65,449	28,923 46,977 5,273 81,173	24,413 42,829 5,081 72,323	18,351 38,929 4,588 61,868	14,379 46,096 5,617 66,092	15,314 76,585 11,999 103,898	19,065 115,443 23,055 157,563	143,861 404,725 59,780 608,366	35.8 57.9 6.4 100.0	35.6 57.9 6.5 100.0	33.8 59.2 7.0 100.0	29.7 62.9 7.4 100.0	21.8 73.7 8.5 100.0	14.7 73.7 11.5 100.0	12.1 73.3 14.6 100.0	23.6 66.5 9.8 100.0	
	朝昼夕の3食以外に間食や甘い飲み物を摂取していますか。	毎日 時々 ほとんど摂取しない 欠損値 合計	15,720 33,752 10,807 65,449	18,161 41,287 15,085 81,173	15,302 35,917 14,585 72,323	12,028 23,213 13,868 61,868	11,672 23,213 18,515 66,092	16,596 50,047 26,605 103,898	22,513 73,389 112,757 157,563	111,992 296,883 112,757 608,366	24.0 51.6 16.5 100.0	22.4 50.9 18.6 100.0	21.2 49.7 20.2 100.0	19.4 48.9 21.5 100.0	17.7 48.7 12.0 100.0	16.0 46.6 16.9 100.0	14.3 46.6 22.2 100.0	18.4 48.4 18.5 100.0	
	朝食を抜くことが週に3回以上ある	はい いいえ 欠損値 合計	19,605 41,589 4,255 65,449	22,883 52,927 5,363 81,173	17,938 49,247 5,138 72,323	12,196 45,021 4,651 61,868	8,663 51,781 5,648 66,092	7,519 84,417 11,962 103,898	96,062 452,391 22,896 157,563	30.0 63.5 6.5 100.0	28.2 65.2 6.6 100.0	24.8 68.1 7.1 100.0	19.7 72.8 7.5 100.0	13.1 78.3 8.5 100.0	7.2 81.2 11.5 100.0	4.6 80.9 14.5 100.0	15.8 74.4 9.8 100.0		
	お酒を飲む頻度	毎日 時々 ほとんど飲まない 欠損値 合計	14,463 19,548 26,225 65,449	20,211 22,888 31,406 81,173	19,015 19,257 27,949 72,323	16,384 15,640 24,469 61,868	17,118 15,628 27,368 66,092	24,338 21,736 46,825 103,898	33,374 29,051 74,842 157,563	144,903 143,748 259,084 608,366	22.1 29.9 40.1 100.0	24.9 28.2 38.7 100.0	26.3 26.6 38.6 100.0	26.5 25.3 39.6 100.0	25.9 23.6 41.4 100.0	23.4 20.9 45.1 100.0	21.2 18.4 47.5 100.0	23.8 23.6 42.6 100.0	
	飲酒日の1日あたりの飲酒量	1合未満 1-2合未満 2-3合未満 4合以上 欠損値 合計	30,069 13,277 5,888 2,851 65,449	35,716 16,889 7,956 3,492 81,173	31,183 15,036 7,317 2,924 72,323	26,838 12,607 6,041 2,099 61,868	29,336 23,860 5,800 1,476 66,092	48,272 17,672 6,776 1,341 103,898	48,272 111,925 7,251 15,255 157,563	276,292 111,925 47,029 15,255 608,366	45.9 20.3 9.0 20.4 100.0	44.0 20.8 10.1 21.1 100.0	43.1 20.4 9.8 23.1 100.0	43.4 19.5 8.8 23.1 100.0	44.4 17.0 8.8 25.1 100.0	46.5 15.0 6.5 28.7 100.0	47.5 18.4 7.7 32.2 100.0	45.4 18.4 7.7 25.9 100.0	
	睡眠で休養が十分に取れている	はい いいえ 欠損値 合計	39,779 21,402 4,268 65,449	48,744 27,009 5,420 81,173	42,032 25,100 5,191 72,323	36,032 21,133 4,703 61,868	42,021 18,309 5,762 66,092	69,869 21,842 12,187 103,898	106,127 162,868 23,363 157,563	384,604 162,868 60,894 608,366	60.8 32.7 6.5 100.0	60.0 33.3 6.7 100.0	58.1 34.7 7.2 100.0	58.2 34.2 7.6 100.0	63.6 27.2 8.7 100.0	67.2 21.0 11.7 100.0	67.4 17.8 14.8 100.0	63.2 26.8 10.0 100.0	
	生活習慣の改善	改善するつもりはない 6ヶ月以内に改善 近いうちに改善 既に取組み6ヶ月未満 既に取組み6ヶ月以上 欠損値 合計	14,091 23,052 10,927 7,013 5,909 4,457 65,449	18,275 27,644 12,973 8,105 8,411 5,765 81,173	16,373 23,826 11,379 6,730 8,498 5,517 72,323	14,183 19,717 9,323 5,456 8,140 5,049 61,868	15,777 18,999 9,340 8,916 9,922 6,173 66,092	25,158 25,615 12,609 8,916 18,742 12,858 103,898	35,897 33,300 15,645 11,897 30,200 24,409 157,563	145,969 172,153 82,196 53,998 89,822 64,228 608,366	21.5 35.2 16.7 10.7 9.0 7.1 100.0	22.5 34.1 16.0 10.0 10.4 7.6 100.0	22.6 32.9 15.7 9.3 11.8 8.2 100.0	22.9 31.9 15.1 8.8 13.2 7.9 100.0	23.9 28.7 14.1 8.6 15.0 8.2 100.0	24.2 21.1 12.1 8.6 18.0 7.9 100.0	26.7 21.1 9.9 7.6 19.2 12.4 100.0	24.0 28.3 13.5 8.9 14.8 10.6 100.0	
	保健指導の希望	はい いいえ 欠損値 合計	19,941 41,285 4,223 65,449	24,104 51,652 5,417 81,173	22,549 44,548 5,226 72,323	20,213 36,819 4,836 61,868	22,504 37,484 6,084 66,092	35,897 54,416 13,585 103,898	52,463 80,259 24,841 157,563	197,671 346,473 64,222 608,366	30.5 63.1 6.5 100.0	29.7 61.6 6.7 100.0	31.2 61.6 7.2 100.0	32.7 59.5 7.8 100.0	34.0 56.7 9.2 100.0	33.3 52.4 13.1 100.0	32.5 57.0 15.8 100.0		

附表4 性・年齢階級別、標準的質問項目の回答状況(男) (市町村国保+協会けんぽ)

		年齢5歳階級								年齢5歳階級							
		40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計	40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計
		歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	度数	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	%
血圧を下げる薬を服用	はい	2,065	5,039	7,325	8,951	12,022	20,910	34,917	91,229	5.4	10.8	18.3	28.0	38.1	44.9	50.4	30.0
	いいえ	36,265	41,696	32,887	22,976	19,566	25,644	34,409	213,243	94.6	89.2	81.7	72.0	61.9	55.1	49.6	70.0
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
インスリン注射または血糖を下げる薬を服用	はい	882	1,940	2,636	2,940	3,645	6,049	9,852	27,944	2.3	4.2	6.6	9.2	11.5	13.0	14.2	9.2
	いいえ	37,448	44,795	37,376	28,987	27,943	40,505	59,473	276,527	97.7	95.8	93.4	90.8	88.5	87.0	85.8	90.8
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
コレステロールを下げる薬を服用	はい	1,422	3,277	4,304	4,892	6,341	11,328	19,116	50,680	3.7	7.0	10.8	15.3	20.1	24.3	27.6	16.6
	いいえ	36,908	43,458	35,708	27,035	25,247	35,226	50,210	253,792	96.3	93.0	89.2	84.7	79.9	75.7	72.4	83.4
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
医師から脳卒中に罹っていると いわれたり、治療を受けたことがある	はい	161	386	606	688	993	2,063	4,167	9,064	0.4	0.8	1.5	2.2	3.1	4.4	6.0	3.0
	いいえ	35,725	43,510	37,049	29,507	29,147	43,571	64,631	283,140	93.2	93.1	92.6	92.4	92.3	93.6	93.2	93.0
	合計	2,444	2,839	2,357	1,732	1,448	920	528	12,268	6.4	6.1	5.9	5.4	4.6	2.0	0.8	4.0
医師から心臓病に罹っていると いわれたり、治療を受けたことがある	はい	446	803	1,051	1,348	1,846	3,893	7,867	17,254	1.2	1.7	2.6	4.2	5.8	8.4	11.3	5.7
	いいえ	35,437	43,093	36,597	28,842	28,289	41,735	60,925	274,918	92.5	92.2	91.5	90.3	89.6	89.6	87.9	90.3
	合計	2,447	2,839	2,364	1,737	1,453	926	534	12,300	6.4	6.1	5.9	5.4	4.6	2.0	0.8	4.0
医師から慢性的腎不全に罹って いるといわれたり、治療を受けた ことがある	はい	111	185	194	210	257	586	1,084	2,627	0.3	0.4	0.5	0.7	0.8	1.3	1.6	0.9
	いいえ	35,733	43,690	37,435	29,966	29,853	45,036	67,708	289,421	93.2	93.5	93.6	93.9	94.5	96.7	97.7	95.1
	合計	2,486	2,860	2,383	1,751	1,478	932	534	12,424	6.5	6.1	6.0	5.5	4.7	2.0	0.8	4.1
医師から貧血といわれたことが ある	はい	979	1,152	1,090	1,110	1,246	2,235	4,311	12,123	2.6	2.5	2.7	3.5	3.9	4.8	6.2	4.0
	いいえ	34,877	42,705	36,519	29,042	28,828	43,163	64,073	279,207	91.0	91.4	91.3	91.0	91.3	92.7	92.4	91.7
	合計	2,474	2,878	2,403	1,775	1,514	1,156	942	13,142	6.5	6.2	6.0	5.6	4.8	2.5	1.4	4.3
たばこを習慣的にすっている	喫煙	16,536	19,484	16,661	12,280	10,381	10,882	11,188	97,412	43.1	41.7	41.6	38.5	32.9	23.4	16.1	32.0
	非喫煙	21,794	27,251	23,351	19,646	21,207	35,672	58,138	207,059	56.9	58.3	58.4	61.5	67.1	76.6	83.9	68.0
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
20歳のときから体重が10kg以上 増加している	はい	18,599	23,513	19,897	15,365	14,622	20,082	25,347	137,425	48.5	50.3	49.7	48.1	46.3	43.1	36.6	45.1
	いいえ	17,426	20,374	17,443	14,365	14,563	21,792	34,628	140,591	45.5	43.6	43.6	45.0	46.1	46.8	49.9	46.2
	合計	2,305	2,848	2,672	2,197	2,403	4,680	9,351	26,456	6.0	6.1	6.7	6.9	7.6	10.1	13.5	8.7
1回30分以上の軽く汗をかく運 動を週2日以上、1年以上実施	はい	9,482	11,427	9,760	7,960	8,840	17,250	30,969	95,688	24.7	24.5	24.4	24.9	28.0	37.1	44.7	31.4
	いいえ	26,555	32,472	27,596	21,782	20,366	24,623	29,031	182,424	69.3	69.5	69.0	68.2	64.5	52.9	41.9	59.9
	合計	2,293	2,836	2,657	2,185	2,382	4,681	9,326	26,360	6.0	6.1	6.6	6.8	7.5	10.1	13.5	8.7
日常生活において歩行または同 等の身体活動を1日1時間以上実 施	はい	17,106	18,927	15,228	12,198	12,577	20,910	33,950	130,896	44.6	40.5	38.1	38.2	39.8	44.9	49.0	43.0
	いいえ	18,905	24,934	22,094	17,510	16,601	20,956	26,054	147,054	6.1	6.1	6.7	7.0	7.6	10.1	13.4	8.7
	合計	2,319	2,874	2,690	2,219	2,410	4,688	9,322	26,522	49.3	53.4	55.2	54.8	52.6	45.0	37.6	48.3
ほぼ同じ年齢の同性と比較して 歩く速度が速い	はい	16,623	19,987	17,873	14,466	14,439	22,099	33,396	138,863	43.4	42.8	44.7	45.3	45.7	47.5	48.2	45.6
	いいえ	19,086	23,522	19,201	15,041	14,566	19,595	26,348	137,359	49.8	50.3	48.0	47.1	46.1	42.1	38.0	45.1
	合計	2,621	3,226	2,838	2,420	2,593	4,960	9,582	28,230	9.0	9.0	9.0	9.0	9.0	9.0	9.0	9.0
食事をかんで食べるときの状態 はどれにあてはまりますか。	何でもかめる かみにくいことがある	29,599	34,771	28,382	21,447	20,318	28,798	41,343	204,658	77.2	74.4	70.9	67.2	64.3	61.9	59.6	67.2
	ほとんどかめない	5,357	7,588	7,479	6,810	7,015	9,399	12,519	56,166	14.0	16.2	18.7	21.3	22.2	20.2	18.1	18.4
	合計	565	878	885	847	798	815	691	5,479	1.5	1.9	2.2	2.7	2.5	1.8	1.0	1.8
人と比較して食べる速度が速い	速い	15,389	17,684	14,061	10,182	9,180	12,063	16,008	94,567	40.1	37.8	35.1	31.9	29.1	25.9	23.1	31.1
	普通	18,331	23,640	21,003	17,650	18,028	26,477	38,876	164,005	47.8	50.6	52.5	55.3	57.1	56.9	56.1	53.9
	合計	2,293	2,527	2,247	1,875	1,935	3,190	4,916	18,983	6.0	5.4	5.6	5.9	6.1	6.9	7.1	6.2
就寝前の2時間以内に夕食をと ることが週に3回以上ある	はい	16,854	20,532	16,824	12,409	9,690	9,943	11,236	97,488	44.0	43.9	42.0	38.9	30.7	21.4	16.2	32.0
	いいえ	19,151	23,318	20,478	17,293	19,471	31,863	48,642	180,216	50.0	49.9	51.2	54.2	61.6	68.4	70.2	59.2
	合計	2,325	2,885	2,710	2,225	2,427	4,748	9,448	26,768	6.1	6.2	6.8	7.0	7.7	10.2	13.6	8.8
朝昼夕の3食以外に間食や甘い 飲み物を摂取していますか。	毎日	7,130	7,923	6,022	4,262	3,629	4,832	6,632	40,430	18.6	17.0	15.1	13.3	11.5	10.4	9.6	13.3
	時々	20,503	24,326	20,191	15,431	14,947	22,151	31,755	149,304	53.5	52.1	50.5	48.3	47.3	47.6	45.8	49.0
	ほとんど摂取しない	7,986	11,136	10,604	9,483	9,585	12,061	16,225	77,080	20.8	23.8	26.5	29.7	30.3	25.9	23.4	25.3
朝食を抜くことが週に3回以上 ある	はい	13,899	15,731	11,883	7,755	5,485	4,504	4,009	63,266	36.3	33.7	29.7	24.3	17.4	9.7	5.8	20.8
	いいえ	22,051	28,053	25,378	21,911	23,652	37,296	55,901	214,242	57.5	60.0	63.4	68.6	74.9	80.1	80.6	70.4
	合計	2,380	2,951	2,751	2,261	2,451	4,754	9,416	26,964	6.2	6.3	6.9	7.1	7.8	10.2	13.6	8.9
お酒を飲む頻度	毎日	10,539	14,403	13,651	11,846	12,448	18,548	26,519	107,954	27.5	30.8	34.1	37.1	39.4	39.8	38.3	35.5
	時々	11,708	13,177	10,563	7,967	7,707	10,420	14,342	75,884	30.5	28.2	26.4	25.0	24.4	22.4	20.7	24.9
	ほとんど飲まない	13,037	15,415	12,483	9,479	8,736	13,122	20,157	92,429	34.0	33.0	31.2	29.7	27.7	28.2	29.1	30.4
飲酒日の1日あたりの飲酒量	1合未満	15,317	17,747	14,337	10,916	10,480	16,582	26,269	111,648	40.0	38.0	35.8	34.2	33.2	35.6	37.9	36.7
	1-2合未満	9,060	11,214	9,877	8,340	8,865	13,141	18,713	79,210	23.6	24.0	24.7	26.1	28.1	28.2	27.0	26.0
	2-3合未満	4,612	6,178	5,820	4,932	4,949	6,025	6,549	39,065	12.0	13.2	14.5	15.4	15.7	12.9	9.4	12.8
睡眠で休養が十分に取れている	4合以上	2,364	2,849	2,443	1,810	1,314	1,227	1,002	13,009	6.2	6.1	6.1	5.7	4.2	2.6	1.4	4.3
	合計	6,977	8,747	7,535	5,929	5,980	9,579	16,793	61,540	18.2	18.7	18.8	18.6	18.9	20.6	24.2	20.2
	合計	38,330	46,735	40,012	31,927	31,588	46,554	69,326	304,472	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
生活習慣の改善	改善するつもりはない	9,225	11,878	10,351	8,625	8,915	13,340	20,847	83,181	24.1	25.4	25.9	27.0	28.2	28.7	30.1	27.3
	6ヶ月以内に改善	12,927	15,084	12,380	9,521	8,550	10,723	13,632	82,817	33.7	32.3	30.9	29.8	27.1	23.0	19.7	27.2
	近いうちに改善	5,787	6,769	5,725	4,345	4,078	5,078	5,992	37,774	15.1	14.5	14.3	13.6	12.9	10.9</		

附表4 性・年齢階級別、標準的質問項目の回答状況(女) (市町村国保+協会けんぽ)

		年齢5歳階級								年齢5歳階級							
		40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計	40-44	45-49	50-54	55-59	60-64	65-69	70-74	合計
		歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	歳 度数	度数	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	歳 %	%
血圧を下げる薬を服用	はい	612	1,933	3,332	5,006	7,793	17,367	35,090	71,133	2.3	5.6	10.3	16.7	22.6	30.3	39.8	23.4
	いいえ	26,507	32,505	28,979	24,935	26,711	39,977	53,147	232,761	97.7	94.4	89.7	83.3	77.4	69.7	60.2	76.6
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
インスリン注射または血糖を下げる薬を服用	はい	241	503	681	1,027	1,497	3,301	6,107	13,357	0.9	1.5	2.1	3.4	4.3	5.8	6.9	4.4
	いいえ	26,878	33,935	31,630	28,914	33,007	54,041	82,129	290,534	99.1	98.5	97.9	96.6	95.7	94.2	93.1	95.6
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
コレステロールを下げる薬を服用	はい	467	1,006	2,183	4,275	7,979	17,997	33,311	67,218	1.7	2.9	6.8	14.3	23.1	31.4	37.8	22.1
	いいえ	26,652	33,432	30,128	25,666	26,525	39,346	54,926	236,675	98.3	97.1	93.2	85.7	76.9	68.6	62.2	77.9
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
医師から脳卒中に罹っているといわれたり、治療を受けたことがある	はい	71	199	255	389	542	1,347	2,843	5,646	0.3	0.6	0.8	1.3	1.6	2.3	3.2	1.9
	いいえ	25,519	32,275	30,320	28,184	33,027	55,524	85,190	290,039	94.1	93.7	93.8	94.1	95.7	96.8	96.5	95.4
	合計	1,529	1,964	1,736	1,368	935	473	204	8,209	5.6	5.7	5.4	4.6	2.7	0.8	0.2	2.7
医師から心臓病に罹っているといわれたり、治療を受けたことがある	はい	203	330	399	536	893	2,074	4,654	9,089	0.7	1.0	1.2	1.8	2.6	3.6	5.3	3.0
	いいえ	25,384	32,144	30,175	28,031	32,672	54,796	83,374	286,576	93.6	93.3	93.4	93.6	94.7	95.6	94.5	94.3
	合計	1,532	1,964	1,737	1,374	939	474	209	8,229	5.6	5.7	5.4	4.6	2.7	0.8	0.2	2.7
医師から慢性的腎不全に罹っているといわれたり、治療を受けたことがある	はい	79	141	171	140	191	417	767	1,906	0.3	0.4	0.5	0.5	0.6	0.7	0.9	0.6
	いいえ	25,499	32,323	30,388	28,427	33,373	56,452	87,265	293,727	94.0	93.9	94.0	94.9	96.7	98.4	98.9	96.7
	合計	1,541	1,974	1,752	1,374	940	475	205	8,261	5.7	5.7	5.4	4.6	2.7	0.8	0.2	2.7
医師から貧血といわれたことがある	はい	5,909	8,121	8,110	6,515	5,940	8,002	9,824	52,421	21.8	23.6	25.1	21.8	17.2	14.0	11.1	17.2
	いいえ	19,647	24,306	22,418	21,996	27,530	48,595	77,816	242,308	72.4	70.6	69.4	73.5	79.8	84.7	88.2	79.7
	合計	1,563	2,011	1,783	1,430	1,034	747	597	9,165	5.8	5.8	5.5	4.8	3.0	1.3	0.7	3.0
たばこを習慣的にすっている	喫煙	4,178	6,015	5,236	3,961	3,279	3,191	3,166	29,026	15.4	17.5	16.2	13.2	9.5	5.6	3.6	9.6
	非喫煙	22,941	28,423	27,075	25,980	31,225	54,152	85,071	274,867	84.6	82.5	83.8	86.8	90.5	94.4	96.4	90.4
	合計									100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
20歳のときから体重が10kg以上増加している	はい	7,556	10,599	10,361	9,079	9,353	14,130	19,938	81,016	27.9	30.8	32.1	30.3	27.1	24.6	22.6	26.7
	いいえ	17,729	21,478	19,595	18,516	21,993	36,063	54,919	190,293	65.4	62.4	60.6	61.8	63.7	62.9	62.2	62.6
	合計	1,834	2,361	2,355	2,346	3,158	7,151	13,980	32,585	6.8	6.9	7.3	7.8	9.2	12.5	15.2	10.7
1回30分以上の軽く汗をかく運動を週2日以上、1年以上実施	はい	3,759	5,300	5,798	6,286	9,006	19,623	35,687	85,459	13.9	15.4	17.9	21.0	26.1	34.2	40.4	28.1
	いいえ	21,454	26,699	24,128	21,260	22,284	30,523	39,064	185,412	79.1	77.5	74.7	71.0	64.6	53.2	44.3	61.0
	合計	1,906	2,439	2,385	2,395	3,214	7,198	13,486	33,023	7.0	7.1	7.4	8.0	9.3	12.6	15.3	10.9
日常生活において歩行または同等の身体活動を1日1時間以上実施	はい	10,467	13,197	12,917	12,644	15,351	26,249	42,267	133,092	38.6	38.3	40.0	42.2	44.5	45.8	47.9	43.8
	いいえ	14,778	18,851	17,025	14,918	15,970	23,891	32,480	137,913	54.5	54.7	52.7	49.8	46.3	41.7	36.8	45.4
	合計	1,874	2,390	2,369	2,379	3,163	7,204	13,490	32,889	6.9	6.9	7.3	7.9	9.2	12.6	15.3	10.8
ほぼ同じ年齢の同性と比較して歩く速度が速い	はい	9,685	12,968	13,361	13,252	16,393	27,721	41,581	134,961	35.7	37.7	41.4	44.3	47.5	48.3	47.1	44.4
	いいえ	15,363	18,849	16,388	14,133	14,804	22,212	32,826	134,575	56.7	54.7	50.7	47.2	42.9	38.7	37.2	44.3
	合計	2,071	2,621	2,562	2,556	3,307	7,411	13,930	34,358	7.6	7.6	7.9	8.5	9.6	12.9	15.7	11.3
食事をかんで食べるときの状態はどれにあてはまりますか。	両ともかめる	21,542	26,483	24,021	21,370	23,834	36,818	53,951	208,019	79.4	76.9	74.3	71.4	69.1	64.2	61.1	68.5
	かみにくいことがある	2,833	4,293	4,605	4,768	5,007	9,018	13,480	44,504	10.4	12.5	14.3	15.9	16.0	15.7	15.3	14.6
	ほとんどかめない	182	253	247	210	207	237	354	1,687	0.7	0.7	0.8	0.7	0.6	0.4	0.4	0.6
人と比較して食べる速度が速い	速い	7,283	9,062	8,421	7,479	7,933	11,669	15,917	67,764	26.9	26.3	26.1	25.0	23.0	20.3	18.0	22.3
	普通	15,116	19,578	18,709	17,738	21,088	35,008	53,781	181,018	55.7	56.8	57.9	59.2	61.1	61.0	61.0	59.6
	遅い	2,880	3,413	2,824	2,346	2,273	3,380	5,037	12,153	10.6	9.9	8.7	7.8	6.6	5.9	5.7	7.3
就寝前の2時間以内に夕食をとることが週に3回以上ある	はい	6,562	8,391	7,589	5,942	4,689	5,371	7,829	46,373	24.2	24.4	23.5	19.8	13.6	9.4	8.9	15.3
	いいえ	18,715	23,659	22,351	21,636	26,625	44,722	66,801	224,509	69.0	68.7	69.2	72.3	77.2	78.0	75.7	73.9
	合計	1,842	2,388	2,371	2,363	3,190	7,251	13,607	33,012	6.8	6.9	7.3	7.9	9.2	12.6	15.4	10.9
朝昼夕の3食以外に間食や甘い飲み物を摂取していますか。	毎日	8,590	10,238	9,280	7,766	8,043	11,764	15,881	71,562	31.7	29.7	28.7	25.9	23.3	20.5	18.0	23.5
	時々	13,249	16,961	15,726	14,847	17,266	27,896	41,634	147,579	48.9	49.3	48.7	49.6	50.0	48.6	47.2	48.6
	ほとんど摂取しない	2,821	3,949	3,981	3,809	4,283	6,454	10,380	35,677	10.4	11.5	12.3	12.7	12.4	11.3	11.8	11.7
朝食を抜くことが週に3回以上ある	はい	5,706	7,152	6,055	4,441	3,178	3,015	3,249	32,796	21.0	20.8	18.7	14.8	9.2	5.3	3.7	10.8
	いいえ	19,538	24,874	23,869	23,110	28,129	47,121	71,508	238,149	72.0	72.2	73.9	77.2	81.5	82.2	81.0	78.4
	合計	1,875	2,412	2,387	2,390	3,197	7,208	13,480	32,949	6.9	7.0	7.4	8.0	9.3	12.6	15.3	10.8
お酒を飲む頻度	毎日	3,924	5,808	5,364	4,538	4,670	5,790	6,855	36,949	14.5	16.9	16.6	15.2	13.5	10.1	7.8	12.2
	時々	7,840	9,711	8,694	7,673	7,921	11,316	14,709	67,864	28.9	28.2	26.9	25.6	23.0	19.7	16.7	22.3
	ほとんど飲まない	13,188	15,991	15,466	14,990	18,632	33,703	54,685	166,655	48.6	46.4	47.9	50.1	54.0	58.8	62.0	54.8
飲酒日の1日あたりの飲酒量	1合未満	14,752	17,969	16,846	15,922	18,856	31,690	48,609	164,644	54.4	52.2	52.1	53.2	54.6	55.3	55.1	54.2
	1-2合未満	4,217	5,675	5,159	4,267	3,995	4,531	4,871	32,715	15.5	16.5	16.0	14.3	11.6	7.9	5.5	10.8
	2-3合未満	1,276	1,778	1,497	1,109	851	751	702	7,964	4.7	5.2	4.6	3.7	2.5	1.3	0.8	2.6
睡眠で休養が十分に取れている	4合以上	487	643	481	289	162	114	70	2,246	1.8	1.9	1.5	1.0	0.5	0.2	0.1	0.7
	合計	6,387	8,373	8,328	8,354	10,640	20,258	33,985	96,325	23.6	24.3	25.8	27.9	30.8	35.3	38.5	31.7
	合計	27,119	34,438	32,311	29,941	34,504	57,344	88,237	303,894	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
生活習慣の改善	改善するつもりはない	4,866	6,397	6,022	5,558	6,862	11,818	21,265	62,788	17.9	18.6	18.6	18.6	19.9	20.6	24.1	20.7
	6ヶ月以内に改善	10,125	12,560	11,446	10,196	10,449	14,892	19,668	89,336	37.3	36.5	35.4	34.1	30.3	26.0	22.3	29.4
	近いうちに改善	5,140	6,204	5,654	4,978	5,262	7,531	9,653	44,422	19.0	18.0	17.5	16.6	15.3	13.1	10.9	14.6
保健指導の希望	既に取組み6ヶ月未満	2,928	3,631	3,223	2,910	3,308	5,31										