

# マアジの粗脂肪量


水揚日: 令和元年7月31日

船名: 57 角石丸 漁場: 35°39'N 141°00'E(犬吠沖)

Lipid content of Japanese horse mackerels

Landing day : July 31, 2019

Fishing ground : Off the coast of Inubo, Japan  
35°39'N 141°00'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	26.6	243.9	3.7	11	22.0	139.6	6.3
2	26.8	239.6	2.0	12	19.8	97.1	6.0
3	28.5	278.0	2.7	13	22.7	141.4	3.4
4	26.0	225.4	6.5	14	18.6	89.1	11.4
5	27.0	243.1	6.2	15	19.6	98.7	8.5
6	26.2	223.7	6.5	16	18.9	87.6	8.2
7	24.9	206.9	6.2	17	19.0	93.1	10.9
8	26.6	223.7	3.9	18	18.1	74.7	5.5
9	25.2	205.6	3.9	19	19.2	90.8	7.3
10	22.9	151.9	3.9	20	15.8	48.7	8.5

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議