

マアジの粗脂肪量

水揚日: 令和元年9月3日


船名: 8正福丸 漁場: 35°40'N 140°57'E(犬吠沖)

Lipid content of Japanese horse mackerels

Landing day : September 3, 2019

Fishing ground : Off the coast of Inubo, Japan

35°40'N 140°57'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	26.7	229.6	7.2	11	16.2	54.8	9.8
2	23.4	157.9	6.0	12	18.1	78.3	9.8
3	22.7	147.1	6.0	13	17.3	65.3	6.2
4	22.4	140.8	6.7	14	17.0	62.6	7.4
5	21.4	119.5	6.8	15	16.3	55.8	7.5
6	20.6	107.9	8.3	16	15.9	51.7	10.2
7	19.7	97.6	7.7	17	15.2	47.6	5.8
8	19.5	96.4	9.5	18	15.5	43.9	10.3
9	19.3	96.1	10.0	19	14.7	39.7	4.8
10	16.8	59.8	13.5	20	14.6	39.2	10.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議