

マアジの粗脂肪量

水揚日: 令和2年5月25日


船名: 21 恵比寿丸 漁場: 35°33'N 140°55'E (犬吠埼沖)

Lipid content of Japanese horse mackerels

Landing day : May 25, 2020

Fishing ground : Off the coast of Inubosaki, Japan

35°33'N 140°55'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	30.1	261.9	3.7	11	27.3	226.7	3.7
2	29.1	278.5	3.0	12	26.0	229.3	8.6
3	32.9	357.9	4.4	13	26.4	223.5	5.1
4	28.7	256.2	3.7	14	24.1	172.8	5.1
5	30.0	275.4	4.4	15	21.9	134.4	3.7
6	30.3	275.2	3.7	16	22.0	138.3	5.8
7	28.8	288.6	7.9	17	21.4	122.7	4.4
8	28.3	296.7	5.1	18	21.6	127.2	5.1
9	27.4	263.4	5.8	19	21.6	122.6	3.7
10	28.5	273.0	3.0	20	21.0	123.7	8.6

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議