

マイワシの粗脂肪量

水揚日:平成31年4月10日


船名:31御嶽丸 漁場:35°54'N 140°54'E(深芝沖)

Lipid content of Japanese sardines

Landing day : April 10, 2019

Fishing ground : Off the coast of Fukashiba, Japan

35°54'N 140°54'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	22.4	137.7	15.2	11	17.3	62.4	6.6
2	21.3	115.7	13.8	12	16.5	55.6	4.5
3	19.5	84.8	6.8	13	15.6	48.3	7.1
4	19.1	89.5	8.7	14	16.4	56.5	6.4
5	19.8	93.6	10.6	15	16.5	51.9	7.0
6	18.9	79.0	14.1	16	16.4	53.1	5.2
7	19.0	82.0	14.5	17	15.8	46.2	4.5
8	18.9	74.4	5.8	18	16.0	50.7	6.6
9	19.2	80.9	10.7	19	16.0	49.2	5.8
10	19.4	81.9	7.0	20	16.1	52.4	5.0

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議