

# マイワシの粗脂肪量

水揚日:令和元年5月31日


船名:33全徳丸 漁場:35°54'N 141°01'E(深芝沖)

Lipid content of Japanese sardines

Landing day : May 31, 2019

Fishing ground : Off the coast of Fukashiba, Japan

35°54'N 141°01'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	17.8	70.4	7.5	11	17.4	72.9	11.6
2	17.9	74.8	8.8	12	17.2	67.5	5.6
3	17.4	68.9	9.0	13	16.6	62.7	2.7
4	16.8	61.2	1.3	14	16.7	57.7	4.1
5	18.1	75.6	5.7	15	17.3	66.4	9.4
6	17.3	65.3	6.3	16	17.0	63.8	1.3
7	17.5	67.3	2.5	17	17.8	75.7	5.1
8	17.6	70.5	5.4	18	18.4	79.2	2.5
9	18.0	74.4	3.9	19	15.7	47.1	1.9
10	16.6	57.5	4.3	20	14.8	34.4	0.1

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議