

マイワシの粗脂肪量

水揚日: 令和元年8月26日


船名: 3清栄丸 漁場: 35°46'N 141°00'E(犬吠埼沖)

Lipid content of Japanese sardines

Landing day : August 26, 2019

Fishing ground : Off the coast of Inubo, Japan

35°46'N 141°00'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	18.2	97.5	18.0	11	17.9	95.2	15.9
2	18.1	92.5	13.4	12	15.4	52.8	9.0
3	19.3	118.0	17.5	13	15.6	56.5	12.3
4	18.2	100.8	13.1	14	16.5	67.4	11.8
5	18.2	97.0	10.1	15	13.6	39.4	8.9
6	17.2	80.1	13.0	16	15.0	46.0	3.0
7	17.7	92.3	14.0	17	15.0	47.6	5.9
8	17.1	76.5	7.3	18	15.7	59.6	9.7
9	19.0	109.6	18.5	19	12.8	32.2	5.3
10	18.1	95.2	17.8	20	13.8	40.3	5.7

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議