

マイワシの粗脂肪量

水揚日: 令和2年6月9日


船名: 32 海栄丸 漁場: 35°50'N 141°01'E (鹿島沖)

Lipid content of Japanese sardines

Landing day : June 9, 2020

Fishing ground : Off the coast of Kashima, Japan

35°50'N 141°01'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	18.6	98.3	14.0	11	16.4	60.2	9.0
2	16.6	67.8	14.0	12	18.9	91.8	8.4
3	21.1	135.6	16.4	13	16.7	55.9	8.4
4	19.1	96.3	12.7	14	17.1	68.5	6.6
5	19.4	115.1	20.1	15	16.6	59.7	8.4
6	16.7	64.0	10.3	16	17.0	66.1	10.3
7	19.7	109.6	14.0	17	18.8	97.6	12.1
8	18.9	97.0	17.7	18	17.5	69.6	10.9
9	18.4	91.0	13.4	19	16.6	59.4	8.4
10	18.7	91.1	10.9	20	17.9	82.4	8.4

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議