

マイワシの粗脂肪量


水揚日: 令和5年2月13日

船名: 35 海幸丸 漁場: 36° 08' N 140° 50' E

Lipid content of Japanese sardines

Landing day : February 13, 2023

Fishing ground : Off the coast of Kashima , Japan
36 °08 'N 140 °50'E



No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content	No.	体長cm Standard length	体重g Body weight	粗脂肪量% Lipid content
1	19.8	88.9	17.1	11	18.6	71.5	17.1
2	18.9	82.4	18.3	12	19.1	80.3	18.9
3	20.6	108.8	21.4	13	17.1	55.4	10.9
4	17.9	67.7	17.1	14	18.7	65.2	14.0
5	19.2	79.7	15.2	15	18.1	65.8	18.3
6	18.1	75.2	17.7	16	16.6	51.0	15.2
7	17.7	60.5	9.0	17	17.1	58.0	13.4
8	17.8	65.9	14.6	18	17.0	52.1	12.7
9	18.3	75.6	22.0	19	17.0	51.5	6.6
10	17.0	59.6	17.7	20	16.3	47.2	10.3

千葉県水産総合研究センター銚子分室

TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議