

マサバの粗脂肪量

水揚日: 令和2年8月20日


船名: 7 伊東丸 漁場: 35°28'N 140°51'E(九十九里沖)

Lipid content of Chub mackerels

Landing day : August 20, 2020

Fishing ground : Off the coast of Kujukuri, Japan

35°28'N 140°51'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	26.4	185.5	8.9	11	22.0	112.1	5.9
2	22.1	120.2	7.9	12	23.7	159.5	8.9
3	23.1	125.5	7.9	13	22.0	119.8	7.4
4	22.7	118.1	5.9	14	23.6	139.7	8.4
5	22.1	110.8	6.9	15	22.0	123.4	11.4
6	22.6	123.1	8.4	16	23.5	151.9	9.9
7	22.5	124.7	7.9	17	21.9	116.7	6.9
8	23.0	132.1	7.4	18	21.6	118.5	7.9
9	22.3	138.2	12.0	19	21.9	111.4	8.4
10	22.5	122.2	7.9	20	27.1	214.8	8.9

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議