

マサバの粗脂肪量

水揚日: 令和2年1月7日


船名: 52 石田丸 漁場: 35°43'N 141°13'E(犬吠沖)

Lipid content of chub mackerels

Landing day : January 7, 2020

Fishing ground : Off the coast of Inubo, Japan

35°43'N 141°13'E



No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content	No.	尾叉長cm Fork length	体重g Body weight	粗脂肪量% Lipid content
1	36.5	610.7	18.0	11	34.7	484.0	21.0
2	35.9	647.7	20.0	12	33.4	459.6	18.0
3	35.4	630.4	25.1	13	33.4	479.7	26.1
4	37.8	685.8	24.1	14	33.1	430.5	12.0
5	37.0	614.7	20.0	15	33.4	365.0	16.0
6	38.1	613.5	14.5	16	32.1	356.8	13.0
7	34.4	517.6	22.6	17	31.9	333.1	18.5
8	33.7	505.5	20.0	18	31.7	378.4	18.0
9	35.8	520.9	13.0	19	31.9	387.2	15.0
10	34.4	527.7	21.5	20	31.0	331.6	20.5

千葉県水産総合研究センター銚子分室 TEL 0479-24-9796

Chiba Prefectural Fisheries Reserch Center

千葉県農林水産技術会議