

東京灣

(單位:細胞·個體/mL)

東京湾		(単位:細胞・個体/mL)											
		測点	1	3	4	5	7	8	9	13	15	20	
		採集月日	4.15	4.15	4.15	4.15	4.15	4.15	4.15	4.16	4.16	4.16	
		採集時刻	10:08	10:23	10:23	11:17	9:10	9:52	9:21	10:08	10:37	12:00	
		全水深 (m)	8.0	6.0	11.0	9.0	9.0	17.0	15.0	20.0	13.0	10.0	
		採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	
		採水量 (L)	2	2	2	2	2	2	2	2	2	2	
		沈澱量 (mL/m ²)	250	150	250	450	300	125	150	450	125	200	
コードNo.	門												
	列ア植物												
	渦鞭毛植物												
		Cryptomonadaceae	14.4	169.2	54.0	61.2	82.8	39.6	18.0	93.6	75.6	68.4	
		Prorocentrum micans						1.2					
		Prorocentrum minimum								0.6			
		Gymnodinium sp.	0.6	0.6	1.2	1.2						1.2	
		Gyrodinium sp.		1.2			0.6			1.2			
		Katodinium sp.	0.6	1.8			0.6				1.2		
		Gymnodiniales	0.6	4.2			0.6		1.2		4.2	3.0	
		Noctiluca scintillans	3.6		0.6	3.6	0.6	0.6	2.4	2.4	1.8	2.4	
		Protoperidinium leonis					0.6						
		Ceratium furca		0.6									
		Peridinales		0.6			1.2	1.2			0.6	1.2	
不等毛植物	黄金色藻	Apedinella spinifera	10.8		3.6	3.6	0.6	1.2		10.8	21.6		
		Ebria tripartita											
	珪藻	Lauderia annulata		4.8		3.0	12.6						
		Skeletonema costatum	4.2	20.4	7.2	14.4	2.4	5.4	3.6	8.4	13.2	3.6	
		Thalassiosira anguste-lineata		15.0		16.2	24.0	3.0	2.4	13.8			
		Thalassiosira sp.	4.8	16.2	2.4	10.8	9.6		3.0	6.0	2.4	0.6	
		Thalassiosiraceae	5.4	8.4	9.0	7.2	9.6	4.8	3.6	12.0	2.4	1.2	
		Leptacyclindrus danicus	1.2	3.6		18.6	17.4			27.6			1.2
		Leptacyclindrus mediterraneus			0.6								
		Leptacyclindrus minimus											1.2
		Stephanopyxis palmeriana		1.2									
		Coscinodiscus sp.		0.6									
		Actinocyclus senarius		0.6									
		Rhizosolenia delicatula						1.2		0.6	1.8		
		Rhizosolenia setigera		3.6	0.6	3.6	1.8				2.4		
		Cerataulina pelagica					2.4						
		Eucampia zodiacus	1.2	48.0	1.2	78.0	69.0				39.0		
		Chaetoceros affinis				3.0	2.4						
		Chaetoceros danicus									0.6		
		Chaetoceros debile		10.2			2.4	1.8			1.2		
		Chaetoceros didymum		7.2		2.4					1.2		
		Chaetoceros sociale		3.0		2.4					1.2		1.2
		Chaetoceros subgen.Hyalochaete sp.	0.6	4.8		1.2		0.6		1.8	0.6		
		Diitylum brightwellii		0.6		1.2							
		Thalassionema nitischoides		3.0		0.6				0.6			
		Cylindrotheca closterium		2.4		3.6	4.8		0.6	5.4	1.2	1.2	
Nitzschia pungens		16.8	747.6	48.6	1,555.2	1,119.6	176.4	298.8	1,803.6	55.2	3.6		
Nitzschia sp.		1.8	1.2	3.6	1.2	3.0	10.2	0.6					
Pennales	1.2	1.2		1.2		1.2		3.0	0.6				
ユークレナ植物	ユークレナ藻	Euglenophyceae				0.6						7.8	
	緑色植物	緑藻	Senedesmus sp.						2.4				
		プランノ藻	Prasinophyceae									0.6	
微細鞭毛藻類			Micro-flagellates	72.0	115.2	36.0	93.6	126.0	54.0	50.4	82.8	154.2	133.2
原生動物	キトフラゲミノフォー	Mesodinium rubrum		0.6	0.6						0.6		
	多鞭	Helicostomella fusiformis			0.6			0.6				0.6	
	(横毛虫類)	Ciliophora	0.6	2.4	1.2	1.2	0.6	0.6	1.2		1.2	4.2	
環形動物	多毛	larva of Polychaeta				0.6							
節足動物	甲殻(幼生)	Nauplius larva of Copepoda				0.6							
検査条件	Total		140.4	1,200.6	170.4	1,891.2	1,498.2	303.0	388.2	2,120.4	338.4	234.6	
	グリアト藻		14.4	169.2	54.0	61.2	82.8	39.6	18.0	93.6	75.6	68.4	
	渦鞭毛藻		5.4	9.0	1.8	5.4	4.2	3.0	3.6	4.2	7.8	7.8	
	黄金色藻		10.8		3.6	4.2	0.6	1.2		10.8	21.6		
	珪藻		37.2	903.6	73.2	1,725.8	1,282.8	203.4	313.8	1,929.0	76.8	12.6	
	ユークレナ藻					0.6						7.8	
	緑藻								2.4				
	プランノ藻											0.6	
	微細鞭毛藻類		72.0	115.2	36.0	93.6	126.0	54.0	50.4	82.8	154.2	133.2	
	キトフラゲミノフォー			0.6	0.6						0.6		
	多鞭			0.6		0.6	0.6	0.6				0.6	
	(横毛虫類)		0.6	2.4	1.2	1.2	0.6	1.2			1.2	4.2	
	多毛					0.6							
備考	甲殻(幼生)					0.6							
	同定年月日		2008年 4月30日～ 2008年 5月 1日										
	同定条件		6-コール液 試水 2Lに10mL添加(濃度 0.5%)										
	分離条件		オリパス光学顕微鏡 倍率100,200,400で検鏡										
	検鏡条件		いであ株式会社 環境生態グループ 堀江 啓史										
	検鏡者所属氏名												

東京湾			測点													
			1	3	4	5	7	8	9	13	15	20				
			採集月日	5.12	5.12	5.12	5.12	5.12	5.12	5.12	5.12	5.26	5.26			
			採集時刻	8:12	9:05	8:27	9:26	9:46	7:54	10:04	10:44	10:07	11:31			
			全水深 (m)	8.0	6.0	11.0	9.0	9.0	18.0	15.0	20.0	14.0	10.0			
			採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5			
			採水量 (L)	2	2	2	2	2	2	2	2	2	2			
			沈体量 (mL/m ³)	160	90	155	60	50	190	90	95	450	305			
コードNo.	門	綱	種 名 等													
	藍色植物	藍藻	<i>Anabaena</i> sp.										0.6			
			<i>Oscillatoriaceae</i>										0.6			
クラフト植物	クラフト藻	<i>Cryptomonadaceae</i>	302.4	500.4	1,260.0	241.2	774.0	374.4	406.8	385.2	414.0	180.0				
		<i>Prorocentrum gracile</i>										0.6				
		<i>Prorocentrum triestinum</i>										1.2				
			0.6									1.8				
	渦鞭毛植物	<i>Dinophysis acuminata</i>	0.6	0.6	0.6				1.2			0.6				
		<i>Ocyropsis oxytoxoides</i>	1.2	1.2	3.0				3.0	1.2	1.8	1.8	1.2			
		<i>Gymnodinium</i> sp.	9.6	3.6	13.2	9.0	10.8		7.8	10.2	18.0	3.6				
		<i>Gyrodinium spirale</i>	1.8		1.2	0.6			1.8	1.2	1.8		0.6			
		<i>Gyrodinium</i> sp.	3.0	1.8	6.6	0.6			1.8	1.2	3.6	1.2	1.2			
		<i>Katodinium</i> sp.	1.2	4.2	2.4	0.6			0.6	0.6						
		<i>Polykrikos</i> sp.	1.2			0.6			0.6		0.6					
		<i>Gymnodiniales</i>	11.4	8.4	26.4	16.2	10.8		12.0	9.6	11.4	9.6	3.6			
		<i>Noctiluca scintillans</i>					0.6			0.6		1.2				
		<i>Heterocapsa triquetra</i>	1.8	1.8	1.8	1.8			3.0	1.8	1.2	0.6				
		<i>Heterocapsa</i> sp.	61.2	151.2	273.6	14.4			43.2	10.8	10.8		0.6			
		<i>Protoperidinium bipes</i>										3.0				
		<i>Protoperidinium pellucidum</i>											0.6			
		<i>Protoperidinium</i> sp.		0.6	0.6	0.6				2.4	0.6	3.6	2.4			
		<i>Amylax triacantha</i>	0.6	0.6						0.6						
		<i>Gonyaulax spinifera</i>		0.6					3.6		1.8					
		<i>Gonyaulax verior</i>		0.6												
		<i>Gonyaulax</i> sp.		0.6					1.8	1.2	1.2		0.6			
		<i>Ceratium furca</i>	57.6	3.0	9.0	5.4	1.2		38.4	24.6	30.6	123.6	150.0			
		<i>Ceratium fusus</i>			2.4	0.6					2.4					
		<i>Ceratium lineatum</i>	3.6	0.6	3.0				0.6	0.6	2.4	2.4	0.6			
		<i>Peridinales</i>	6.0	6.6	6.6	5.4	1.2		7.2	7.8	10.2	7.2	2.4			
			不等毛植物	黄金色藻	<i>Apedinella spinifera</i>										10.8	
					<i>Distephanus speculum</i>	0.6									1.2	
ラフト藻	<i>Heterosigma akashiwo</i>								0.6							
	<i>Cyclotella</i> sp.			1.2				1.2								
珪藻	<i>Skeletonema costatum</i>			2.4	2.4	15.6	10.2	8.4	1.8	6.0	6.6	5,245.2	155.4			
	<i>Thalassiosira anguste-lineata</i>					2.4	1.2	3.6		1.2	4.2	6.0	1.2			
	<i>Thalassiosira</i> sp.			0.6	0.6	0.6	0.6	1.2		0.6		0.6	1.2			
	<i>Thalassiosiraceae</i>						1.2	1.2	1.2	0.6	4.8	3.6	3.6			
	<i>Corethron criophilum</i>												0.6			
	<i>Leptocylindrus danicus</i>										0.6	8.4	15.6			
	<i>Leptocylindrus minimus</i>												1.2			
	<i>Stephanopyxis palmeriana</i>					2.4							1.8			
	不等毛植物	珪藻	<i>Coscinodiscus</i> sp.				0.6		1.2		1.2	1.2				
			<i>Rhizosolenia delicatula</i>								6.6	16.2				
<i>Rhizosolenia fragilissima</i>											7.8					
<i>Rhizosolenia indica</i>											0.6					
<i>Rhizosolenia phuketensis</i>											3.6					
<i>Rhizosolenia setigera</i>											9.6					
<i>Eucaampia nodicus</i>			7.8	22.2	16.2	7.2	0.6	15.0	51.0	33.6	2,889.0	141.6				
<i>Hemiaulus sinensis</i>												1.8				
<i>Bacteriastrium comosum</i>												1.8				
<i>Chaetoceros affine</i>					15.0							51.6				
<i>Chaetoceros constrictum</i>										1.8						
<i>Chaetoceros danicum</i>										2.4						
<i>Chaetoceros debile</i>									87.0	36.0						
<i>Chaetoceros diadema</i>									3.6							
<i>Chaetoceros didymum</i>									1.8	7.8						
<i>Chaetoceros lorentianum</i>										3.0						
<i>Chaetoceros radicans</i>										4.8						
<i>Chaetoceros sociale</i>										3.0						
<i>Chaetoceros</i> subgen. <i>Hyalochaete</i> sp.	0.6							0.6		37.8						
<i>Ditylum brightwellii</i>		0.6									16.2					
<i>Fragilaria crotonensis</i>	16.2															
<i>Thalassionema nitzschioides</i>											3.6					
<i>Cylindrotheca closterium</i>											0.6					
<i>Nitzschia longissima</i>											0.6					
<i>Nitzschia pungens</i>											2.4					
<i>Nitzschia</i> sp.					1.2						22.2					
<i>Pennales</i>	0.6	0.6				1.2			0.6		21.6					
ユーグレナ植物	ユーグレナ藻	Euglenophyceae	399.6	1,393.2	61.2	65.4	21.0	46.8	58.2	71.4	3.6	1.8				
緑色植物	プラシノ藻	Prasinophyceae	7.2	7.2	7.2	3.6			1.8	14.4	3.6	3.6				
微細鞭毛藻類		Micro-flagellates	176.4	277.2	554.4	140.4	334.8	183.6	136.8	226.8	133.2	129.6				
原生動物	キトプラグミノフォーラ	<i>Mesodinium rubrum</i>	0.6	3.0	9.6	0.6			7.2	3.6	0.6					
		<i>Tintinnopsis</i> sp.	0.6		1.2											
		<i>Favella taraikaensis</i>	0.6	0.6												
		<i>Stenosmella</i> sp.										0.6				
	(纖毛虫類)	<i>Dodavella ganymedes</i>										1.2				
		<i>Ciliophora</i>	15.0	20.4	23.4	11.4	3.0	29.4	15.0	20.4	1.8	1.2				
		甲殻(成体)	0.6													
		甲殻(幼生)	2.4			0.6			0.6							
原索動物	オタマゴヤ	<i>Okopleura</i> sp.	0.6													
		Total	1,097.4	2,416.8	2,318.4	544.8	1,174.2	789.0	757.2	869.4	9,078.6	1,011.0				
			藍藻										1.2			
			クラフト藻	302.4	500.4	1,260.0	241.2	774.0	374.4	406.8	385.2	414.0	0.6			
			渦鞭毛藻	161.4	186.0	350.4	55.8	24.6	127.2	74.4	98.4	159.6	164.2			
			黄金色藻	0.6									0.6			
			ラフト藻						0.6				0.6			
			珪藻	29.4	28.8	51.0	25.8	16.8	19.8	60.0	52.2	8,361.6	511.2			
			ユーグレナ藻	399.6	1,393.2	61.2	65.4	21.0	46.8	58.2	71.4	3.6	0.4			
			プラシノ藻	7.2	7.2	7.2	3.6			1.8	14.4	3.6	3.6			
			微細鞭毛藻類	176.4	277.2	554.4	140.4	334.8	183.6	136.8	226.8	133.2	129.6			
			キトプラグミノフォーラ	0.6	3.0	9.6	0.6		7.2	3.6	0.6		0.2			
			多環	1.2	0.6	1.2							1.8			
			(纖毛虫類)	15.0	20.4	23.4	11.4	3.0	29.4	15.0	20.4	1.8	1.8			
			甲殻(成体)	0.6									0			
			甲殻(幼生)	2.4			0.6			0.6			0			
			原索動物	0.6												
			オタマゴヤ													
			検査条件	固定年月日	2008年6月4日～2008年6月5日											
				固定条件	ニューグー液 試水 2Lに10mL添加(濃度 0.5%)											
				分離条件	なし											
				検鏡条件	オリハス光学顕微鏡 倍率 100,200,400で検鏡											
				検鏡者所属氏名	いであ株式会社 環境生態グループ 堀江 啓史											
			備考													
			表中の「※」を付した種類の単位は群体数/mLである。													

東京湾

			測点	1	3	5	7	8	9	13	15	20
			採集月日	6.06	6.06	6.06	6.06	6.06	6.06	6.06	6.02	6.02
			採集時刻	10:32	9:43	10:17	9:17	12:37	11:50	12:21	13:47	13:20
			全水深 (m)	6.0	5.0	10.0	8.0	17.0	14.0	20.0	13.0	9.0
			採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
			採水量 (L)	2	2	2	2	2	2	2	2	2
			沈殿量 (ml/㎡)	275	460	300	400	300	745	390	900	720
コードNo.	門	綱	種 名 等									
			Cryptomonadaceae	97.2	176.4	784.8	691.2	392.4	2,736.0	820.8	813.6	532.8
	渦鞭毛植物	渦鞭毛藻	<i>Prorocentrum minimum</i>			0.6		0.6				
			<i>Prorocentrum triestinum</i>									0.6
			<i>Dinophysis acuminata</i>	0.6	1.2	0.6	0.6		3.6	1.8	6.0	4.2
			<i>Dinophysis rotunda</i>				0.6		1.2		1.8	
			<i>Oxypheis oxystoxoides</i>		4.8	1.2	7.2	15.0	2.4	10.2	14.4	2.4
			<i>Gymnodinium sp.</i>		0.6	1.2	0.6		1.2	1.8		1.2
			<i>Gyrodinium spirale</i>		1.2	0.6	0.6		0.6			
			<i>Gyrodinium sp.</i>		1.2	0.6	1.2		0.6	1.2		10.2
			<i>Katodinium sp.</i>	0.6	0.6	1.2	0.6		0.6	1.2	1.8	0.6
			<i>Polykrikos sp.</i>		0.6	1.2	0.6	1.2	0.6			
			Gymnodinales	1.8	7.8	6.6	8.4	1.2	12.6	10.2	9.0	7.2
			<i>Noctiluca scintillans</i>	0.6		0.6	1.2		0.6			0.6
			<i>Heterocapsa triquetra</i>				0.6		1.2	0.6		
			<i>Protoperidinium bipes</i>	0.6	4.2	6.6	6.0	3.6	4.2	26.4	5.4	1.8
			<i>Protoperidinium leonis</i>								4.2	1.8
			<i>Protoperidinium pellucidum</i>		1.8	1.2			1.8			0.6
			<i>Protoperidinium sp.</i>		1.8	8.4	1.8		18.0	8.4	9.6	16.2
			<i>Scrippsiella sp.</i>									0.6
			<i>Conyaulax spinifera</i>									1.2
			<i>Ceratium furca</i>	4.8	14.4	38.4	80.4	2.4	2,592.0	38.4	2,613.6	1,522.8
			<i>Ceratium lineatum</i>						1.2		0.6	1.8
			<i>Ceratium sp.</i>						0.6			4.2
			Peridiniales	6.0	14.4	9.0	9.0	2.4	24.6	16.2	12.0	24.6
	不等毛植物	黄金色藻	<i>Apedinella spinifera</i>	3.6				0.6				
			<i>Ebria tripartita</i>		0.6					0.6		
	ラフト藻		<i>Heterosigma akashiwo</i>	3.6	1.8	3.0	0.6	1.8	3.0	5.4	4.8	1.2
	珪藻		<i>Aulacoseira granulata</i>					64.2				
			<i>Detonula pumila</i>						1.2			
			<i>Skeletonema costatum</i>	20,514.6	55,339.2	38,520.0	73,800.0	22,730.4	29,037.6	35,496.0	12,020.4	8,967.6
			<i>Thalassiosira anguste-lineata</i>		1.2	1.2	0.6	0.6	0.6		1.2	0.6
			<i>Thalassiosira sp.</i>	1.2	0.6						0.6	1.2
			Thalassiosiraceae	15.0	1.8	2.4	1.8	5.4	3.6	2.4	6.6	1.2
			<i>Leptacyllindrus danicus</i>		2.4	9.6	3.6			1.2	1.2	
			<i>Melosira varians</i>	1.8		0.6	1.2					2.4
			<i>Stephanopyxis palmeriana</i>								1.2	
			<i>Coscinodiscus granii</i>				1.2				1.2	
			<i>Coscinodiscus sp.</i>				0.6				1.2	
			<i>Rhizosolenia delicatula</i>								1.8	0.6
			<i>Rhizosolenia fragilissima</i>								1.2	
	不等毛植物	珪藻	<i>Rhizosolenia setigera</i>					1.2			0.6	0.6
			<i>Atheya zachvatkini</i>					4.2				
			<i>Eucampia zodiacus</i>	9.0	8.4	15.0	9.6	6.6	8.4	5.4	196.8	211.8
			<i>Chaetoceros affine</i>		18.0	3.0	6.0	14.4	3.0	18.6	42.0	17.4
			<i>Chaetoceros constrictum</i>									3.6
			<i>Chaetoceros debile</i>		10.2			1.2		2.4		3.0
	不等毛植物	珪藻	<i>Chaetoceros subgenusHyalochaete sp.</i>	163.2	925.2	187.2	1,417.2	808.8	273.6	459.0	183.0	203.4
			<i>Diitylum brightwellii</i>					1.2				19.2
			<i>Asterionella formosa</i>	1.8		1.8						
			<i>Fragilaria crotonensis</i>			1.2		10.2				
			<i>Neodelphinis pelagica</i>						4.8			
			<i>Navicula sp.</i>	0.6				1.2				
			<i>Cylindrotheca closterium</i>	1.2			0.6	1.2			1.2	
			<i>Nitzschia fruticosa</i>					2.4				
			<i>Nitzschia pungens</i>									1.2
			<i>Nitzschia sp.</i>	1.2	1.8			2.4	0.6			0.6
			Pennales	9.0	1.2	1.2		3.0	3.0	0.6	0.6	0.6
ユーグレナ植物	ユーグレナ藻	Euglenophyceae		1.2	0.6	0.6		1.8				0.6
緑色植物	緑藻	Pedastrium boryanum					9.6					
		Scenedesmus sp.	2.4				4.8		2.4			
	ブランノ藻	Prasinophyceae	3.6	14.4		14.4	10.8	0.6	1.8	14.4	21.6	
微細鞭毛藻類		Micro-flagellates	75.6	159.6	374.4	187.2	201.6	1,872.0	252.0	324.0	262.8	410.4
原生動物	キトフラグミノフォーラ	Mesodinium rubrum		1.8	0.6			0.6	1.8	0.6	0.6	
	多核	Titinnopsis sp.			1.2	1.2	2.4	0.6	2.4	10.8	19.8	3.0
		Helicostomella fusiformis		1.2	1.2	3.0	0.6	3.0	1.2	4.2	2.4	9.0
		Stenosomella sp.		2.4	1.2			2.4	1.8	1.2		
		Eutintinus sp.								0.6		
	(繊毛虫類)	Ciliophora	3.0	11.4	3.0	3.6	2.4	0.6	3.0		2.4	1.2
軟体動物	二枚貝	Umbo larva of Bivalvia		0.6					0.6			
環形動物	多毛	larva of Polychaeta							0.6			
節足動物	甲殻(幼生)	Nauplius larva of Copepoda			0.6			1.2		0.6		
		Total	20,923.8	56,733.0	39,990.6	76,266.6	24,297.0	36,630.0	37,195.8	16,309.8	11,856.0	5,211.6
		クワナノ藻	97.2	176.4	784.8	691.2	392.4	2,736.0	820.8	813.6	532.8	691.2
		渦鞭毛藻	15.0	54.6	75.6	120.6	10.8	2,679.6	109.8	2,674.8	1,599.0	3,312.0
		黄金色藻	3.6	0.6			0.6		0.6			
		ラフト藻	3.6	1.8	3.0	0.6	1.8	3.0	5.4	4.8	1.2	
		珪藻	20,718.6	56,310.0	38,743.2	75,242.4	23,658.6	29,330.4	35,991.6	12,460.2	9,412.8	784.8
		ユーグレナノ藻	1.2	0.6	0.6		1.8				0.6	
		緑藻					14.4		2.4			
		ブランノ藻	3.6	14.4		14.4	10.8	0.6	1.8	14.4	21.6	
		微細鞭毛藻類	75.6	159.6	374.4	187.2	201.6	1,872.0	252.0	324.0	262.8	410.4
		キトフラグミノフォーラ		1.8	0.6			0.6	1.8	0.6	0.6	
		多核		1.2	4.8	6.6	1.8	6.0	5.4	16.8	22.2	12.0
		(繊毛虫類)	3.0	11.4	3.0	3.6	2.4	0.6	3.0		2.4	1.2
		二枚貝			0.6				0.6			
		多毛							0.6			
		甲殻(幼生)			0.6			1.2		0.6		
検査条件	固定年月日		2008年7月9日～2008年7月11日									
	固定条件		ルゴール液 試水 2Lに10mL添加(濃度 0.5%)									
	分離条件		なし									
	検鏡条件		オリンパス光学顕微鏡 倍率 100,200,400で検鏡									
	検鏡者所属氏名		いであ株式会社 環境生態グループ 堀江 啓史									
備考												

東京湾

東京		測点	1	3	4	5	7	8	9	13	15	20
		採集月日	7.02	7.02	7.02	7.02	7.02	7.02	7.02	7.01	7.01	7.01
		採集時刻	10:24	11:35	10:40	11:56	9:12	10:04	9:29	10:01	10:30	12:05
		全水深 (m)	6.0	5.0	10.0	8.0	9.12	10.04	14.0	19.0	12.0	10.0
		採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		採水量 (L)	2	2	2	2	2	2	2	2	2	2
		沈澱量 (mL・m ³)	225	325	250	300	850	450	625	500	250	600
コト/No.	門											
	綱											
	藍色植物	Oscillatoriaceae*				0.6						
	クロフト植物	Cryptomonadaceae	111.6	248.4	190.8	633.6	100.8	57.6	75.6	46.8	32.4	21.6
	渦鞭毛植物	Prorocentrum dentatum		1.2								
		Prorocentrum gracile				2.4						
		Prorocentrum minimum	0.6									
		Prorocentrum triestinum	41.4	51.6	12.0	28.2	15.6	21.0	8.4	6.6		1.2
		Dinophysis acuminata	12.6	12.6	3.6	5.4	8.4	0.6	10.2	3.6	0.6	1.8
		Dinophysis rotundata	2.4		1.2		0.6					
		Ocyropsis ocyroides							0.6		1.8	
		Gymnodinium sp.	2.4	2.4	3.6	1.2		3.0		3.0	2.4	3.6
		Gyrodinium spirale								1.2	0.6	
		Gyrodinium sp.		1.2	1.2	1.2	0.6	2.4	3.0	3.0	0.6	0.6
		Katodinium sp.		0.6	0.6						1.8	
		Polykrikos sp.			1.2							
		Gymnodinales	12.6	14.4	28.2	24.0	6.0	9.6	13.8	8.4	10.8	11.4
		Noctiluca scintillans	4.8	2.4	0.6	3.6	10.2	4.2	12.0	3.6	1.2	10.2
		Pvrophacus steinii					0.6					
		Heterocapsa triquetra	2.4	0.6								
		Protoperidinium bipes	1.8	1.2	6.6	4.2	0.6	1.2	2.4	1.8	1.8	
		Protoperidinium depressum	0.6				0.6	0.6	0.6	0.6		
		Protoperidinium pellucidum		0.6								
		Protoperidinium sp.	9.6	10.2	5.4	23.4	5.4	12.0	19.2	6.6	4.2	1.2
		Scrippsiella sp.	1.2	2.4		1.2		0.6				
		Amylax triacantha	1.2	1.2	1.2		1.2		4.2	0.6		
		Gonyaulax sp.	1.2									
		Ceratium furca			0.6			0.6	0.6			
		Peridinales	18.0	13.8	10.2	22.2	20.4	20.4	20.4	5.4	2.4	2.4
	不等毛植物	Apedinella spinifera	32.4		7.2	14.4	10.8		10.8		3.6	3.6
		Distephanus speculum			0.6							
		Ehria tripartita	1.2	0.6	0.6		0.6		0.6			
		Heterosigma akashiwo		3.0	8.4	4.2					2.4	

測定		1	3	4	5	7	8	9	13	15	20		
	採集月日	8.05	8.05	8.05	8.05	8.05	8.05	8.05	8.06	8.06	8.06		
	採集時刻	11:05	12:11	11:27	12:37	9:14	10:33	9:33	10:03	10:03	12:21		
	全水深 (m)	7.0	5.0	10.0	8.0	9.0	17.0	15.0	20.0	13.0	10.0		
	採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5		
	採水量 (L)	2	2	2	2	2	2	2	2	2	2		
	沈澱量 (mL/m ²)	600	500	500	325	250	200	350	250	110	50		
コトNo.	門	綱	種 名 等										
	藍色植物	藍藻	Oscillatoriaceae	5.4	1.2	0.6	0.6	0.6					
	クロト植物	クロト藻	Cryptomonadaceae	2,736.0	1,332.0	4,320.0	11,160.0	4,392.0	1,324.8	4,752.0	568.8	540.0	126.0
	渦鞭毛植物	渦鞭毛藻	Prorocentrum micans	0.6					0.6		1.2	0.6	
			Prorocentrum minimum	9.6	6.6	4.2	2.4	1.2	0.6	3.6	1.2		
			Prorocentrum triestinum	2.4	3.0	2.4	3.6	1.2		0.6			
			Dinophysis acuminata	6.0	3.6	6.6	1.8	7.2	1.8	6.0	2.4	1.8	
			Dinophysis infundibulus		0.6					0.6			
			Oxypheis oxyatoides						0.6	0.6	0.6		
			Gymnodinium mikimotoi	0.6		5.4	22.8	4.2		5.4		19.2	4.2
			Gymnodinium sp.	4.2	3.6	12.0	18.0	9.6	5.4	9.0	2.4	17.4	1.2
			Gyrodinium sp.	1.8	3.6	2.4		1.2	1.2	3.0	0.6	1.8	
			Gymnodiniales	58.8	54.6	494.4	46.2	55.8	42.0	73.8	14.4	31.2	6.6
			Nocilluca scintillans		0.6	0.6			1.8	1.2	0.6		
			Protoperidinium bipes	15.0	1.8	15.0	16.8	7.2	1.8	6.0	0.6	1.2	
			Protoperidinium sp.	2.4		7.2	3.0	1.8		3.6	1.2	4.2	1.2
			Scrippsiella spinifera			1.2							
			Scrippsiella sp.	4.8		12.0	4.2	4.2		1.2	2.4	4.2	0.6
			Gonyaulax sp.				0.6				0.6		
			Ceratium furca	3.0			1.2	1.8	0.6	3.6	0.6		
			Ceratium lineatum					0.6					
			Peridinales	78.0	40.2	153.6	44.4	35.4	30.0	54.6	23.4	61.2	1.8
	不等毛植物	黄金色藻	Ehrlich triparita	1.2	4.2	2.4		3.0	4.2	1.8	2.4	0.6	
		フクロ藻	Heterosigma akashiwo	24.6	1.2				1.2				
		珪藻	Detonula pumila								1.2		
			Skeletonema costatum	4,838.4	5,952.6	5,483.4	2,068.2	571.2	572.4	1,425.6	1,829.4	17.4	9.0
			Thalassiosira binata	15.6	1,224.0	40.2	6.6	16.8	2.4	3.0	1.8		
			Thalassiosira sp.	15.0	1,836.0	49.8	14.4	16.8	3.6	9.6	10.2	1.8	
			Thalassiosiraceae	612.0	2,592.0	153.6	864.0	48.6	39.6	55.8	28.8	39.0	8.4
			Leptocylindrus danicus	1,216.8	836.4	1,987.2	2,237.4	985.8	693.6	834.6	699.6		

東京湾

		測点	1	3	4	5	7	8	9	13	15	20
		採集月日	9.01	9.01	9.01	9.01	9.01	9.01	9.01	9.02	9.02	9.02
		採集時刻	10:31	11:26	10:52	11:47	9:05	9:58	9:18	14:45	13:50	11:15
		全水深(m)	7.0	5.0	10.0	8.0	9.0	17.0	15.0	20.0	13.0	10.0
		採水深(m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		採水量(L)	2	2	2	2	2	2	2	2	2	2
		沈降量(ml./m³)	250	850	250	1,500	1,150	700	1,250	4,750	4,200	525
コードNo.	門	綱	種名等									
	藍色植物	藍藻	Anabaena sp.*					0.6				
			Oscillatoriaceae*	1.2				0.6				
	クロア植物	クロア藻	Cryptomonadaceae	18.0	1,692.0	140.4	576.0	1,234.0	2,520.0	1,152.0	1,440.0	1,584.0
	渦鞭毛植物	渦鞭毛藻	Prorocentrum dentatum						2.4	0.6		1.2
			Prorocentrum micans		0.6		1.2	1.8	0.6	1.2	1.8	
			Prorocentrum minimum	2.4	0.6	0.6		3.0	58.2	21.6	9.0	33.6
			Prorocentrum triestinum		7.2		12.0	4.2	10.8	10.8	9.6	13.2
			Dinophysis acuminata		4.2		12.6	4.8	4.2	9.6	21.0	6.6
			Oxyphysis oxytoxoides									1.2
			Gymnodinium mikimotoi									1.8
			Gymnodinium sanguineum							0.6		
			Gymnodinium sp.		0.6		0.6	3.6	3.6	2.4		6.6
			Gyrodinium sp.		4.2		9.0	1.2	0.6	1.8	1.2	0.6
			Polykrikos sp.									0.6
			Gymnodinales	2.4	36.6	16.8	24.0	67.8	58.8	78.6	55.8	792.0
			Noctiluca scintillans		0.6						0.6	
			Protoperidinium bipes		13.8		1.8	21.6	9.6	17.4	7.2	7.2
			Protoperidinium depressum				0.6					0.6
			Protoperidinium ovum						1.2			0.6
			Peridinium quinquecorne	0.6								
			Protoperidinium sp.		6.6	0.6	9.6	9.6	4.2	6.0	13.8	18.6
			Scrippsiella sp.					2.4	1.2	0.6	1.8	2.4
			Amylax triacantha				0.6					
			Gonyaulax sp.			0.6						
			Ceratium furca						1.2	0.6	1.2	6.0
	不等毛植物	黄金色藻	Peridinales	3.6	27.6	3.0	40.8	43.8	30.0	51.0	39.6	43.2
			Dicracha flabula	0.6								10.8
			Ebria tripartita		0.6		0.6	0.6				4.2
		テフド藻	Heterosigma okashivo		0.6						0.6	1.2
		珪藻	Cyclotella sp.	3.0		2.4	1.2		0.6			1.8
			Lauderia annulata		2.4		2.4		5.4			1.8
			Skeletonema costatum	19.2	582.0	55.8	3,690.0	2,580.0	13,681.8	5,263.2	15,814.8	23,277.6
			Thalassiosira binata		19.2		2,689.8	1,550.4	1,384.2	376.8	18.0	2,664.0
			Thalassiosira rotula				2.4					1.8
			Thalassiosira sp.		43.8	3.0	826.2	573.6	871.8	595.2	21.0	936.0
			Thalassiosiraceae	270.0	1,332.0	169.2	1,824.0	1,128.0	2,424.0	2,256.0	684.0	768.0
			Leptocylindrus danicus	2.4	114.0	10.8	552.0	92.4	61.8	136.8	648.0	876.0
			Leptocylindrus mediterraneus									4.8
			Leptocylindrus minimus	91.2	1,764.0	159.6	1,717.2	1,058.4	1,328.4	1,908.0	1,846.8	2,980.8
			Coscinodiscus sp.		0.6		12.0				0.6	0.6
	不等毛植物	珪藻	Guinardia flaccida		1.2		1.2	1.2		0.6	1.2	2.4
			Rhizosolenia delicatula			1.8			3.0	2.4		
			Rhizosolenia fragilissima	1.2	31.8	3.6	8.4	45.6	6.6	28.2	12.0	7.8
			Rhizosolenia phuketensis		78.0	1.2	22.8	93.0	36.6	98.4	4.8	11.4
			Rhizosolenia setigera		44.4	9.6	48.0	64.2	30.6	76.8	11.4	23.4
			Rhizosolenia stollerae			1.2	4.2					15.0
			Cerataulina dentata		0.6			1.2	11.4	31.8	744.0	828.0
			Cerataulina pelagica			4.8		3.6	1.2	3.0	1.8	
			Eucampia zodiacus		5.4	0.6	1.2	11.4	1.8	72.6	72.6	450.0
			Chaetoceros affine		9.0		15.6	22.8	21.6	17.4	8.4	12.0
			Chaetoceros constrictum			48.0						
			Chaetoceros costatum						4.2	3.6	3.6	
			Chaetoceros curvisetus					4.2	10.2	12.6	13.8	16.2
			Chaetoceros danicum		10.8		9.0	9.6	3.0	14.4	3.6	4.8
			Chaetoceros denticulatum				3.6	4.8	6.0			
			Chaetoceros diadema		9.6		56.4	3.6	7.2	24.0	1,200.0	792.0
			Chaetoceros didymum		41.4		4.2	23.4	14.4	14.4	696.0	27.6
			Chaetoceros lauderi		24.0	3.6	14.4	21.6	19.8	49.8	36.0	54.6
			Chaetoceros lorentzianum		9.6		15.6	20.4	12.0	30.6	55.2	72.0
			Chaetoceros compressum		42.0	3.0		7.8	2.4			7.8
			Chaetoceros pseudocurvisetus		1,092.0	20.4	1,620.0	684.0	1,020.0	348.0	816.0	612.0
			Chaetoceros sociale		1,794.0	9.6	3,510.0	2,100.0	2,106.0	3,095.4	864.0	5,670.0
			Chaetoceros subgenusPhaeoceros sp.		1.2			1.8	1.2	2.4		
			Chaetoceros subgenusHyalochaete sp.	10.8	43.8	15.0	37.8	41.4	1,656.0	684.0	51,134.4	23,270.4
			Thalassionema frauenfeldii		2.4		0.6	1.2				2.4
			Thalassionema nitischoides		15.6	1.2	19.2	13.2	18.0	18.6	7.2	18.6
			Thalassiothrix sp.	1.8	16.8	3.6	10.2	6.0	4.8	16.2	1.8	4.8
			Neodelphinella pelagica					3.6		25.2	16.2	
			Navicula sp.	0.6				2.4		2.4	0.6	
			Pleurosigma sp.					0.6			0.6	0.6
			Cylindrotheca closterium	10.2	7.8	4.2	30.6	31.8	15.0	22.8	12.6	22.8
			Chaetoceros curvisetus	3.0	356.4	25.2	1,440.0	780.0	206.4	256.8	816.0	2,424.0
			Nitzschia sp.	27.0	4,968.0	442.2	4,645.2	4,423.2	2,352.0	1,738.8	1,099.8	2,269.8
			Pseudo-nitzschia cf.multistriata		23.4	10.2	15.6	20.4	27.6	15.6	4.8	9.0
			Penaeus	2.4	12.0	2.4	7.2	14.4	9.6	12.0	2.4	7.8
ユーグレナ植物	ユーグレナ藻	Euglenophyceae	1.8	3.0	1.8	1.8	6.0	27.0	13.2	70.8	58.2	51.6
緑色植物	緑藻	Scenedesmus sp.	3.6									2.4
		Prasinophyceae				12.0						288.0
微細鞭毛藻類	Micro-flagellates		28.8	1,404.0	129.6	792.0	2,016.0	2,160.0	1,440.0	1,584.0	2,016.0	1,152.0
原生動物	ネクトプラグミナ	Mesodinium rubrum		0.6		1.2	1.8			2.4	1.8	1.2
原生動物	多膜	Timonopsis sp.							0.6	4.2	1.8	
		Helicostomella fusiformis						0.6	1.2	5.4	1.2	1.8
		Favella taraiensis		1.8		0.6	0.6	0.6	1.2	0.6	1.2	0.6
		Senessemella sp.			0.6					0.6		
		Eutimnopsis sp.			0.6		0.6	0.6	0.6	0.6	0.6	0.6
		Amphorellopsis acuta					1.2		0.6			
	(纖毛虫類)	Ciliophora	5.4	12.6	1.2	15.6	10.2	35.4	16.2	25.2	13.2	11.4
軟体動物	二枚貝	D-shaped larva of Bivalvia				0.6						
		Umbo larva of Bivalvia								4.8		1.2
節足動物	甲殻(成体)	Oithona davisae										
	甲殻(幼生)	Nauplius larva of Copepoda						0.6	4.2	0.6	1.2	2.4
		Total	511.2	15,717.6	1,258.2	24,417.0	18,871.8	32,290.8	20,101.2	79,971.6	73,021.8	8,098.2
		藍藻	1.2									
		クロア藻	18.0	1,692.0	140.4	576.0	1,234.0	2,520.0	1,152.0	1,440.0	1,584.0	1,584.0
		渦鞭毛藻	9.0	102.6	21.6	112.8	163.8	181.2	205.2	162.6	928.8	262.2
		黄金色藻	0.6	0.6			0.6	0.6				1.2
		テフド藻		0.6							0.6	1.8
		珪藻	442.8	12,499.2	963.0	22,903.2	15,444.6	27,359.4	17,366.2	76,674.0	68,120.4	5,025.6
		ユーグレナ藻	1.8	3.0	1.8	1.8	6.0	27.0	13.2	70.8	58.2	51.6
		緑藻	3.6									2.4
		プラシノ藻				12.0						288.0
		微細鞭毛藻類	28.8	1,404.0	129.6	792.0	2,016.0	2,160.0	1,440.0	1,584.0	2,016.0	1,152.0
		ネクトプラグミナ		0.6		1.2	1.8			2.4	1.8	1.2
		多膜		2.4	0.6	1.2	3.0	3.0	7.8	6.0	4.2	2.4
		(纖毛虫類)	5.4	12.6	1.2	15.6	10.2	35.4	16.2	25.2	13.2	11.4
		二枚貝				0.6				4.8		1.2
		甲殻(成体)										
		甲殻(幼生)									2.4	2.4
検査条件	測定年月日		2008年10月1日～2008年10月2日									
	測定条件		メチル藍 試水 2Lに10mL添加(濃度 0.5%)									
	分箱条件		なし									
	検鏡条件		オリンパス光学顕微鏡 倍率 100,200,400で検鏡									
	検鏡者所属氏名		いであ株式会社 環境生態グループ 堀江 啓史									
備考												
表中の「※」を付した種類の単位は群体数/mLである。												

東京湾

		測点	1	3	4	5	7	8	9	13	15	20
		採集月日	10.07	10.07	10.07	10.07	10.07	10.07	10.07	10.07	10.10	10.10
		採集時刻	10:14	11:08	10:31	11:25	9:13	9:56	9:28	9:33	10:01	11:17
		全水深 (m)	7.0	5.0	11.0	9.0	9.0	2.0	15.0	20.0	13.0	10.0
		採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		採水量 (L)	2	2	2	2	2	2	2	2	2	2
		沈澱量 (mL・m ³)	175	150	450	200	275	225	275	250	125	100
コード	No.	門										
		綱										
		種名等										
		Microcystis sp.					1.2					
		Cryptomonadaceae	453.6	151.2	799.2	108.0	93.6	345.6	374.4	126.0	406.8	97.2
		Prorocentrum micans								0.6		
		Prorocentrum minimum	385.2	58.8	134.4	11.4	4.8	1,397.4	29.4	10.2	4.8	7.8
		Prorocentrum triestinum	4.8	9.6	18.6	6.0	1.2	62.4	1.8			0.6
		Dinophysis acuminata		1.8	7.2	0.6		2.4		1.8		
		Dinophysis infundibulus							0.6			
		Dinophysis rotundata					0.6					
		Ocyropsis ocyroides			3.6	0.6	1.8					
		Gymnodinium mikimotoi			1.2					0.6		
		Gymnodinium sp.	6.0	7.2	24.6	9.0	2.4	7.8	10.2	6.0	1.2	3.0
		Gyrodinium spirale			3.6	0.6	1.2	2.4	0.6	1.8		0.6
		Gyrodinium sp.	3.0	4.2	34.8	3.6	3.6	3.0	1.8	1.8		
		Katodinium sp.			0.6	2.4	0.6		0.6	1.8		
		Polykrikos sp.		0.6	1.8	1.2		0.6	0.6	0.6		
		Gymnodiniales	121.2	61.8	352.8	54.0	54.0	180.0	30.6	17.4	9.6	14.4
		Noctiluca scintillans								0.6		
		Protoperidinium bipes	80.4	15.0	17.4	16.8	6.6	18.6	18.6	0.6		1.2
		Protoperdinium sp.	3.0	1.8	5.4	0.6	0.6	9.6	0.6	1.2	1.2	0.6
		Scrippsiella sp.		0.6	0.6						0.6	
		Ceratium furca		0.6				3.6		0.6	1.2	
		Ceratium fusus			0.6			0.6				
		Peridinales	53.4	28.8	52.8	24.6	25.2	69.6	19.2	10.8	5.4	2.4
		Ehria tripartita		0.6	0.6							
		Heterosigma akashiwo		1.2	7.2	2.4	4.2	0.6	0.6	11.4	0.6	1.8
		Aulacoseira ambigua						9.6				
		Aulacoseira granulata					8.4	32.4				
		Cyclotella sp.			1.2			1.2		2.4		
		Detonula pumila		2.4	3.6							
		Lauderia annulata	1.8	7.8	9.6	39.0	24.0	2.4	33.6	13.8	19.8	61.2
		Skeletonema costatum	142.2	48.0	44.4	57.6	55.8	321.6	4.2	2.4	19.2	21.

東京湾

		測点	1	3	4	5	7	8	9	13	15	20
		採集月日	11:04	11:04	11:04	11:04	11:04	11:04	11:04	11:05	11:05	11:05
		採集時刻	10:28	11:22	10:45	11:43	9:08	10:11	9:21	9:54	10:22	11:50
		全水深 (m)	8.0	6.0	11.0	9.0	10.0	18.0	15.0	20.0	13.0	10.0
		採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		採水量 (L)	2	2	2	2	2	2	2	2	2	2
		沈澱量 (mL/m ²)	75	160	75	75	100	90	100	115	40	25
コードNo.	門	綱	種名等									
	クリプト植物	クリプト藻	Cryptomonadaceae	170.4	518.4	511.2	561.6	309.6	439.2	244.8	403.2	226.8
	藻類	藻類	Prorocentrum dentatum			0.6	1.8	1.8	0.6	1.2		0.6
			Prorocentrum micans	1.8			0.6	0.6				
			Prorocentrum minimum	2.4	2.4	1.8	0.6	3.6	1.2	1.8	0.6	1.2
			Prorocentrum triestinum	3.6	12.0	7.8	16.8	12.6	4.8	5.4	4.8	4.2
			Dinophysis acuminata		1.8		4.8	0.6	2.4	1.2	1.2	
			Dinophysis roundata				0.6	0.6	0.6			
			Oxypheia oxytaenoides	0.6	1.2		1.2		0.6	0.6		
			Gymnodinium sp.						0.6	0.6	0.6	
			Gyrodinium spirale	1.2	2.4	0.6	3.6	0.6	2.4	3.6	1.8	0.6
			Gyrodinium sp.	2.4	2.4	1.2	1.8		0.6	1.2	3.6	1.2
			Katodinium sp.					0.6	1.2	1.2	1.8	4.8
			Polykrikos sp.						0.6		0.6	
			Gymnodiniales	18.6	24.6	19.2	25.2	14.4	15.6	12.6	10.8	9.6
			Noctiluca scintillans	0.6					0.6			
			Obelia sp.						0.6		0.6	
			Protoperidinium bipes	1.2	4.2	1.2	0.6		1.2		3.6	0.6
			Protoperidinium sp.	4.2	4.8			0.6	1.2	1.8	1.8	0.6
			Scrippsiella sp.						0.6			
			Ceratium furca	22.2	0.6	1.2	4.8	4.8	10.8	1.8	1.2	0.6
			Ceratium fusus	0.6			2.4	1.2				
			Ceratium lineatum		1.2		2.4	2.4	3.0	1.8	0.6	0.6
			Peridinales	10.2	25.2	10.2	16.8	15.6	10.2	8.4	10.8	2.4
	不等毛植物	黄金色藻	Ehria tripartita		1.2				0.6		0.6	1.2
		珪藻	Lauderia annulata	2.4								1.8
			Skeletonema costatum	52.2	144.0	254.4	146.4	321.6	48.6	78.6	129.6	92.4
			Thalassiosira anguste-lineata		2.4					2.4	1.8	
			Thalassiosira rotula			1.8				4.8	0.6	
			Thalassiosira sp.	3.6	4.8	7.8	1.2	10.2	3.6	4.8	16.8	6.0
			Thalassiosiraceae	27.0	25.2	18.0	24.6	21.0	16.2	40.8	55.8	16.2
			Leptocylindrus danicus	0.6	1.2	2.4						

東京湾

コードNo.	門	綱	種名等	1	3	4	7	8	9	13	15	20
			測点									
			採集月日	12.02	12.02	12.02	12.02	12.02	12.02	12.03	12.03	12.03
			採集時刻	10:23	11:13	10:39	11:30	9:18	10:05	9:34	9:50	10:17
			全水深 (m)	7.0	6.0	11.0	9.0	9.0	18.0	16.0	21.0	14.0
			採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
			採水量 (L)	2	2	2	2	2	2	2	2	2
			沈澱量 (mL/m ³)	90	90	110	75	95	65	75	65	50
	藍藻植物	藍藻	<i>Aphanocapsa</i> sp.			0.6			1.2		0.6	1.8
	クロト植物	クロト藻	Cryptomonadaceae	223.2	205.2	205.2	327.6	234.0	97.2	147.6	104.4	39.6
	渦鞭毛植物	渦鞭毛藻	<i>Prorocentrum dentatum</i>	1.8	2.4	1.8	3.0	1.8	3.6	6.0	0.6	
			<i>Prorocentrum micans</i>		0.6		0.6		0.6			
			<i>Prorocentrum minimum</i>	0.6	10.2	4.8	13.2	6.0	1.8	10.2	5.4	1.8
			<i>Prorocentrum sigmoides</i>		0.6							
			<i>Prorocentrum triestinum</i>		1.8	0.6	1.8	1.2			0.6	
			<i>Dinophysis acuminata</i>	5.4	0.6	0.6	2.4		4.2	1.2	0.6	1.2
			<i>Ocyropsis ocyropsoides</i>		3.0		1.8	1.2		3.0	1.8	
			<i>Gymnodinium</i> sp.		0.6	0.6		0.6		1.2		
			<i>Gyrodinium spirale</i>	1.2	1.2	1.2	2.4	1.2	3.6		3.6	
			<i>Gyrodinium</i> sp.	2.4		0.6	0.6	0.6		1.2		
			<i>Katodinium</i> sp.			0.6	1.2			0.6	0.6	
			<i>Polykrikos</i> sp.			0.6						
			Gymnodiniales	6.0	8.4	7.8	10.2	4.2	8.4	4.8	7.8	2.4
			<i>Protoperidinium bipes</i>		1.8	0.6			0.6		1.2	
			<i>Protoperidinium</i> sp.	0.6	1.2	0.6	1.2					1.2
			<i>Scorpiella</i> sp.							0.6		
			<i>Gonatax</i> sp.				0.6					
			<i>Ceratium furca</i>	3.0	4.8	3.0	2.4	1.2	1.2	1.8	2.4	0.6
			<i>Ceratium fusus</i>							1.2		
			<i>Ceratium lineatum</i>	7.8	0.6	3.0	0.6	2.4	3.6	3.0	3.0	0.6
			Peridiniales	5.4	9.0	6.6	4.8	2.4	8.4	3.6	4.8	0.6
	不等毛植物	黄金色藻	<i>Distephanus speculum</i>	0.6	0.6	0.6	1.2		1.8		1.8	
			<i>Ebria tripartita</i>	0.6	0.6	0.6	1.8			0.6		
		珪藻	<i>Lauderia annulata</i>				3.0		4.2			
			<i>Skatzenomena costatum</i>	336.0	258.0	382.8	416.4	310.8	203.4	402.0	204.0	194.4
			<i>Thalassiosira angusta-lineata</i>		1.2	0.6	1.8	1.2	1.8	1.8	1.8	0.6
			<i>Thalassiosira rotula</i>		15.6	2.4	9.0	3.6	8.4	6.6	2.4	1.2
			<i>Thalassiosira</i> sp.	0.6	4.2	1.8	6.0	4.2	1.2	3.0	4.2	
			Thalassiosiraceae	3.6	13.8	11.4	25.2	30.6	4.8	15.0	15.6	6.6
			<i>Leptocylindrus danicus</i>	10.8	4.2	12.0	18.6	24.6	10.2	19.8	13.2	3.0
			<i>Leptocylindrus minimus</i>		1.2	0.6	3.0	1.2		2.4	1.8	
			<i>Melosira varians</i>									1.2
			<i>Coscinodiscus</i> sp.	0.6	0.6							
			<i>Actinocyclus senarius</i>					0.6				

東京湾

		測定	1	3	4	5	7	8	9	13	15	20
		測定日	3.04	3.04	3.04	3.04	3.04	3.04	3.04	3.03	3.03	3.03
		採集時刻	10:10	10:58	10:24	11:15	9:03	9:53	9:19	9:52	10:23	11:40
		全水深 (m)	8.0	5.0	11.0	9.0	10.0	18.0	16.0	21.0	14.0	10.0
		採水深 (m)	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
		採水量 (L)	2	2	2	2	2	2	2	2	2	2
		沈澱量 (mL・m ³)	310	625	725	450	600	300	300	350	125	65
コードNo.	門	綱	種名等									
	藍色植物	藍藻							0.6	0.6	0.6	
	カブト植物	カブト藻	118.8	43.2	126.0	72.0	64.8	190.8	212.4	97.2	68.4	118.8
	渦鞭毛植物	渦鞭毛藻								0.6		
						1.2						
					0.6			1.2		1.2		
								0.6				
								0.6				
					0.6							
										0.6		
			0.6	1.2	2.4	0.6						
				3.6		2.4	0.6	0.6			0.6	
			0.6	0.6						0.6		
			0.6									
			1.8	4.2	3.0	3.0	2.4	2.4	1.2	2.4	0.6	0.6
									0.6			
				0.6								